## **ORDINANCES**

OF THE

# YUKON TERRITORY

PASSED BY THE

## YUKON COUNCIL

IN THE YEAR

1946

GEORGE ALLEN JECKELL
CONTROLLER



Printed and Published for the Government of the Yukon Territory Under Authority of Chapter 75 of the Consolidated Ordinances of 1914

BY

PIERCY POWELL, King's Printer

## **ORDINANCES**

OF THE

# YUKON TERRITORY

PASSED BY THE

### YUKON COUNCIL

IN THE YEAR

1946

GEORGE ALLEN JECKELL
CONTROLLER



Printed and Published for the Government of the Yukon Territory Under Authority of Chapter 75 of the Consolidated Ordinances of 1914

BY

PIERCY POWELL, King's Printer

## TABLE OF CONTENTS

Chap.			Page.
1.	An	Ordinance to amend "The Motor Vehicle Ordinance"	1-3
2.	An	Ordinance Governing the Safe Operation of Mines	
		in the Yukon Territory	4-114
3.	An	Ordinance to Incorporate the City of Whitehorse	115-200
4.	Αn	Ordinance to amend "The Poll Tax Ordinance"	201
<b>5</b> .	·An	Ordinance to amend "The Forest Fires Ordinance"	202
6.	An	Ordinance to amend "The Dental Ordinance"	203
7.	An	Ordinance Respecting Fair Wages and Hours of	
		Labour For Shop Employees	204-206
8.	An	Ordinance to Exempt J. B. Kunze and E. Kunze	
		From Payment of License Fee on Electric Light	
		Plant in Mayo Area For Stated Period	207
9.	Αn	Ordinance to Provide For a Plebiscite On the	
		Question of Bringing Into Force "An Ordinance to	
		Incorporate the City of Whitehorse"	208-228
10.	Αn	Ordinance to amend "The Assessment Ordinance"	229
11.	An	Ordinance to amend "The Gasoline and Fuel Oil	
		Tax Ordinance"	230
<b>12</b> .	An	Ordinance for Granting to the Commissioner	
		Certain Sums of Money to Defray the Expenses of	
		the Public Service of the Iukon Territory and City	
		of Dawson	231-238



### CHAPTER 1

# AN ORDINANCE TO AMEND "THE MOTOR VEHICLE ORDINANCE."

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of the said Territory, enacts as follows:

- 1. "The Motor Vehicle Ordinance." being Chapter 66 of the Consolidated Ordinances of the Yukon Territory, 1914, and amending ordinances, is hereby amended by adding the following definition to those contained in Section 2 thereof:
- "Resident" shall mean a person who has resided continuously in the said Yukon Territory for not less than two years.
- 2. The said ordinance is further amended by adding the following sub-section to Section 4 thereof:
  - "4. The provisions of this Section and the immediately preceding section shall apply to non-resident as well as resident owners but in addition to the fee in this section provided for a non-resident owner who is engaged in commercial transportation between the Province of British Columbia and/or the Territory of Alaska and the Yukon Territory, shall pay a fee of \$20.00 per ton capacity of each vehicle of one ton capacity and over so engaged in such transportation."

3. The said Ordinance is further amended by adding immediately after Section 11 thereof the following section:

Every motor vehicle and every trailer having a width, including the load thereon, in excess of eighty inches at any part shall, unless excepted by a permit issued by the Controller carry two clearance-lights on the extreme left side and two clearance lights on the extreme right side of the motor vehicle, trailer, or load, two located at the front, each displaying a white, green, or amber light visible under normal atmospheric conditions from a distance of five hundred feet to the front of the motor vehicle or trailer, and the other two located at the rear of the motor vehicle or trailer, each displaying a red light visible under normal atmospheric conditions from a distance of five hundred feet to the rear of the motor-vehicle or trailer: provided that in the case of a trailer used for hauling logs, reflectors of a type approved by the Controller may be carried instead of the clearance lights prescribed by this regulation in respect to trailers. Every side-car attached to a motor-cycle shall carry two clearance-lights mounted on the extreme outer side of the side-car, one located at the front and displaying an amber light visible under normal atmospheric conditions from a distance of five hundred feet to the front of the side-car and the other located at the rear of the side-car and displaying a red light visible under normal atmospheric conditions from a distance of five hundred feet to the rear of the side-car. A dual light attached to a side-car in such a manner as to display lights both to the front and to the rear and capable of fulfilling the above conditions shall be a sufficient compliance with the provisions of this regulation relating to clearance lights on a side-car. During the period from one-half hour after sunset to one-half hour before sunrise, and at any other time when there is not sufficient light to render clearly discernable a substantial object on the highway at a distance of two hundred feet, the clearance-lights prescribed by this regulation shall be kept lighted whenever the motor vehicle, trailer, or side-car is on the travelled portion of any highway. No clearance-light shall be equipped with a light-bulb producing light of more than six candle-power or less than two candlepower. No lights on the outside of any motor-vehicle, trailer or side-car other than those prescribed or permitted by these regulations shall be lighted while the motor-vehicle, trailer, or side-car is on the travelled portion of any highway unless approved by the Controller and used, adjusted, and operated in accordance with such conditions as are set forth in the approval. No person shall sell or offer for sale for use on a motor-vehicle any reflector of a type or make which has not been approved by the Controller.

### CHAPTER 2

## AN ORDINANCE GOVERNING THE SAFE OP-ERATION OF MINES IN THE YUKON TERRITORY

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of the said Territory, enacts as follows:

#### SHORT TITLE

1. This Ordinance may be cited as "The Mining Safety Ordinance."

#### INTERPRETATION

2. In this Ordinance unless the context otherwise requires

"Authorized"

(a) "Authorized" means properly authorized to perform any specified duty or to do any specified act, and "qualified" shall mean properly qualified to perform any specified duty or do any specified act;

"Qualified"

"Agent"

(b) "Agent" means any person having, on behalf of the owner, the care or direction of a mine or of any part thereof, and includes the words manager and superintendent;

- "Controller" means the Controller of the "Controller" (c) Yukon Territory:
- (d) "Court" means the Territorial Court of the "Court" Yukon Territory:
- "Inspector" means any inspector, including (e) the chief inspector, appointed under this Ordinance, and any officer having the powers of an inspector and any other person who is directed by the Controller to make a special report with respect to an accident in a mine to which this Ordinance applies:

"Machinery" means and includes steam and "Machinery"  $(f_{\star})$ other engines, boilers, furnaces, stamps and other crushing apparatus, winding and pumping gear, chains, trucks, tramways, tackle, blocks, ropes and tools, and all appliances used in or about or in connection with a mine:

(g)The noun "mine" shall include any opening, quarry or excavation in, or working of, the ground for the purpose of searching for, winning, opening up, removal of, or proving any mineral-bearing substance, and any ore body, mineral deposit, stratum, soil, rock, quartz, limestone, bed of earth, clay, sand or gravel, or place where mining is or may be carried on, and all ways, works, machinery, plant, buildings and premises below or above ground belonging to or used in connection with the mine and also any roast yard, smelting furnace, mill, work or place used for or in connection with crushing, reducing, smelting, refining, or treating any of said substances:

"Mine" "Mining"

(h) The verb "mine" and the word "mining" shall include any mode or method of working, whereby the soil or earth or any rock, stone, quartz, clay, sand or gravel may be disturbed, removed, carted, carried, washed, sifted, crushed, roasted, smelted, refined or dealt with for the purpose of obtaining any mineral or minerals, metal or metals therefrom whether the same may have been previously disturbed or not and all operations and workings mentioned in clause (g) of this section.

"Owner"

(i) "Owner" when used in relation to any mine, means and includes every person, mining partnership, and company being the immediate proprietor or lessee or occupier of a mine, or of any part thereof, or of any land located, patented or leased as mining lands but shall not include a person, or a mining partnership or company receiving merely a royalty, rent or fine from a mine or mining lands, or being merely the proprietor of a mine or mining lands subject to a lease, grant or other authority for the working thereof, or the owner of the surface rights and not of the ore or minerals:

"Recorder"

(j) "Recorder" means the mining recorder of the mining district in which the land in respect of which an act, matter or thing is to be done are situate;

"Regula-

(k) "Regulation" means a regulation made by the Controller under the authority of this Ordinance:

"Shaft"

(1) "Shaft" includes a pit.

3. The Controller may appoint an inspector or inspectors, and such other officers as he may deem necessary for the purpose of carrying out the provisions of this Ordinance, and, subject to the approval of the Commissioner in Council, fix their remuneration.

ment and duties of inspectors officers.

The Controller may from time to time make regulations and prescribe such forms as may be deemed necessary for the proper carrying into effect of the provisions of this Ordinance.

Regulations

#### EMPLOYMENT IN AND ABOUT MINES

5. Subject to the requirements of this Ordinance, Responsi-(1) and except as otherwise herein provided, responsibility for the authorization and decisions as to the qualifications of the employees shall rest with the employer or his agent.

No male person under the age of sixteen years shall be employed in or about any mine, and no male person under the age of eighteen vears shall be employed below ground in any mine.

Restrictions on employment of children

(3)No girl or woman shall be employed in or about any mine except in a professional technical, clerical or domestic capacity.

Girls and women

The owner or agent of every producing mine Rescue 6. (1)shall provide adequate mine rescue apparatus which shall be kept in good condition and readily available for use at all times.

Apparatus

It shall be the duty of the owner, or agent, (2) of every producing mine to cause a sufficient number of workmen to be trained in the use and maintenance of rescue apparatus.

. 7.

Hours of labour underground (1) No workman shall remain or be allowed to remain underground in any mine for more than eight hours in any consecutive twenty-four hours, which eight hours shall be reckoned from the time he arrives at his place of work in the mine until the time he leaves such place, provided however, that,—

l'roviso

- (a) a Saturday shift may work longer hours hours for the purpose of avoiding work on Sunday or changing shift at the end of the week or giving any of the men a part holiday;
- (b) the said limit of time shall not apply to a foreman, pump man, cagetender, or any person engaged solely in surveying or measuring, nor shall it apply in cases of emergency, where life or property is in imminent danger, or in any case of repair work.

Hours of operator of hoisting engine

(2) No person shall operate or be permitted to operate, either on the surface or underground, any hoisting engine by means of which persons or material are hoisted, lowered or handled in any shaft or winze, for more than eight hours in any consecutive twenty-four hours, except,

Absence of holstman

(a) that in the event of one of the regular hoistmen being absent from duty through sickness or otherwise and where no competent substitute is available the remaining hoistman or hoistmen may work extra time not exceeding four hours each in any consecutive twenty-four hours for a period not exexceeding ten days;

That in any case where the work at three shifts (b) any mine or in any shaft or winze at per day any mine is not carried out continuously on three shifts per day, in which case the hoistman may work such extra time as may be necessary for hoisting or lowering the workmen employed on the shift at the beginning and end of each shift:

(c) in the cases provided for in clauses (a) and (b) of subsection 1.

Saturday shift emcrgencies

In this section,— (3)

Interpreta tion "Workman

"Workman" shall mean any person (a) employed underground in a mine who who is not the owner or agent or an official of the mine:

(b) "Shift" shall mean any body of work- "snift" men whose hours for beginning and terminating work in the mine are the same or approximately the same, and Certificate where any question or dispute arises as of Inspecto the meaning or application of clause (b) of subsection 1, or as to the meaning of "workman", "shift" or "underground", the certificate of the Inspector shall be conclusive.

For greater certainty it is hereby declared Application (4)that sections 41, 42 and 43 shall apply to as to contraventions of this section; provided, however, that a workman shall not be guilty of an offence for failure to return to the surface within the time limited by this section if he proves that without fault on his part he was prevented from returning owing to means not being available for the purpose.

penalties

8.

Suspension of operation of section

(5) In the event of great emergency or grave economic disturbance, the Controller may suspend the operation of this section to such an extent and for such period as he deems fit.

Age limit of hoistmen

- (1) No person under the age of twenty-one years and no person who has not had adequate experience on a reversing hoisting engine shall be allowed to have charge of any hoisting engine at a shaft or winze in which men are handled at any mine.
- (2) No person under the age of eighteen years shall be allowed to have charge of any hoisting engine of any kind at a mine.

Hoistman to be holder of medical certificate

- (3) No person shall operate or be permitted to operate any hoist engine at a shaft or winze in which men are handled at any mine, or for any other purposes designated by the Inspector unless such person is the holder of a subsisting certificate from a duly qualified medical practitioner to the effect that such person has been examined and that he is not subject to any infirmity, mental or bodily, and that his sight and hearing are not defective to such a degree as to interfere with the efficient discharge of his duties.
  - (a) Such certificate shall lapse and be deemed to have expired at the end of one year from the date thereof.

Record of subsisting certificates (4) A record of all such subsisting certificates shall be kept on file by the person in charge of the mining operation and shall be open at all times to examination by the Inspector.

Interpreta-

9. For the purpose of sections - 11 to 20.

- "Applicant" shall mean a person who is not "Applicant" (a) the holder of a certificate in good standing, issued under the authority of sections 11 to 20, who is seeking employment in a dust exposure occupation;
- "Certificate" shall mean initial certificate, ex- "Certificate" (b) tended certificate, endorsed certificate, miner's certificate and renewed certificate:
- "Dust exposure occupation" shall mean em- "Dust (c) ployment underground in a mine or open quarry or employment at the surface of a mine in ore or rock crushing operations where the ore or rock is not crushed in water or in a chemical solution which constantly keeps it in a moistened or wet condition;

"Endorsed certificate" shall mean an initial "Endorsed (d) certificate or extended certificate which has been endorsed under clause (b) of subsection 2 of section 13:

"Extended certificate" shall mean an initial (e) certificate which has been extended under clause (a) of subsection 2 of section 13;

"Extended

(f) "Initial certificate" shall mean a certificate issued to an applicant under subsection 1 of section 13:

"Initlal cer-

(g) "Medical Officer" shall mean a medical officer appointed by the Controller, or a medical practitioner employed by the mining company and authorized by the Controller to carry out the provisions of this Ordinance with regard to the examination of employees or applicants for employment;

"Medical

"Miner's certificate" (h) "Miner's certificate" shall mean a certificate issued under subsection 1 of section 14;

"Renewed

(i) "Renewed certificate" shall mean a miner's certificate which has been renewed under subsection 2 of section 14.

Dust exposure occupation —employment in 10. No person shall be employed in a dust exposure occupation unless he is the holder of a certificate in good standing.

Terms of certificate

11. (1) Subject to the provisions of subsection 2 every certificate shall remain in force for not more than twelve months, provided that a medical officer may, at any time, recall the holder of any certificate for examination within the scope of the existing certificate and may extend, endorse, renew or cancel such certificate in accordance with his finding upon such examination.

Examination by travelling medical officer

(2) In those portions of the Yukon Territory where the examinations under section 13 and 14 are conducted by a travelling medical officer no certificate shall be deemed to have expired because of the failure of the medical officer to conduct any examination prior to the date of expiration of any certificate, and the holder of any certificate which would otherwise have expired shall present himself before a medical officer for re-examination at the first opportunity available after the date upon which his certificate would have so expired.

Expiration of certificate (3) Where any certificate of a person employed in the mining industry has expired because of the failure of the holder thereof to present himself to a medical officer for examin-

ation, a medical officer may extend, endorse or renew such certificate or issue a miner's certificate, as the circumstances of the case may require, if he is satisfied that such failure was caused by the inability of such holder to so present himself because of illness or other circumstances beyond his control.

12. (1) Every applicant shall be examined by a medical officer before commencing employment and if the medical officer finds upon examination that the applicant is free from disease of the respiratory organs and otherwise fit for employment in a dust exposure occupation he shall issue to the applicant an initial certificate. Every such examination shall include the taking of X-Ray plates of the chest.

Examination before employment

- (a) Every X-Ray plate of the chest taken in compliance with these regulations shall be sent as soon as convenient by the Medical Officer to an X-ray specialist or clinic specializing in diseases of the respiratory organs for examination and report, such specialist or clinic to be approved by the Controller of the Yukon Territory.
- (2) The holder of an initial certificate shall, prior to the expiration thereof, present himself to a medical officer for re-examination and if the medical officer finds upon examination that such holder is free from diseases of the respiratory organs and otherwise fit for employment in a dust exposure occupation he shall;—

Intial certificate holder,— re-examina-tion

13.

(a) in the case of a holder who since the issuance of his initial certificate has completed eleven months' or more employment in a dust exposure occupation, the medical officer shall endorse such certificate

Issue of miner's certificate (1) The holder of an endorsed certificate shall, prior to the expiration thereof, present himand if the medical officer finds upon examself to a medical officer for examination ination that such holder is free from tuberculosis of the respiratory organs he shall issue to such holder a miner's certificate.

Miner's certificate holder, re-examination (2) The holder of a miner's certificate shall, prior to the expiration thereof, present himself to a medical officer for re-examination and if the medical officer finds upon examination, including X-Ray examination, that such holder is free from tuberculosis of the respiratory organs, he shall renew such certificate which may be further renewed from year to year upon the passing of a similar examination.

Unemployed holder of certificate

14. The holder of any certificate, who, for any reason, is out of employment in a dust exposure occupation may apply to a medical officer for the extension, endorsement or renewal of his certificate or for the issuance of a miner's certificate, as the case may be, and upon presentation of the holder's certificate the medical officer shall conduct the required examination and effect such extension, endorsement, issuance or renewal as may be warranted by his findings upon such examination.

Where the holder of an initial or extended Initial 15. certificate has been out of employment in the min- extended ing industry for a period exceeding one year and during such period has failed through neglect on his part to have his certificate extended or endorssed, such certificate shall be void and the holder thereof shall be eligible for re-employment in a dust exposure occupation in the capacity of an applicant only.

Where the holder of an endorsed certificate or a miner's certificate has been out of employment in the mining industry for a period exceeding two years and during such period has failed through neglect on his part, to obtain a miner's certificate or to have a miner's certificate renewed; his certificate shall be void and the holder thereof shall be eligible for re-employment in a dust exposure occupation in the capacity of an applicant only.

Endorsed or Miner's

Where the holder of any certificate has been out of employment in the mining industry for a period exceeding three years, he shall be eligible for re-employment in a dust exposure occupation in the capacity of an applicant only.

Where un-employment exceeds three years

16. The manager or superintendent of the mine at which the holder of a certificate is employed shall require such certificate to be delivered to and left in the custody of such manager or superintendent during the period of the holder's employment at the mine but such certificate shall be returned to the holder upon the termination of his employment at such mine.

Custody of

17. (1) The Chief Inspector may exempt from the provisions of sections 11 to 17 any mine or any person employed thereat where, in his opinion the, mine does not contain silicia in the quantity likely to produce silicosis or where for any other reason he is of the opinion that such provisions should not apply.

exemptions

(2) The provisions of section 11 to 17 shall not apply to any person usually employed in a dust exposure occupation for less than fifty hours in each calendar month.

#### 18. The Controller may make regulations,—

Regulations

- (a) prescribing the nature of the examination to be made by a medical officer under sections 13 to 16:
- (b) prescribing the forms of certificates and extension, endorsement and renewals thereof; and
- (c) generally for the better carrying out of the requirements of sections 11 to 18.

Certificate holder under Provincial legislation 19. Every person who is the holder of a valid miner's certificate issued under any provincial mining act, as required by sections 10 to 19 inclusive, shall be entitled to receive a miner's certificate which shall expire upon the expiration date of the said provincial certificate.

Protection from radium hazards 20. The owners of mines or metallurgical works where radioactive minerals are mined, concentrated or treated shall supply and install the equipment necessary for and have their medical practitioner carry out such tests, as the Controller may from time to time decide are required for the protection of the health of all employees. Adequate precautions shall also be taken in mining, milling and treating of radioactive ores to protect the health of the employees as approved of in writing by the Chief Inspector.

Penalty for employment of persons contrary to Ordinance

21. Where a contravention of section 5, 7 or 8 takes place, the owner or agent of the mine, or both of them, may be proceeded against, jointly or separately and may be convicted of such offence, but neither the owner nor the agent shall be so convicted if he proves that the offence was committed without his knowledge or consent, and that he had caused notices of the said section to be posted up, and to be kept posted up, at some conspicuous place at or near the entrance to the mining work.

Where a mine has been abandoned or the Fencing of work therein has been discontinued, the owner or lessee thereof or any other person interested in the mineral of the mine shall cause the top of the shaft and all entrances from the surface as well as all other pits and openings dangerous by reason of their depth, to be and to be kept securely fenced to the satisfaction of the Inspector.

abandoned or unworked

Every such person who, after notice in writing from the Inspector fails to comply with his directions after notice as to such fencing within the time named in the notice shall be guilty of an offense against this Ordinance.

Fallure to

Where the Inspector finds that any such fencing is required in order to avoid danger to health or property he may cause the work to be done and the costs incurred, with interest thereon, shall be a lien and charge upon the mine or mining work of which notice in such form as the Controller may prescribe may be registered in the proper mining recorder's registry or land titles office, and no further transfer or other dealings with the mineral claims, mine or mining work shall take place until such costs are paid.

Instector may erect

The amount of such costs with interest there- Recovery of on shall be due from the owner or lessee to the Crown and recoverable at the suit of the Controller in any court of competent jurisdiction.

#### INQUEST TO BE HELD IN CASE OF FATALITY

It shall be the duty of a coroner, having coroner to jurisdiction in the place where a fatal accident occurs in or in connection with a mine or metallurgical works to hold an inquest, and he shall forward to the Inspector a certified copy of the proceedings taken at the inquest. The coroner shall not conduct an inquest unless an inspector is present during the entire inquest.

hold inquest in case of fatality in

Duty of Manager (a) The manager or other person in charge of a mine wherein or in connection wherewith a fatal accident occurs shall forthwith notify a coroner, appointed under the Yukon Act, having jurisdiction in the place where the accident occurs.

Controller may direct who to hold inquest (b) Where a fatal accident occurs in or in connection with a mine at a place which is more readily accessible to a coroner not having jurisdiction in such place than to any eligible coroner having jurisdiction thereat, the Controller may direct such coroner to issue his warrant and conduct an inquest and such direction shall be such coroner's authority therefor.

Right of the Inspector or his representatives to be resent at inquest (2) The Inspector and any person authorized to act on his behalf shall be entitled to be present and to examine or cross-examine any witness at every inquest held concerning a death caused by an accident at a mine.

## Rules for Protection of Miners and Other Workers in or About Mines

Suspension of rule

24. (1) Where the owner, agent or manager of a mine by his application in writing stating his reasons therefor, requests the Inspector to suspend the requirements of any rule under section 25 as to such mine, the Chief Inspector, upon the recommendation of an Inspector, may in writing direct that the requirements of such rule shall not apply to such mine or may in writing direct that such rule shall not apply so long as such limitations and conditions as he may see fit to impose, are observed or complied with.

Cancellation of suspension (2) The Chief Inspector may at any time cancel any order made under subsection 1, or make such alterations therein as he may deem proper in view of any change in the conditions under which such order was made or upon it appearing to him that such change for any other cause, is advisable.

(3) The manager of a mine may make rules not Manager of inconsistent with any rule therein set out, or any special make rules direction made by an inspector as hereinbefore provided. for the maintenance of order and discipline and the prevention of accidents in the mine. The rule or rules when so made shall be submitted to the Chief Inspector, who shall lay the same before the Controller for his approval, and upon such approval being given the rules shall take effect after they have been posted up in a conspicuous place at the mine for at least fourteen days, provided that the Commissioner may disallow any of such rules or direct such changes to be made in them as he may deem proper.

- Every such rule after approval and when (a) and so long as it is posted up and is legible shall have the same force and effect as the rules and regulations set out in this Ordinance and any person who contravenes any such rule shall incur the penalty provided for a breach of the rules and regulations contained in this Ordinance.
- Except as to any rules which the Inspector has directed shall not be applicable thereto, the manager of the mine shall take all necesssary and reasonable measures to enforce the requirements of the rules set forth in section 25 and to ensure that they are observed by every employee of the mine and every foreman, mine captain, shift boss and department head shall take all necessary and reasonable measures to enforce the requirements of all such rules as are applicable to the work and over which he has supervision and to ensure that the same are observed by the workmen under his charge or direction. An authorized officer of the mine, responsible for the operations, shall be present on the property at all times. In the absence of the regular officer a substitute competent and responsible person may act and shall be held responsible for the proper carrying out of the rules. Every person through whose neglect

Responsibility as to out rules.

or wrongful act a contravention occurs shall be deemed to have incurred the penalties provided for a breach of the rules.

Liability of contractors and subcontractors

- (5) Where work in or about a mine is let to a contractor or sub-contractor, he shall comply and enforce compliance with all the rules and provisions of this Ordinance pertaining to the work over which he has control and shall in any case of non-compliance therewith be guilty of an offence and punishable in like manner as if he were owner or agent.
- (6) The provisions of the Sanitary Control Ordinance of the Yukon Territory shall apply to all mining camps, mines, buildings and employees, where not inconsistent with this Ordinance.
- 25. Subject to the provisions of section 24, the following rules shall be observed and carried out at every mine and the decision of the Inspector as to whether or not any situation complies with any requirement of the rules in which "suitable", "adequate", "approved" or any expression of like import is used and as to the meaning and application of any such expression shall be final and conclusive and a certificate of any such decision signed by the Inspector may be used as evidence in any court;

Duty as to knowledge of miles (1) It shall be the duty of every manager, superintendent, mine foreman, shift boss, hoistman, deckman, cagetender or skiptender and every person in charge of workmen or who handles explosives, or who operates, installs or has to do with the maintenance of any machinery or electrical apparatus in or about a mine, to know such of these rules as apply to the work in which he is engaged.

Underground foreman, knowledge of English language (2) Every person employed as an underground foreman, meaning thereby one who is exclusively engaged in supervising the work of other men, shall be liable to give and to receive and understand orders in the English language.

(3) Every person employed underground in a mine shall have an adequate knowledge of the English language to enable him to carry out his duties in a thoroughly safe manner.

Other workmen, knowlage. of English language

(4) The Inspector shall have the right to suspend any foreman or mine captain, shift boss or department head who is unfamiliar with or does not understand the rules governing the operation of mines as contained in this Ordinance.

Suspension for unfamiliarity with rules

#### FIRE PROTECTION

(5) (a) No inflammable refuse shall be allowed to accumulate underground but shall be removed from the workings at least once a week and be brought to the surface and there disposed of in a suitable manner.

Removal of inflammable material from underground workings

(b) Inflammable refuse shall not be allowed to accumulate in or about and headframe, shafthouse, portalhouse or any other building the loss of which by fire may endanger the mine entrance.

Removal of inflammable material from surface buildings

(6) Every shift boss and mine captain shall certify in writing to the mine manager at least once a week that there is no accumulation of inflammable refuse underground in the area under his supervision or on the surface sufficiently close to the mine entrance to endanger the mine except as reported by him.

Certificate as to inflammable refuse

(7) Oil, grease or other inflammable material shall not be stored in any shafthouse or portalhouse, but it may be permissible, if adequate precautions be taken, to have in the shafthouse or portalhouse, for distribution only, an amount not exceeding the requirements for one day's operations.

Storage of oil and grease

Volatile. Inflammable Ilquids (8) Volatile, inflammable liquids shall not be stored in any shafthouse, or portalhouse, and such material shall not be transported underground except where carried in approved types of metal containers.

Oll and grease underground (9) Oil and grease kept underground shall be contained in suitable metal receptacles and the amount so kept shall not exceed the requirements for seven days.

Unused timber (10) All timber not in use in a mine shall as soon as practicable be taken from the mine and shall not be piled up and permitted to decay therein.

Open flame lights, precautions (11) Where open flame lights are used at any mine not equipped with a fireproof headframe and shafthouse or portalhouse, the interior of such shafthouse or portalhouse shall be tightly sheeted with metal or a suitable fireproofing material to a height of eight feet.

Fireproofing underground structures

(12) All underground buildings or enclosures necessary for the housing and maintenance of machinery and equipment shall be so constructed as to reduce the fire hazard to a minimum.

Storage of carbide

- (13) (a) Calcium carbide shall be stored on the surface only in a suitable dry place other than the shafthouse or portalhouse or changehouse in its original unopened container.
  - (b) For the purpose of distributing calcium carbide adequate provisions for the handling of quantities not in excess of one day's supply or 100 pounds, whichever is the greater shall be made at every mine. Such distribution shall not take place in any shafthouse, portalhouse or changehouse unless such structure is thoroughly fireproof but

shall be provided for by the installation of a suitable distribution centre not closed than fifty feet to the nearest point of any part of the headframe, shafthouse or portalhouse.

- (c) Adequate precautions shall always be taken to ensure that calcium carbide is handled in a safe manner and no carbide shall be taken underground except in suitable containers.
- (14) (a) Suitable fire-fighting equipment shall be provided and maintained in or about every headframe, shafthouse, portalhouse or any other building the loss of which by fire may endanger the mine entrance.

Fire-fighting equipment

(b) Suitable fire-fighting equipment shall be provided and maintained at all underground crushers, shaft and winze stations, pump stations, tipples and underground electrical installation except where in the opinion of the Inspector no fire hazard exists.

Fire protection where torches

- (15) Where operations involving the use of acetylene, kerosene, gasoline or other torches are conducted in any headframe, shafthouse, portalhouse, or any other building the loss of which by fire may endanger the mine entrance, or in the underground workings of any mine, suitable measures for protection against fire shall be adopted and rigidly adhered to.
- (16) Where cylinders of compressed gas, such as acetylene and oxygen, are transported underground for any cutting or welding operation, all fittings, such as regulators or manifolds, shall be disconnected from the cylinders and the valves of the cylinders shall be protected in a suitable manner. Any such protective device shall be removed only at the point of use and shall be replaced at any time a cylinder is left unattended or before a cyinder is moved to a new location.

Underground Transportation of compressed (17)

Operation of welding and cutting torches

- (a) In all cases where cylinders of compressed gas are operated from within any cage, skip or other shaft conveyance, or where the cylinders are set up in a location not readily accessible to the workmen operating the nozzle equipment a second competent operator shall be employed at all times to attend to the operation of the cylinder control devices.
  - (b) In all cases where cylinders of compressed gas are used underground for purpose of supplying cutting or welding equipment special precautions shall be observed to avert the possibility of damage to or failure of the regulators, manifolds and hoses used in conjunction with the equipment.

Generation of gas underground forbidden

(18). No device for the generation of gas, such as acetylene for supplying, cutting or welding equipment, shall be used in the underground workings of any mine.

Escapement

shaft has been sunk or an adit driven and stoping has commenced there shall be provided and maintained, in addition to the hoisting shaft or the opening through which men are let into or out of the mine and the ore extracted, a separate escapement shaft or opening. Such auxiliary exit shall not be less than fifty feet from the main entrance to the mine and any structure covering such auxiliary exit shall be of such material and so constructed as to reduce the fire hazard to a minimum. If such an escapement shaft or opening is not in existence at the time that stoping is commenced, work upon it shall be begun as soon as stoping is commenced and shall be diligently prosecuted until the same is completed and means of escapement other than the main outlet of the mine provided to and connected with the low-

est level on which stoping operations are being carried on. The escapement shaft or opening shall be of sufficient size to afford an easy passsageway and, where necessary, shall be provided with good and substantial ladders from the deepest workings to the surface.

(20) Unless there is first provided a second means of exit from the mine workings, no building shall be erected within fifty feet of any closed-in portion of a headframe or portalhouse except that the building housing, the hoist and power plant equipment may be erected within this distance provided that such distance be not less than thirty-five feet.

Buildings in proximity to entrance

(21) No steam boiler or diesel engine shall be installed in such a manner that any portion thereof is within seventy-five feet of the centre line of the col'ar of any shaft or other entrance to a mine.

Installaton of boilers and Diesel engines .

No gasoline or other internal combustion destallation engine using highly volatile liquids or inflammable gases shall be installed within fifty feet of the building housing the hoist nor within one hundred feet of the centre line of the collar of any shaft or other entrance to a mine.

of Internal engine

Where an internal combustion engine is installed at any mine provisions shall be made for safely conducting the exhaust of such engine to a point well outside the building. The exhaust shall be so arranged as to avert the possibility of fumes re-entering the building or entering the intake of any air compressor or contaminating the atmosphere of any adjacent buildings or the mine workings.

Exhaust of internal combustion engine

(a) Except for the actual fuel tanks of operating equipment no storage of gasoline or liquid fuel, unless in underground tanks, shall be permitted within one hundred feet of the collar of any shaft or other entrance to a mine. The natural drainage from such location shall be such that the flow is in a direction opposite to the location of any such shaft or mine entrance.

Storage of

Transfer of Hauid fuel (b) The fuel tanks of any internal combustion engine installed within a building shall be so arranged that the actual transfer of fuel to the fuel tank takes place at a point outside the building and the fuel is conducted to the tank in a tightly jointed pipe or conduit. Similar provisions for the escape of displaced air from the fuel tank shall be made whereby the displaced air shall be conducted to a safe point outside the building before being discharged to the atmosphere.

Transfer of liquid fuel by compressed air (25) The transfer of liquid fuels from one container to another by the direct application of air under pressure shall not be permitted except where properly designed and tested equipment is used for this purpose.

Legible sign showing exits

(27)

(26) Legible signs showing the way to emergency exits shall be posted in prominent places underground and all workmen shall be instructed as to the location of auxiliary exits.

Stench warning

- (a) Every mine producing over one hundred tons of ore per day and such other mines as may be designated by the Inspector shall be equipped with an approved apparatus for the introduction into the mine workings of ethyl mercaptan or other warning gas or material approved by the Chief Inspector. Such apparatus shall at all times be made available and kept ready for instant use for the purpose of warning workmen underground of any emergency necessitating a speedy evacuation of the workings.
- (b) A test of the effectiveness of the warning and a report as to the functioning of the system shall be made at

least once in each year and a report of such test and functioning made available to the Inspector.

(28)(a) Where practicable, there shall be a sufficient number of fire doors installed underground in every mine to cut off the shaft from other workings of the mine.

- (b) Where fire doors are installed they shall be maintained in proper order and kept clear of all obstructions so as be readily usable at all times.
- (29) Where the Chief Inspector deems it nocessary or advisable for the protection of workmen employed stations underground, he may order refuge stations to be provided and maintained at such places within the mine as he may direct and every such refuge station shall have water, air and telephone connections to the surface and be separated from the adjoining workings by closeable openings so arranged and equipped that gases can be prevented from entering the refuge station.

(30)

(a) Where the Chief Inspector deems it necessary or advisable for the protection of workmen employed underground he may recommend in writing to the Controller, that a connection between mines be established at such place as he deems advisable and he may further recommend that such connection be so made and equipped as to constitute a refuge station or refuge stations. Upon the approval by the Controller of any such recommendation a copy thereof, accompanied by a copy of this rule shall be served personally upon or mailed by registered post to the owner or the agent and the manager of each of the mines affected.

Connection, between mines

- (b) Upon the approval of any such recommendation of the Chief Inspector the Controller may in writing signed by him appoint a Committee of three persons who shall determine,—
  - the design, specifications and locations of the connecting passages, bulkheads or other structures to be constructed in order to safeguard the present and future operations of the mines affected;
  - (ii) the work to be done by each of the mines affected and the proportion in which the cost of such work and of establishing and maintaining the connection shall be borne by the owners of the mines affected;
  - (iii) the time at which such work in compliance herewith shall be commenced and completed;
  - (iv) the proportion in which the costs and expenses of the committee shall be borne by the owners of the mines affected;
  - (v) such other provisions or requirements as in the premises they may deem necessary or advisable.
- (c) The committee shall submit a report in writing to the Commissioner and a report of the majority of the committee shall be deemed to be the finding of the committee.

ì.

(d) Upon the approval by the Commissioner of the report of the committee the Chief Inspector may issue his order for the establishment and maintenance of such connection and refuge station or stations (if any recommended) in accordance with the terms of such report. A copy of the report shall be attached to the order and form a part thereof. No such order shall be subject to appeal upon any ground whatsoever but shall be enforcable in the same manner as any order of the Chief Inspector.

#### AID TO INJURED.

At every mine there shall be maintained a sufficient number of properly constructed stretchers for the proper handling and transporting of persons who may be injured in the discharge of their duties about the mine.

Stretchers conveyance of injured persons

There shall be provided and maintained at every mine for the treatment of anyone injured such first aid supplies as are required by the regulations of the Workmen's Compensation Act, of British Columbia, and the Sanitary Control Ordinance of the Yukon Territory.

Supplies for

#### HANDLING WATER

Every working mine shall be provided with suitable and efficient machinery and appliances for keeping the mine free from water, the accumulation or flowing of which might endanger the lives of workmen in such mine or in any adjoining mine.

Removal of water from: mine workings

Where there is or may be an accumulation Precautions of water, any working approaching the same shall have bore holes kept in advance, and such additional precaution-

ary measures shall be taken as may be deemed necesssary to obviate the danger of a sudden breaking through of the water.

Dams and bulkheads

- (35) For the purpose of this subsection—
  "Dam" shall mean any structure built for the purpose of impounding water in any drift, crosscut or other mine opening and constructed in such a manner as to permit an unobstructed overflow of the water.
- "Bulkhead" shall mean any structure built for the purpose of impounding water or confining air under pressure in any drift, crosscut or any other mine opening and constructed in such a manner as to completely close off such drift, crosscut or other mine opening.
  - (a) The location of every underground dam and bulkhead, within the meaning of this subsection shall be clearly shown on the mine plans.
  - (b) No dam behind which more than twenty-five tons of water may be impounded shall be constructed underground without the written permission of the Chief Inspector and then only when constructed in accordance with plans and specifications which have been approved by him.
  - (c) No bulkhead shall be constructed underground without the written permission of the Chief Inspector and then only when constructed in accordance with plans and specifications which have been approved by him.

#### VENTILATION

The ventilation in every mine shall Ventilation be such that the air in all of its workings that are in use or are to be used by workmen or others shall be free from dangerous amounts of noxious impurities and shall contain sufficient oxygen to obviate danger to the heatlh of anyone employed in any such mine. In any mine workings where such conditions cannot be obtained by natural ventilation approved means for mechanical ventilation shall be provided and kept in operation until such workings have been abandoned or until satisfactory natural ventilation shall have been brought about therein.

- (b) All fans and all structures contain ing the same shall be of fireproof construction.
- (37) No internal combustion engine shall be in- Internal stalled or operated underground in any mine unless the engine, permission in writing of the Chief Inspector be first obtained.

#### SANITATION

The manager of a mine shall provide or Santary cause to be provided on the surface and in the underground lences workings sufficient and suitable sanitary conveniences in accordance with the following rules, and the Sanitary Control Ordinance of the Yukon Territory.

- (a) Where the number of persons employed on any shift does not exceed one hundred there shall be one sanitary convenience for every twenty-five persons or portion thereof.
- (b) Where the number of persons so employed exceeds one hundred there shall be one additional sanitary convenience for every fifty persons or portion thereof over the first hundred.

- (39) These sanitary conveniences shall be kept in a cleanly manner, shall be adequately supplied with chloride of lime, sawdust, fine ash or other suitable absorbent; shall be removed and cleaned regularly; shall be conveniently placed with reference to the number of men employed on the different levels; and shall be placed in a well-ventilated part of the mine.
- (40) Any person depositing faeces in any place underground other than in the sanitary convenience provided shall be guilty of an offence against this Ordinance.

Dressing

(41) If six or more persons are ordinarily employed in the mine below ground during each day, sufficient accommadation, including supplies of clean cold and warm water for washing, shall be provided above ground near the principal entrance of the mine, and not in the engine room, boiler room, or nearer than fifty feet to the shafthouse or portalhouse, for enabling the persons employed in the mine to conveniently dry and change their clothes.

Drinking .

(42) A sufficient quantity of safe fresh drinking water with sanitary appliances for drinking shall be provided within reasonable access of all workers.

#### CARE AND USE OF EXPLOSIVES

Marking explosive packages

(43) No explosive shall be used at any mine, unless there is plainly printed or marked on every original package containing such explosive the name and place of business of the manufacturer, and the strength of the explosive and the date of its manufacture.

Defective explosives to be reported

(44) Every case of supposedly defective fuse, detonator or blasting cap, or explosive shall be reported to the Inspector with the name and addresss of the manufacturer and accompanied, if available, by the packing slip from the original container of such fuse, blasting cap or detonator, or explosive, along with all other pertinent information available.

(45) (1) The Explosives Act and Regulations Storage of of the Dominion shall apply to the storage and handling of all explosives in the Yukon Territory and the owner of any building where more than 150 pounds of explosives are kept must obtain a magazine license from the Explosives Division of the Department of Mines and Resources, Ottawa, authorizing the storage of explosives.

explosives

- (2) Except as otherwise provided herein all explosives and all detonators or blasting caps shall be stored in special suitable buildings, such as magazines, thaw houses, detonator or blasting cap storage buildings, or cap and fuse houses.
  - (a) Any such building shall be erected and maintained in conformity with the provisions of the Explosives Act and the site shall be approved of by the Inspector.
  - (b) Every such building shall be constructed of such materials as to ensure as far as possible against accident from any cause.
  - (c) The ground surrounding the magazine building shall be cleared of all brush, timber or other combustible material for a distance of not less than fifty feet from such building.
  - (d) The rules in reference to the care and use of explosives shall be kept posted up inside every such building.
  - (e) Every such building shall be kept securely locked at all such times as the attendant is not present and it shall be clearly indicated by some easily visible sign posted outside the building that explosives are stored therein.

Magazines, thaw houses, etc. (46) Magazines, thaw houses, detonator, or blasting cap storage buildings, cap and fuse houses and explosives storage boxes shall at all times be kept clean and dry and free from grit.

Floors and shelves

(47) Floors and shelves of magazines and thaw houses shall be treated with a suitable neutralizing agent whenever necessary to remove any traces of explosive substances.

What explosives to be used first (48) When supplies of explosives are removed from a magazine those that have been longest in the magazine shall be used first provided they are not defective. In all cases where explosives have become defective they shall be suitably and safely disposed of.

Onening cases (49) Only implements of wood, brass or copper shall be used in opening cases containing explosives.

Storage of explosives, underground

- (50) (a) Explosives shall not be stored underground in excess of the necessary supply for forty-eight hours. In no case shall an amount exceeding three hundred pounds be stored in any one place underground without the written permission of the Inspector.
- (b) With the written premission of the Chief Inspector and subject to such conditions as he may prescribe, underground explosives magazines may be established, but in no case shall more than twenty-five hundred pounds be stored in any one such magazine.
- (c) Wherever explosives are stored underground in any mine heading into which a haulage track extends suitable barricades shall be maintained or other adequate measures adopted to avert the possibility of any train or car colliding with the explosives container or containers.

Location of underground storage place

(51) No explosive shall be stored within two hundred feet of any shaft station or transformer station underground in any mine.

(52) (a) Detonators or blasting caps shall not storage of be stored in the same receptacle or storage building as other explosives.

- Detonators or blasting caps or capped fuse, while stored in underground workings, shall be kept in separate, suitable, closed containers or magazines. Such containers or magazines shall not be located within twenty-five feet of any other explosives.
- (a) No flame-type light shall be taken Open flame within twenty-five feet of any building or place on surface smoking. in which explosives are stored.

explosives. storages

- No flame-type light shall be taken within ten feet of any place underground where explosives are stored unless a suitable, safe arrangement for the placing of such light is provided.
- No person shall smoke in any place or building where explosives are stored or while handling explosives.
- (a) A properly authorized person or inspection of persons shall make a thorough weekly inspection of all explosives, explosives magazines, thaw houses, detonator or blasting cap storage buildings, cap and fuse houses, and all storage boxes or places in or about the mine used for the purpose of storing explosives or detonators or blasting caps and shall make a report, in writing, to the manager, stating that such examination has been made and certifying as to the conditions found.

(b) The manager shall take immediate steps to correct any unsuitable conditions found and to properly dispose of any deteriorated explosives existing and shall make a prompt investigation when an act of careless placing or handling of explosives is discovered by or reported to him.

(c) Any employee who commits a careless act with an explosive, or where explosives are stored, or who, having discovered such an act to have been committed, omits or neglects to report immediately such act to an officer in charge of the mine, shall be guilty of an offence against this Ordinance and the officer in charge of the mine shall immediately report such offence to the Inspector.

Disposal of explosives at shuttlown mine - (55) When any mine is closed down all explosives, fuse and detonators or blasting caps shall be disposed of and no explosive may be stored at any cuch closed-down mine without the written permission of the Chief Inspector.

Written permission (56) No person shall take away from any mine any explosive, fuse or detonator or blasting cap without the written permission of the manager or of such person as may be authorized by the manager to give such permission.

Tha wi

(57) No building for thawing explosives shall be maintained in connection with any mine except with the written permission of an Inspector. The building shall be above ground unless exemption obtained under the provi-

sions of subsections 1 and 2 of section 26 direct otherwise. and the site of the building and the style of structure and equipment shall be subject to the approval of the Inspector. The building shall be under the direction of the manager or some person authorized by him. The quantity of explosives brought into any thaw house at any one time shall not exceed the requirements of the mine for a period of twenty-four hours, plus the amount that it may be necessary to have thawing to maintain that supply.

A reliable recording thermometer shall be Thermomekept in the room in which explosives are thawed and the record thereof kept, but where the amount of explosives in such thawing room does not exceed two hundred pounds at any one time, the Inspector may give permission, in writing, to use a maximum and minimum registering thermometer on condition that a daily record of high and low temperature be made and kept on file.

(59) In no case shall explosives be thawed near Thawing an open fire or steam boiler or by direct contact with steam or hot water.

near open fire or steam boilers forbidden

All electric wiring in explosives magazines, thaw houses, detonator or blasting cap storage buildings, or cap and fuse houses shall be installed in metal armour or rigid conduit with screwed, waterproof joints and all metal armour or rigid conduit shall be permanently grounded.

Wiring in storage

(61) (a) The switches and fuses for lighting, switches. heating or telephone circuits for explosives magazines, thaw houses, detonator or blasting cap storage buildings and cap and fuse houses shall be installed in a locked, fireproof cabinet located outside the compartment in which explosives, fuse or detonators or blasting caps are stored.

- (b) The fuses or circuit breakers for heating circuit shall be such that they will interrrupt the current at twenty-five per centum over the normal load.
- (c) The fuses for lighting circuits shall not exceed ten-ampere capacity.

Electric heating

- (62) (a) Where water is the medium used for the distribution of electrically generated heat for thaw houses the radiation pipes shall be permanently grounded.
  - (b) No electrical device for generating heat shall be allowed in the same compartment with explosives or detonators or blasting caps.
  - (c) Wire or grid-type heaters shall not be installed in conjunction with any building in which explosives or detonators or blasting caps are stored or handled.

Transportation of explosives in shaft

- (63) (a) When the day's supply of explosives is being transported in any shaft conveyance the person in charge of such operation shall give or cause to be given notice of the same to the deckman and hoistman.
  - (b) Every possible precaution shall be taken in the handling and transportation of explosives.

Supervision over transportation of explosives in shaft

- 64) (a) No person shall place in or take out of the shaft conveyance any explosives except under the immediate supervision of a person authorized by the manager, superintendent, foreman or shift boss for the purpose.
  - (b) No other material shall be transported with explosives in any shaft conveyance.

(65) (a) The transfer of explosives from the magazine or other surface storage place shall be so arranged that no undue delay shall occur between the time the explosives leave such surface storage place and the time they are properly stored in designated storage places in the mine or distributed to points of use in the mine.

Transfer of explosives from storage places

- (b) Explosives shall not be left at any level station or near the shaft collar or other entrance to the mine but shall be transferred from any designated storage place to other designated storage places or points of use without undue delay.
- (66) (a) Primers shall be made up as near to their point of use as is practical in the interests of safety and only in sufficient numbers for the immediate work in hand.

Transportation of detonators

- (b) Detonators or blasting caps, capped fuse, made-up primers or other explosives shall not be transported in any conveyance either on the surface or underground unless placed in separate, suitable closed containers.
- (c) It shall be permissable for a workman to carry capped fuses with other explosives from the nearest storage places to a point of use without placing them in a container provided they are kept separate from the other explosives but in no case shall made-up primers be transported or carried unless placed in separate, suitable, closed containers.

Trinsportation of explosives, underground

- (67) Where explosives are transported in mine workings by means of a car or cars:—
  - (a) The speed of any car or cars shall not at any time exceed four miles per hour and definite arrangements for the right-of-way of such car or cars carrying explosives shall be made before the car or cars are moved.

By motor haulage

(b) Where mechanical haulage is used the haulage motor shall be maintained on the forward end of any train carrying explosives unless some person walk in advance of the train to effectively guard the same.

Trolley locomotives (68) Where a trolley locomotive is used for the transportation of explosives in any mine the car or cars carrying explosives shall be protected from trolley-wire contact and other existing hazards.

Blasting on contiguous claims (69) Where parties working contiguous or adjacent claims or mines disagree as to the time of setting off blasts, either party may appeal to the Inspector, who shall decide upon the time at which blasting operations thereon may be performed, and the decision of the Inspector shall be final and conclusive and shall be observed by them in future blasting operations.

Explosives not to be removed from original container (70) No explosive shall be removed from its original paper container or cartridge.

Blasting of roast heaps

(71) No explosive shall be used to blast or break up ore, salamander or other material where by reason of its heated condition there is any danger or risk of premature explosion of the charge.

(72) All drill holes, whether sunk by hand or Size of drill holes machine drills, shall be of sufficient size to admit of the free insertion to the bottom of the hole of a stick or cartridge of powder, dynamite or other explosive, without ramming, pounding or presssure.

In charging holes for blasting, no iron or steel tool or rod shall be used, and no iron or steel tool shall be used in any hole containing explosives.

No iron or

No drilling shall be done within si-(a) inches of any part of any bootleg hole that has been charged and blasted or any remnant of such hole, socket or socalled bootleg.

Bootleg

- (b) No drilling shall be done within five feet of any hole containing explosives.
- Every workman shall, before blasting, give or cause to be given due warning in every direction by shouting "Fire" and shall satisfy himself that all persons have left the working place except those required to assist him in blasting.

(a) Every workman shall, before blasting, cause all entrances to the place or places where such blasting is to be done or where the safety of persons may be endangered by such blasting, to be effectively guarded, so as to prevent inadvertent access to such place or places while such charges are being blasted.

Cuarding entrances to nlaces where blasting is to be done.

- (b) Posting of signs shall not be deemed adequate protection to warn of blasting operations.
- Except where fired electrically no fuse rough or shorter than three feet shall be used in any blasting operation, neither shall any fuse be lighted at a point closer than three feet from the capped end, nor unless it protrudes at least twelve inches from the collar of the hole.

Interval before return to scene of blast

- (78) (a) Except where the firing has been done by means of electric current no person shall return to the scene of any blast within the number of minutes which are equal to twice the number of feet in the longest fuse used in the blasting operation after the last fuse has been lighted.
  - (b) Where the firing has been done by means of electric delay action detonators and two or more shots are fired no person shall return to the scene of any blast within ten minutes of the time at which the blasting circuit was closed.
  - (c) In the case of a supposedly missed hole in any blasting operation no person shall return to the scene of any blast within thirty minutes of the time of lighting the fuse or fuses or closing the blasting circuit.

Detonator required

(79) (a) No hole shall be charged with explosives unless a properly prepared detonating agent be placed in such charge and shall be fired in its proper sequence in the firing of the round, and all such charges shall be detonated without undue delay.

Firing required

(b) All holes which are charged with explosives in one loading operation shall be fired in one blasting operation.

Safety fuse (80) Where safety fuse is used in any blasting operation,—

- (a) Suitably capped fuses shall be supplied to the workmen in uniform, standard, safe lengths for the operation at hand.
- (b) The uncapped ends of all fuses for use, in a mine shall be suitably stained.

In every case the fuse connected to a charge Lighting of explosives shall be lighted by other means than the device used as a source of illumination.

When more than one shot is fired no workman shall be permitted to conduct any blasting operation unless he is accompanied by one or more workmen each of whom shall carry a light.

Number of

Before returning to the scene of any blasting operation every workman shall asssure himself that sufficient air has been introduced into the working place to drive out or dilute to a safe degree the gases produced in the blasting operation.

of working place after lusting

Where blasting is about to be done in any raise or stope proper precautions shall be taken to prevent closing of the means of entrance to the working place or interference with the effective circulation of air following the blast, by the broken material produced by the blast. the case of a single compartment raise or boxhole where material from the blast may block the means of entrance proper precautions shall be taken to assure the adequate ventilation of the working place before workmen enter the same.

Frotection of entrance to place

When a workman fires a round of holes he shall, where possible, count the number of shots exploding. If there is any report missing, he shall report the same to the mine captain or shift boss. If a missed hole has not been fired at the end of a shift, that fact, together with the location of the hole, shall be reported to the mine captain or shift boss in charge of the next relay of workmen going into that working place before the work is commenced by them.

Reporting of missed holes

(86) Any charge which has missed fire shall not Missed hole be withdrawn but shall be blasted at a proper time and without undue delay.

Examination for missed or cut-off hole (87) No development heading shall be abandoned or work therein discontinued until the material broken at the firing of the last round shall have been cleared from the face and the whole face of the heading examined for explosives in missed or cut off holes.

Where electric blasting required

- (88) (a) After the first ten feet advance has been made in any shaft or winze and until such time as the permanent timbers and ladders have reached the level upon which blasting is being done all blasting in the shaft, winze, station or other workings being driven from the same shall be done by means of an electric current.
  - (b) After twenty-five feet advance has been made in any raise inclined at over fifty degrees from the horizontal or a "chute" or other permanent obstruction has been placed in the raise, all blasting shall be done by means of an electric current.

Electric current to be disconnected after blasting (89) A workman shall not, where blasting takes place by electricity, enter or allow other persons to enter the place or places where the charges have been fired until he has disconnected the cables from the blasting battery or other source of current.

Approved firing device (90) (a) Electricity from lighting or power cables shall not be used for firing shots except when a firing device of a design which has been approved by the Chief Inspector and which automatically opens the circuit by gravity or some other approved device is provided. The live side of such device shall be installed in a fixed, locked box and shall be accessible only to the authorized shot firer.

- (b) One such device shall be maintained for each individual working place in which firing is done by means of electricity from lighting or power cables.
- Where the source of current is a direct current battery or a blasting machine of the so-called "battery" type, the firing cables or wires shall not be connected to the source of current until immediately before they are required for the firing of shots, and shall be disconnected immediately after the shots are fired.

Blasting by direct current or blasting battery

The firing cables leading to the face shall be short-circuited while the leads from the blasting caps are being connected to each other and to the firing cables. This short circuit shall not beremoved until the men have retreated from the face and it shall be so located that a premature explosion would be harmless to the men opening the short circuit.

Lead wires

The firing cables or wires used for firing Firing (93) shots at one working place shall not be used for firing shots in another working place until all proper precautions have been taken to insure that such firing cables or wires have not any electrical connection with the leads from the first working place.

(94) When shot-firing cables or wires are used in the vicinity of power or lighting cables, proper precau-, in using shot-firing tions shall be taken to prevent the shot-firing cables or cables wires coming in contact with the lighting or power cables.

# PROTECTION IN WORKING PLACES, SHAFTS,

.WINZES, RAISES, ETC.

Neither on surface nor underground shall workmen be employed in a location where men are working overhead unless such measures for protection be taken as the nature of the work permits.

Protection from over-head operations

(98)

Protective

(96) Every person employed underground in any mine shall be required to wear a protective hat manufactured for such service.

Fencing of shafts and other openings (97) The top of every shaft shall be securely fenced or protected by a gate or guard rail, and every pit or opening dangerous by reason of its depth shall be securely fenced or otherwise protected.

Gate at chaft entrances

- (a) At all shaft and winze openings on the surface and on every level, unless securely closed off, the hoisting compartments shall be protected by a substantial gate which shall be kept closed except when the hoisting conveyance is being loaded or unloaded at such level. The clearance beneath any such gate shall be kept to a minimum.
  - (b) Where haulage tracks lead up to any hoisting compartment on surface or underground the gate on such compartment shall be reinforced in such a manner that it shall be sufficiently strong to withstand any impact imparted thereto by collision therewith of any motor, train or car operated on such tracks.

Shaft and winze timbering (99) Every shaft and winze shall be properly timbered and during sinking operations the timbering shall be maintained within a safe distance of the bottom. In no case shall this distance exceed fifty feet.

Protection of workmen in drifts

(100) Where a crosscut or drift extends from a shaft in any direction on a level, a safe passageway and standing room for workmen shall be made on one or both sides of the shaft to afford protection against falling material.

During shaft sinking operations no Protection work shall be done in any place in a shaft or winze while sinking men are working in another part of the shaft or winze below such place unless the men working in the lower position be protected from the danger of falling material by a securely constructed covering extending over a sufficient portion of the shaft to afford complete protection.

operations

- (b) During the shaft sinking operations a set of doors shall be maintained at the collar or other point of service of every shaft or winze. Such doors shall be closed at all times that materiall is being loaded into or unloaded from a shaft conveyance.
- Except during sinking operations, if material be handled in any shaft or winze compartment there shall be maintained around that compartment except on the side on which the material is to be loaded or unloaded a substantial partition at the collar and at all levels. Such partition shall extend above the collar and all levels a distance not less than the height of the hoisting conveyance plus six feet and it shall extend below the collar and all levels at least six feet...

Lining ments at

No person shall do any work or Protection conduct any examination in any compartment of a shaft or inspection winze or in that part of a headframe used in conjunction therewith while hoisting operations are being conducted in such compartment except where the hoisting conveyance is necessary for the purpose of doing such work or conducting such examination.

(b) No person shall do any work or conduct any examination in a shaft or winze or in that part of a headframe used in conjunction therewith unless he be adequately protected from accidental contact with any moving hoisting conveyance or the danger of falling particles dislodged by or falling from such conveyance.

Timbering mine workings (104) Where the enclosing rocks are not safe every adit, tunnel, stope or other working in which work is being carried on or through which persons pass shall be securely cased, lined or timbered, or otherwise made secure.

Use of shaft buckets

- (105) Where a bucket is used in any shaft or winze for other than sinking purposes,—
  - (a) A set of doors as required by Rule 139 (c) shall me maintained at the collar of the shaft or winze, which doors shall be kept closed at all times that tools or supplies are being loaded into or taken out of the bucket.
  - (b) A suitable landing device shall be used at every working level when the bucket is being loaded or unloaded at that level;
  - (c) Simultaneous operations shall not be carried on at more than one level until the style of structure and method of operation of any such device installed at intermediate levels has been submitted to and has received the approval of the Inspector

Steeply inclined raises (106) All raises inclined at over fifty degrees from the horizontal which are to be driven more than sixty feet slope distance shall be divided into at least two compartments one of which shall be maintained as a ladderway and shall be equipped with suitable ladders. The timbering shall be maintained within a safe distance of the face and

in no event shall the distance between the face and the top of the timbering exceed twenty-five fect.

Whenever, at any time, chutes are pulled Precautions where persons may either at the time of pulling or some material future time, be required to go out, on the broken material above, proper precaution shall be taken to ascertain that the broken material is settling freely and where there is any indication of a hang-up the location shall be adequately protected by suitable signs or barricades and any persons working in the vicinity notified of the danger.

as to broken

Unless the entrance to a stope is capable Access to of being used as such at all times a second means of entrance shall be provided and maintained.

The top of every millhole, manway or other opening shall be kept covered or otherwise adequately protected:

Guarding mill holes. manways.

Wherever men are working, below a level, in any place the top of which is open to the level in close proximity to any haulageway or travelway some person shall effectively guard the opening unless the same is securely covered over or otherwise closed off from the . haulageway or travelway.

workings

(111) The tops of all raises or other openings Guarding to a level shall be kept securely covered, fenced off, or protected by suitable barricades to prevent inadvertent excess thereto.

Before drilling is commenced in any work- Procedure ing place the exposed face shall be washed with water and carefully examined for misfires and cut-off holes, giving special attention to old bottoms.

Where possible, no connection between mine workings shall be made until a thorough examination to mine workings

of the working towards which the active heading is advancing has been made and has shown that the work can be proceeded with in a safe manner and such point of connection shall be guarded as an entry when blasting within fifteen feet of breaking through.

Unused workings to be tested for gas (114) Underground workings, especially shafts, sumps and winzes, which have been in disuse for some time shall be examined before being again used, in order to ascertain whether foul air or other dangerous gases have accumulated there, and only such workmen as may be necessary to make such examinations shall be allowed to proceed to such places until such places are in fit state to work on travel in.

Examination of mine workings

- (115) The owner, manager, or some authorized person or persons, shall examine daily all parts of the mine where drilling and blasting is being carried on; shall examine at least once a week the other portions of a mine on which operations are being carried out, such as shafts, winzes, levels, stopes, drifts, crosscuts and raises, in order to ascertain that they are in a safe working condition; shall inspect and scale or cause to be inspected and scaled the roofs and walls of all stopes or other working places as often as the nature of the ground and of the work performed necessitates. If the working place becomes or is found to be unsafe at any time during a shift, the person in charge shall take measures for making it safe, and for safeguarding the persons in the working place while it is being made safe.
- (116) The owner or manager shall provide and maintain an adequate supply of properly dressed scaling bars and gads and other equipment necessary for scaling.

Ulfe lines to be used (117) The owner or manager shall, when necessary, provide life lines for the workmen and it shall be the duty of the workmen to continually wear such life lines at all times, when by so doing the interests of safety will be advanced.

(118) Every dusty place where work is being carried on in a mine shall be adequately supplied at all times with clean water under pressure or other approved appliances for laying the dust caused by drilling or blasting operations.

water supply to

The times for blasting shall be so fixed that the workmen shall be exposed as little as practicable to dust and smoke. A clock keeping accurate time shall be kept in the change house to enable the workmen to check their watches before going underground.

(120) Where there is non-continuous shift op- Written eration in mine areas the on-coming shift shall be warned of any abnormal conditions affecting the safety of operaations. Such warning shall consist of a written record over the signature of a responsible person on the off-going shift and shall be read and countersigned by the corresponding responsible person on the on-coming shift before workmen are permitted to resume operations in the areas indicated in such record.

Where repair work is in progress in any manway or conditions arise that may endanger travel through such manway the manway shall be closed off or adequate signs designing the unfitness of such manway for travel purposes shall be posted at all entrances to such manway.

Repair manways

(122) (a) Diamond-drill holes shall be plotted on all working plans of levels.

Precautions when intersecting drill holes

(b) When any active mine heading is advancing toward any diamond drill hole the collar or the nearest points of intersection of such hole or both shall be securely closed off or guarded at all times that blasting is being done within fifteen feet of any possible intersection of such hole.

(c) The collar and any points of intersecting of every diamond-drill hole, underground shall be painly marked at the time that drilling is discontinued or an intersection made. Such markings shall consist of a single capital letter "H" in yellow paint measur-

> ing twelve inches by twelve inches which shall be placed within four feet of such collar or intersection.

## LADDERWAYS

Inderways (123) (a) A suitable footway or ladderway and winzes shall be provided in every shaft and winze.

- (b) In shafts and winzes no ladder, except an auxiliary ladder used in sinking operations, shall be installed in a vertical position.
- (c) During sinking operations, if the ladder be not maintained to the bottom, an auxiliary ladder which will reach from the permanent ladders to the bottom shall be provided in such convenient position that it may be promptly lowered to any point at which men are working.
- (d) Wherever, about shafts and winzes and headframes used in conjunction therewith, it is necessary for persons to examine or inspect appliances installed therein suitable ladderways or stairways and platforms shall be maintained to permit such work being carried out in a safe manner.

(124) The footway or ladderway in a shaft or winze shall be separated from the compartment or division manway of the shaft or winze in which material is hoisted by a suitable and tightly closed partition.

Partition het ween and hoisting

(125) In a shaft or winze inclined at over seventy degrees from the horizontal substantial platforms shall be built at intervals not exceeding twenty-one feet in the ladderway, and the same shall be covered except for an opening large enough to permit the passage of a man's body, and the ladders shall be so placed as to cover this opening in the platform.

Ladderway in shaft over 70 degrees

In a shaft or winze inclined at less than Ladderway seventy degrees from the horizontal the ladders may be continuous, but substantial platforms shall be built at intervals not exceeding twenty-one feet, in the ladderway, and the same shall be covered except for an opening large enough to permit the passage of a man's body.

degrees

Stairways may be used in a shaft or (a) winze inclined at less than fifty degrees from horizontal.

When stairways permissible

- (b) All stairways in shafts or winzes shall be equipped with a suitably placed handrail.
- (a) All ladderways in raises, stopes and Ladderways. other manways of a mine shall be installed and maintained workings in a workmanlike manner to reduce to a minimum the hazard of a man falling therefrom.

- (b) A landing platform shall be installed at all points where ladders are offset.
- (129) Wire rope or strands of wire rope shall not be used or be allowed to be used for climbing purposes in any mine if they are frayed or have projecting broken wires.

Wire rope

Hand ralls: for ladders. (130) Every ladder shall project at least three feet above its platform, except where strong hand rails are provided.

### LADDERS

Ladders

- (131) (a) Every ladder used shall be of strong construction, shall be securely placed in any shaft, winze, raise, or stope, and shall be maintained in good repair.
  - (b) The distance between centres of rungs of ladders shall not be greater than twelve inches or lesss than ten inches, and the spacing of rungs shall not vary more than one-half inch in any particular ladderway.
  - (c) In order to give a proper foothold the rungs shall in no case be closer than four inches from the wall of a shaft, winze, or raise, or any timber underneath the ladder.

## SHAFT EQUIPMENT

Raising and lowering material (132) Where steel, timber or other material is being raised or lowered in any shaft or winze it shall be securely fastened to the shaft conveyance or hoisting rope.

When crosshead required.

- (133) (a) After a depth of three hundred feet has been attained in the sinking of any vertical shaft or winze, a suitable crosshead shall be used.
  - (b) When a crosshead is not used the bucket shall be barrel-shaped and shall be suspended from the upper rim.
  - (c) When a crosshead is not used in any vertical shaft or winze the compartment in which the bucket works shall be closely lined with sized lumber.

(a) All sinking crossheads shall be provided with a safety appliance of approved design so con- crosshead structed that the crosshead cannot stick in the hoisting compartment without also stopping the bucket.

appliance on-

- (b) All crossheads shall be of a design approved by the Inspector.
- (135)In a shaft or winze, in the course of sinking, the bucket or skip shall be filled only in such a manner that no piece of loose rock shall project above the level of the hrim

Level of load in sinking bucket or skip.

(136) (a) During sinking operations in any shaft or winze the bucket or skip used for returning men to the working place following any blasting operation shall not be lowered on the initial trip beyond the point where, owing to the blast, it may be unsafe to go without a careful examination and in no case shall the point be less than fifty feet above the blasting set or bulkhead.

Lowering men after blast

- (b) The bucket or skip shall be lowered from such point only on signal from the men accompanying the same and at such speed as to be fully under control, by signal, of such men.
- (c) Only sufficient men shall be carried on such trip as are required to properly conduct a careful examination of the shaft or winze.
- In a shaft or winze in the course of sinking, the bucket or skip shall not be lowered directly to the bottom but shall be held at least fifteen feet above and shall remain there until a separate signal to lower the same has been given by a properly authorized person.

Bucket or skip not to be lowered directly to face

No bucket shall be allowed to leave the top or bottom of any shaft or winze until the workman in charge thereof has steadied it or caused it to be steadied.

Bucket to be

Protection from dumping

- (139) (a) In a shaft or winze, in the course of sinking, adequate provision shall be made to assure the impossibility of the bucket or skip being dumped while the dumping doors are open or other means applied to prevent spillage falling into the shaft or winze.
  - (b) The design of any device for this purpose shall be submitted for the approval of the Inspector.
  - (c) A door or doors shall be maintained at the collar of every shaft or winze while sinking is in progress. Such door or doors shall be kept closed at all times that tools or material are being loaded into or unloaded from the bucket except when the bucket is emptied by dumping, when an arrangement as provided for in clauses (a) and (b) of this Rule shall be used.

Cage or skip for handling men (140) Except during sinking operations, whenever a mine shaft or winze exceeds three hundred feet in vertical depth a suitable cage or skip equipped as required by Rule 142 of this section, shall be provided for lowering or raising men in the shaft or winze.

Protection from contact with timbering, etc.

(141) No cage or skip shall be used for the raising or lowering of persons or material unless it is so constructed as to prevent any portions of the body of any person riding therein or any part of such material from accidentally coming into contact with the timbering or sides of the shaft or winze. Doors shall be so fitted that they cannot be accidentally opened and shall be closed when lowering or hoisting men.

Construction of cages' and skips.

(142) All cages or skips for lowering or raising men shall be so constructed as follows:

- (a)) The hood shall be made of steel Hood plate not less than three-sixteenths of an inch in thickness or of a material of equivalent strength.
- (b) The cage shall be provided with sheet Casing iron or steel side casing not less than one-eighth of an inch in thickness or of a material of equivalent strength and such casing shall extend to a height not less than five feet above the floor of the cage:
- Doors (c) The cage shall be equipped with doors made of suitable material which shall extend to a height not less than five feet above the floor and so arranged that it will be impossible for the doors to open outward from the cage;

٠.

14

(d) The safety appliance shall be of suffi- Safety appliances cient strength to hold the cage or skip with its maximum load at any point in the shaft, as provided in clause (b) or Rule 167 of this section; but the Chief Inspector may give permission, in writing, for hoisting without safety appliances if he is satisfied that the equipment is such that maximum safety is provided.

(e) The cage shall not have chairs at tached thereto which are operated by a lever or a chain through or from the floor of the cage.

Operating

(a) No person shall travel or be permitted to travel in a cage at any time except during shaft inspection unless the doors of the same are securely closed.

Cage doors to be kept closed

(b) The cage doors shall not be opened until a full stop has been made at the point or station signalled for, except during trips of inspection, provided that in the case of an inadvertent stop at any point in the shaft or winze other than a station, the cage doors may be opened and the men may leave the same on instructions to do so by a properly authorized person.

Automatic operation of chairs

(144) When chairs are used for the purpose of landing a shaft conveyance at any point in a shaft or winze they shall be so arranged that they automatically fall clear of the hoisting compartment when the cage or other conveyance is lifted off.

Eales, safety latches, etc. (145) The bucket and any device such as the bale, safety latch or other attachment to the bucket shall be of a design approved by the Chief Inspector.

Hoisting men and material simultaneously (146) No person shall travel or be permitted to travel in a bucket, cage or skip operated by an engine which is being simultaneously used for the hoisting of mineral or material except as provided for in clause (c) of Rule 147.

When persons not to be holsted.

(147) No person shall be lowered or hoisted, or allow himself to be lowered or hoisted in a shaft, winze or other underground opening of a mine;

In buckets or skips (a) In a bucket or skip, except that men employed in shaft sinking will be allowed to ascend and descend to and from the sinking deck or other place of safety by means of the bucket or skip used for hoisting material;

When safety appliances not used

(b) In a cage or skip, except as provided in clause (a) of this Rule and clause (d) of Rule 142, which is not provided with a hood, dogs or other safety appliance approved by the Inspector;

(c) In a cage, skip or bucket that is loaded when loaded with explosive, steel or timber except for the purpose of handling the same;

(d) In a cage, skip or bucket in which any Unless material is carried, unless the same secured be adequately secured;

(e) Except during sinking operations no person shall be hoisted or lowered in any shaft conveyance unless such conveyance is in charge of a person properly authorized to act as cagetender or skiptender.

Conveyance in charge of authorized

After every stoppage of hoisting for re- unisting pairs and after any stoppage for any other purpose which shall exceed two hours' duration no person shall be raised or lowered until the cage or skip has made one complete trip up and down the working portion of the shaft.

after stoppage for repairs

Any device used for hoisting from mine Prakes workings shall be equipped with a brake or brakes which may be applied directly to each drum so as to readily stop and hold the drum when it is carrying its maximum load.

Such brakes shall be so arranged that, whether the engine is at work or at rest, they can be easily and safely manipulated by the hoistman when standing at the levers controlling the engine. No hoist used for the raising or lowering of persons, or used in shaft sinking, shall be equipped with a brake or brakes operated by means of the hoistman's foot unless such brake is an auxiliary electrical device. The adjustments of the brake or brakes shall be maintained in such condition that when the normal power of the brake-or brakes is applied the brake lever will still have a clearance between itself and the end of the quadrant in which it works.

Type of

Locking gear

(151) The operating gear of the clutch of the drum shall be provided with locking gear to prevent the inadvertent withdrawal or insertion of the clutch.

interlocking brake and chitch

- (152) The brake and clutch operating gear shall be so installed that it shall not be possible to unclutch any drum unless the brake or brakes on such drum are applied nor shall it be possible to release the brake or brakes until the clutch of the drum is engaged.
- (153) Such bolts and other fittings of the drums, brakes and clutches as might be a source of danger in the event of their becoming loosened shall be rendered secure by means of suitable locking devices.

Electric hoists (154) All electric hoists shall be so installed that:

Automatic

(a) One or more brakes will be applied automatically to bring the hoist to rest in event of power failure;

Overwind device

(b) A suitable overwind device will cause the circuit breaker to cut off the source of power and apply automatically one or more brakes to bring the hoist to rest before the cable attachments reach the sheave.

Circuit breaker (c) A circuit breaker will cut off the source of power and result in the automatic application of one or more brakes to bring the hoist to rest in event of a predetermined overload;

Back-out

(d) A back-out switch shall be provided which, when closed, will permit backing out of an overwind position only and will prevent the operation of the hoist in an improper direction for this purpose; (e) An emergency switch, located near the Emergency operator, may be opened and cause the circuit breaker to cut off the source of power and apply automatically one or more brakes to bring the hoist to rest:

- (f) A meter showing the load on the hoist Meter motor at all times shall be in plain view of the operator.
- (155) (a) On all electric skip hoists used for Auxiliary overwind hoisting men an auxiliary overwind device, which will prevent the skip being hoisted to the dumping position, shall be installed and placed in operation at all times that men are handled.

- (b) Except in sinking operations such auxiliary overwind device shall be so installed that a distinctive signal shall be automatically given to the men about to enter the skip when the device is put into operation.
- (156) All overwind devices shall be tested daily Testing overwind and a record of such test shall be posted in the Hoistman's devices Log Book.
- (157) The operator of a hoisting engine shall Brakes to be not, after going on shift, unclutch a drum of his engine until he has assured himself immediately beforehand by testing the brake of the drum against the normal starting power of the engine, or in case of an electric hoist against the normal starting current, that the brake is in proper condition to hold the load suspended from said drum.

(158) When a hoisting engine is fitted with a Friction friction clutch, the operator, after going on shift, shall, when clutching in, test the holding power of the clutch be-

fore releasing the brake of the corresponding drum, the brake of the other drum being kept off. In case of a steam or air hoist, the test shall be made against the normal starting power-of the engine, and in the case of an electric hoist against the normal starting current.

I'se of brake when drum unclutched (159) When the drum of a hoist is unclutched, the brake of such drum shall be used only for the purpose of maintaining such drum in a stationary position and no lowering shall be done from an unclutched drum.

Auxiliary brake regulred (160) In case of non-reversible steam or air hoists and single-drum electric hoists not used in balanced hoisting an adequate auxiliary brake shall be installed before same shall be used for hoisting or lowering men, but non-reversible steam or air hoists with throttle-controlled exhaust shall not require such auxiliary brake.

Indicator

- (161) Every hoisting engine shall, in addition to any marks on the rope, be provided with a reliable depth indicator which will clearly and accurately show to the operator at all times:
  - (a) The position of the bucket, cage or skip;
  - (b) At what positions in the shaft a change of gradient necessitates a reduction in speed.

Operation of Indicator

(162) An indicator shall not be operated by a chain and sprocket arrangement but shall be driven by a suitable train of gears from its corresponding drum of the hoist.

Warning signal (163) At every shaft exceeding three hundred feet in depth adequate provision shall be made whereby the hoistman is warned, audibly, of the arrival of the bucket, cage or skip at points in the shaft the distances of which

from the top or bottom landing places are not less than the equivalent of three revolutions of the drum of the hoisting engine.

On the drum of every hoist used for lowering or raising persons there shall be such flanges or rope on horns, and also, if the drum is conical, such other appliances as may be sufficient to prevent the rope or cable from slipping off.

(a) The connection between the hoisting Rope rope and the bucket, cage, skip, counter-balance or other device shall be of such nature that the risk of accidental disconnection is reduced to a minimum. No open hook device shall be used for such purpose.

connection

- (b) On all new installations or proposed changes to existing installations the method of making such connection shall be of a design approved by the Chief Inspector.
- The owner or manager of a mine, where a hoisting engine is in use shall depute some competent person or persons whose duty it shall be to examine at least once in each week the sheave wheels, the hoisting ropes and the attachments thereof to the drums and to the counterweights, buckets, cages or skips, the brakes and depth indicators and the buckets, counterweights, cages, and skips, and any safety catches attached thereto; the guides and hoisting compartments generally and the signalling arrangements; and the external parts of the hoisting engine.

Examina · tion of hoisting equipment reculred

Such owner or manager shall also depute a competent person or persons who shall examine,—

Examination of

(a) At least once in each month the structure of the hoisting ropes with a view ascertaining the deterioration thereof and for the purpose of this examination the rope shall be thoroughly cleaned at points to be selected by said person or persons, who shall note any reduction in the circumference of, and the proportion of wear in the rope;

Safety appliances to be tested monthly (b) At least once a month the safety appliances of the cages or other shaft conveyances, so equipped, by testing same under load conditions; such test to consist of releasing the cage suddenly, in some suitable manner, so that the safety catches shall have opportunity to grip the guides; and in case the safety catches do not act satisfactorily, the cage or other shaft conveyance shall not be used further for hoisting men until the safety catches have been repaired and been proved to act satisfactorily.

Defects to be remedied at once (168) If, on any examination, as is hereinbefore required there is discovered any weakness or defect whereby the safety of persons may be endangered, any such weakness or defect shall be immediately reported to the owner or manager or person in charge, and until such weakness or defect is remedied the hoisting plant shall not be used.

Machinery Record Book

- (169) (a) Such owner or manager shall keep or cause to be kept at the mine a book termed the "Machinery Record Book", in which shall be recorded a report of every such examination as is hereinbefore referred to, signed by the person making the examination.
  - (b) A notation shall be made in the Machinery Record Book of any failure of

or accident to the hoist, the hoisting rope, the shaft conveyance, or any other part of the hoisting equipment, over the signature of the responsible person in charge of such equipment or accessories thereto.

No hoisting rope which has previously thistory of been in use in any place beyond the control of the owner necessary or manager shall be put on anew except with the permission of the Inspector.

In no case shall a rope which has been Hoisting spliced be used for hoisting purposes.

none not to

In case of hoisting engines there shall be not less than three rounds of rope upon the drum when the bucket, cage or skip is at the lowest point in the shaft or winze from which hoisting is effected. The end of the rope shall be fastened around the shaft or to the spider of the drum in a suitable manner.

Length of rones required on drum when the bottom

In case a hoisting rope is used both for the raising and lowering of men and materials, the weight attached to the rope in the former case, when the bucket, cage or skip is bearing its authorized load shall not exceed eighty-five per centum of the maximum allowable weight when the rope is in use for other purposes.

Hoisting hoth men inaterials

No hoisting rope shall be used (174) (a) which is not accompanied by a certificate from the manufacturer giving the following information: name and address of manufacturer, coil or reel number, date of manufacture, diameter and circumference of the rope in inches. weight per foot in pounds, number of strands, class of core. number of wires in strand, diameter of wires in decimals of an inch, breaking stress of steel of which the wire is made, in tons per square inch, estimated or actual breaking load of rope, length of rope.

Rope certificate

- (b) The foregoing data along with the additional following information shall be entered in a book known as the "Rope Record Book," and duplicate copies forwarded to the Chief Inspector when a hoisting rope is newly put on; date of purchase, date on which put on, identification number (where used) of the rope, name of shaft or winze and compartment in which the rope is used, weight of shaft conveyance, weight of material carried, weight of maximum length of rope in service, static factor of safety.
- (c) There shall be kept in the Rope Record Book a history of the hoisting rope, outlining the date on which the rope was put on, certification of trial trips and examinations required by Rule 175,, date of shortening, dates and summaries of breaking tests, date taken off.
- (d) The Rope Record Book shall always be open for inspection by the Inspector.
- (e) When a hoisting rope is taken out of service, notice to that effect shall be forwarded to the Chief Inspector, giving the date and reasons for discarding along with such other information as he may require.

(175) A hoisting rope when newly put on, and after any subsequent cutting thereof, shall have the connecting attachment between the bucket, cage, skip, or counterweight and the rope carefully examined by some com-

ij. Lit

Examination of attachments petent and reliable person or persons authorized by the owner, manager, or department head, and shall not be used for ordinary transport of persons in any shaft or winze until two complete trips up and down the working portions of such shaft or winze have been made, the bucket, cage, skip or counterweight bearing its authorized load. The result of such examination shall be recorded in the Rope Record Book.

(176) The factor of safety of all hoisting ropes when newly installed in shafts less than two thousand feet in depth shall in no case be less than six, and in shafts over two thousand feet in depth and less than 3,000 feet in depth shall not be less than five. The factor of safety shall be calculated by dividing the breaking strength of the rope as given in the manufacturer's certificate by the sum of the maximum load to be hoisted plus the total weight of the rope in the shaft when fully let out:

Factor of safety of hoisting rope

- (a) No hoisting rope shall be used for the raising or lowering of men when its factor of safety based on its existing strength and dead load shall have fallen below 4.5.
- (b) No hoisting rope shall be used for the raising or lowering of men when the number of broken wires in one lay of said rope exceeds six, or when marked corrosion appears.
- (177) Every hoisting rope shall be treated with a suitable rope compound as often as necessary and at least once in every month.

Rope dressing

(178) At least once in every six months the hoisting rope shall have a portion not less than six feet in length cut off the lower end, from a position above the clamps or other attachment. The length so cut off shall

Testing of hoisting rope

have the ends adequately fastened with binding wire before the cut is made to prevent the disturbance of the strands and shall be sent to a reliable testing laboratory for a breaking test. The certificate of such test shall be kept on file and a summary thereof recorded in the Rope Record Book.

Cleaning and examination of rope connection. (179) At the periodical cutting of the rope the connection between the rope and the bucket, cage or skip shall be thoroughly cleaned and carefully examined.

Head Sheaves (180) Head sheaves shall be of such diameter as shall be suited to the rope in use.

Counterweights (181) Wherever a counterweight is used in a shaft it shall operate in a separate and safely enclosed compartment. The cable from the counterweight shall be attached to the drum of the hoist and not to the cage or skip,

### SIGNALS

Signalling

(182) Every working shaft shall be provided with some suitable means of communicating by distinct and definite signals to the hoist room from the bottom of the shaft, from every working level, from the collar and from every landing deck.

Separate signal system for each compartment (183) A separate signal system shall be installed for each hoisting compartment in all shafts and winzes in which a hoisting conveyance operates and there shall be sufficient difference in the sounds of the signals for each compartment that they are easily distinguishable.

Electric signal system

- (1.84) (a) Where an electrical signal system is installed the system shall be so arranged that the hoistman may return the signal to the person giving the signal.
  - (b) When men are about to be hoisted or lowered the hoistmen shall so return the signal.

(185) (a) At every shaft or winze hoist there Hoistman's shall be kept a "Hoistman's Log Book" in which shall be recorded:

- (i) A report of the working condition of the hoist including the brakes, clutches, interlocking devices between the brake and clutch, depth indicators and all other devices and fittings pertaining to the safe operation of the hoist.
- (ii) A report of the working condition of the signalling apparatus and a notatation of any signals received by the hoistman, the accuracy of which he has questioned;
- (iii) Any special instructions received involving the safety of persons. Such entry shall be signed by the hoistman and by the person issuing the instructions:
- (iv) A report of the working condition of and a record of any tests performed upon the operation of all overwind devices installed in conjunction with the hoist. Where the required daily tests of such overwind devices are conducted by a hoistman operating on another shift the hoistman assuming duty shall note over his signature that he has examined the entry in the Log Book of the hoistman who performed the tests;
- (v) A report of all abnormal circumstances in connection with the operation of the hoisting engine or at-

tachments thereto and such abnormal conditions as have come to his knowledge in connection with the hoisting operations in the shaft or winze.

- (b) A notification to the hoistman on a succeeding period of duty of any special circumstances or matter affecting the continued operation of the hoist or the safety of persons in the shaft or winze shall be made in the Hoistman's Log Book. All such entries shall be countersigned by the hoistman assuming duty for such succeeding period.
- (c) Such entries as are required by the preceding clauses (a) and (b) of this Rule shall be made and signed by every hoistman for his period of duty on every shaft or winze hoist, the time and duration of which period of duty shall also be noted and such entries as have been made during the preceding twenty-four hours shall be read and initialled each day by the master mechanic or other authorized person.

Open lights, discipline

- (186) (a) When persons are being hoisted or lowered in any cage or skip no person other than the cage tender or skip-tender shall have a burning open flame lamp of any kind except that for shaft inspection or similiar purposes a sufficient number of lighted lamps shall be permitted.
  - (b) At all times that men are being hoisted or lowered in any cage or skip there shall be maintained a proper discipline of persons riding on such cage or skip.

(187) (a) The following code of signals shall code of signals be used at every mine and a copy of such code shall be printed and posted up in every hoist room and every level or other landing in the shaft or winze;

1 bell . . Stop immediately - if in motion.

1 bell . . . Hoist.

2 bells . . . Lower.

3 bells . . . Men about to ascend or descend.

This signal shall be given before men are permitted to enter the hoisting conveyance. Where a return-bell signal system is installed, the hoistman shall return the 3-bell signal before men are permitted to enter the hoisting conveyance. After a hoistman has received a 3-bell signal he shall remain at the hoist controls until he has received the signal designating the movement required and has completed that movement.

The hoistman shall not move the hoisting conveyance within a period of ten seconds after receiving a signal designating a movement at any time that men are being carried.

4 bells . . . Blasting signal. Hoistman shall answere by raising the bucket, cage or skip a few feet and letting it back slowly. Following a 4-bell signal only a 1-bell signal shall be required to signal for hoisting men away from a blast and the hoistman shall remain at the controls until the act of hoisting has been completed.

- 5 bells. Release signal. Hoistman may move the hoisting conveyance to another point in the shaft, not a recognized stopping point, and stop it there on his own discretion but the person giving the release signal shall remain to guard the conveyance until it is so moved.
- 9 bells... Danger signal. To be given only in case of fire or other danger. The signal for the level at which the danger exists should be given following the giving of a danger signal.
  - (b) In case the hoistman is unable to act within one minute of the time he has received a complete signal he shall not move the hoisting conveyance until he has again received a complete signal.

Special signals

- (188) (a) Level special signals, in addition to the above, may be used at every mine for the purpose of designating hoisting movements. Such signals shall be easily distinguishable from the foregoing code and shall not interfere with it in any way and shall be approved by the Chief Inspector.
  - (b) The level special code of signals used at every mine and an adequate description of their application to the movements required shall be posted at every hoist, at the top of the shaft or winze and at every working level of such shaft or winze.

Signal required

3

(189) Under no circumstances shall the hoisting conveyance be moved by the hoistman until he has received a proper signal, except that in event of an inadvertent stop at some point in the shaft or winze other than a station from which signals may be given, the hoistman may move the hoisting conveyance on the instruction of a properly authorized person to do so.

(190) No person, unless duly authorized, shall give any signal for moving or stopping the bucket, cage or skip. No signal shall be given unless the bucket, cage or skip is at the level from which the signal is to be given. No unauthorized person shall give any signal, other than the danger signal, or in any way whatsoever interfere with the signalling arrangements.

authorized

(a) A Notice showing clearly the number of persons allowed to ride on, and the weight of materials allowed to be loaded on the cage or skip shall be of men posted at the collar of the shaft or winze.

number permitted to ride

- (b) The person authorized to give signals shall be held responsible for observance of such notice.
- (c) No person shall offer obstruction to the enforcement of such notice.

## HAULAGE

(a) Every locomotive, engine, trolley Warning or motor car used for hauling material, either above or below ground shall be equipped with a headlight or headlights, and a whistle, bell, gong, or horn, which shall be sounded when starting and at such other times as warning of danger may be required.

equipment

- (b) In mechanical haulage underground all made-up trains shall be equipped with a suitable tail-light.
- (193) No person shall ride upon or against any Riding on car in any level, drift or tunnel in or about a mine. In mechanical haulage this shall not apply to train crews or to persons being transported on passenger cars especially provided for that purpose.

Clearance

(194) On every level on which mechanical haulage is employed, a clearance of at least eighteen inches shail be maintained between the sides of the level and the cars or there shall be a clearance of twenty-four inches on one side, or safety stations shall be cut every one hundred feet. Such safety stations shall be plainly marked.

Control

(195) Control levers of storage battery and trolley locomotives shall be so arranged that the lever cannot accidentally be removed when power is on.

Unatterded locomotive (196) No electric haulage locomotive shall be left standing unattended unless the brakes have been set and the control lever placed in the neutral position. In the case of a storage battery haulage locomotive the main switch shall also be placed in a non-operating position.

# PROTECTION FROM MACHINERY IN MINES AND BUILDINGS

Fly-wheel, gearedwheel, etc. (197) Every fly-wheel, geared-wheel, bull-wheel, pulley or belt, and every opening through which any wheel or belt operates, shall be enclosed with a substantial railing or casing, unless situated in such a manner or location as to prevent any person coming into accidental contact therewith.

Uneven projections to be covered (198) Every key, bolt, set-screw and every part of any wheel or other revolving machinery which projects unevenly from the surface shall be covered, unless situated in such a manner or location as to prevent any person coming into accidental contact therewith.

Grinding wheels to be guarded (199) (a) Every power-driven grinding wheel shall be provided with a hooded guard of sufficient strength to withstand the shock of a bursting wheel. This guard shall be adjusted close to the wheel and extend forward, over the top of the wheel, to a point at least thirty degrees beyond a vertical line drawn through the centre of the wheel.

- (b) Where a power-driven grinding wheel is used the owner or manager shall provide suitable goggles and it shall be the duty of the workman to wear such goggles continually during the time the grinding wheel is in use.
- (200) Persons engaged in dangerous proximity to moving machinery shall not wear or be allowed to wear clothing loose outer clothing.

(201) Every runway or staging, stairway or platform more than five feet from the floor and used for oiling or any other purpose shall be provided with a strong, adequate hand-railing. All stairways, steps and runways shall be maintained in a safe condition.

Runway to

(202) Every entrance to any elevator, hatchway Protection or well-hole shall be provided with a suitable trap-door, guard-rail, or automatically closing gate.

of entrances

Every counterweight shall be so situated or guarded as to avoid injury to any person should it become detached from its fastenings.

Counterweights

(204) Every frog in a track, either above or below ground, on which cars are moved by manual or mechanical power shall have a guard block of wood or iron.

Frogs on tracks

Under no circumstances shall any person ride on any conveyor or belt.

Belts. conveyors

# STEAM. COMPRESSED AIR

Every steam boiler not less than three horse-power used for generating steam in or about a mine shall, whether separate or one of a range,—

Steam

(a) have attached to it a proper safetyvalve, and also a proper steam gauge

and water-gauge, to show respectively the pressure of steam and the height of water in each boiler:

- (b) be inspected by a qualified authorized boiler inspector or by an inspector of a boiler insurance company at least once in every twelve months; and a certified copy of the report of the inspection shall be forwarded to the Chief Inspector within seven days;
- (c) The owners of all steam boilers or pressure vessels shall comply with the provisions of any Yukon Territory Steam Boiler and Pressure Vessel Ordinance that may be enacted.

Mainten-

(207 Every such boiler, safety-valve, steam-gauge and water-gauge shall be maintained in proper working condition.

Air receivers (208) Every air receiver installed in or about a mine shall be inspected by a qualified boiler inspector, approved of by the Controller of the Yukon Territory, or by an inspector of a boiler insurance company at least once in every twelve months, and a certified copy of the report of the inspection shall be forwarded to the Chief Inspector within seven days.

## SAND AND GRAVEL PITS

Undermining forbidden in sand and gravel pits

(209) In open-pit workings of sand and gravel the method of removing material by undermining shall not be allowed. No vertical working place shall have a height of more than ten feet. Where the thickness of material to be excavated exceeds ten feet in depth the work shall be done in terraces or at any angle of safety. This rule shall not apply to pits where the material excavated solely by mechanical means.

# MILLS, METALLURGICAL WORKS

At every mine or works where poisonous Antidotes or dangerous compounds, solutions or gases are used or produced there shall be kept in a conspicuous place as near the same as practicable a sufficient supply of satisfactory antidotes and washes for treating injuries received from such compounds, solutions or gases. Such antidotes and washes shall be properly labelled, and explicit directions for their use affixed to the boxes containing them.

and washes

In or about any mine where, by reason of dry crushing or otherwise, there is in the air of the place of operation dust in quantity to be injurious to health, suitable apparatus shall be installed for removal of the dust.

Removal

In every mill or plant where poisonous Poisonous vapours, gases or emanations exist or may be formed or where radioactive ores are treated, suitable means shall be adopted to provide such ventilation as will prevent the formation of dangerous concentrations of such vapours, gases or emanations.

vanours

(213) Due provisions shall be made at all plants where acids or poisonous compounds are used to reduce to a minimum the hazards of storing and handling such materials.

The transfer of liquids from one location or container to another location or container by the application of air under pressure shall not be permitted except where properly designed and tested equipment is used for this purpose.

Transfer of liquids by compressed

(215) No person shall enter any storage bin Work in while material is stored therein unless a second person is in constant attendance and precautions are taken against the danger of caving material.

Guard ralls at track approaches (216) Guard rails shall be placed at the approach to railway tracks, where the view of such tracks is obstructed in one or both directions.

Ventilation

(217) At all furnaces of the hand-filled type the room where workmen are engaged shall be adequately ventilated.

Life lines

(218) Life lines and belts in good order shall be provided and kept in some secure and readily accessible place for immediate use in case it becomes necessary to rescue a workman, and also for use by any workman whose duties require him to work in an atmosphere which is liable to become dangerous by reason of the presence of noxious gases.

Shields for protection against burning

(219) Workmen employed at metallurgical works shall be supplied with suitable shields and appliances to protect them as far as possible from being burned with molten material.

Stairways protected (220) All stairways shall be inclined at an angle not greater than fifty degrees from the horizontal, and be provided with landings or turnouts, at intervals of twenty-five feet, so that it will not be possible for a workman to fall from the top to the foundation landing below.

Supervision of hazardous work

(221) Every foreman shall personally supervise or appoint a competent assistant to supervise any work around the furnace involving unusual accident hazard; and it shall also be the duty of such foreman or person appointed by him to examine all ladles, moulds and other receptacles with a view to ascertaining that they are clear of moisture or other substance which may endanger the safety of persons.

Rescue appáratus (222) At any operation where the nature of the work may cause air to become dangerous by reason of the presence of noxious gases there shall be provided and main-

tained in a steadily accessible place breathing apparatus and pertable resuscitating apparatus of approved type, with an adequate supply of oxygen and absorbent material. There shall always be on duty in each working shift a workman or workmen appointed by the superintendent and trained in the use of breathing and resuscitating apparatus.

No person under the age of eighteen years shall be allowed to operate any elevator or power-driven crane.

Age, eleva-tor and crane

(224) No person other than the operator shall be permitted to ride on any crane or part thereof or on any material carried by such crane except for inspection, supervision, maintenance and repair, or instruction of a new operator.

(225) Every crane operated from a cab mounted warning on the crane shall be equipped with a whistle, bell, gong or horn which shall be sounded at such times as it may be necessary to give warning of the approach of the crane to places where men are working or are liable to pass.

Every crane shall be equipped with suitable devices to prevent overwinding and overrunning of limits.

Overwinding Gevices

The owner or manager shall depute some qualified person or persons to examine daily such parts of examination of cranes the crane or apparatus pertaining thereto upon the proper working of which the safety of persons depends. A record of such examinations shall be kept.

# ELEVATORS AND HOISTWAYS

Every entrance to a hoistway shall be pro- Folding vided with a substantial door or doors or gate or gates at least six feet in height. All folding gates over three feet wide shall have top, bottom and centre braces.

Lighting .

(229) Every hoistway landing and place where machinery is erected shall be well lighted.

Crarding hoistway (230) When a hoistway is not enclosed in walls, access to the hoistway by means of an adjacent stairway shall be prevented by means of a partition to a height of at least six feet.

Guide rails

(231) All guide rails for cars and counterweights shall be of substantial construction, and shall be securely fastened to the sides of the hoistway, and the bottom ends shall rest on a secure foundation, and be firmly fixed in that position.

Clearance for car (232) On every elevator hereafter installed a clear space of not less than three feet shall be provided between the bottom of the hoistway and the lowest point of the car when the car is at its lowest landing, and between the top of the car and the sheave when the car it at its top landing, and also between the top of the counterweight and the sheave when the car is at its lowest landing.

Automatic safety devices (233) Every elevator shall be provided with automatic devices at the top and bottom of the travel of a car in the hoistway, so arranged that the car will be stopped before it has travelled two feet above the top landing, or two feet below the bottom landing, and all drum hoists shall, in addition, be fitted with automatic stop motions to prevent overwinding.

Protecting counterweights (234) All counterweights shall have their sections strongly bolted together and shall be so situated that they cannot fall on any part of the elevator or machinery, and shall be suspended in guides in such a manner that they will run freely without danger of being detached.

Protection on elevator (235) Every elevator on which any person travels shall be provided with side casing, and shall have a door or doors extending at least five feet above the bottom of the elevator, and the top shall be covered with suitable protective roofing.

Every elevator on which any person tra- fafety vels shall be provided with efficient safety clutches of sufficient strength to hold the elevator with its maximum load in any position in the hoistway. When the safety catches are operated through shafts, all the levers and safety catches shall be keyed to the shafts.

## RULES GOVERNING USE OF ELECTRICITY

#### In these Rules,— (237)

(a) "Cut-out" shall mean any device, such "Cut-out" as a fuse or circuit-breaker, by which the electrical continuity of a conductor may be automatically broken by changes in current or voltage;

(b) "Disconnector" shall mean a switch "Disconnector" which is intended to open a circuit only after the load has been thrown off by some other means;

(c) "Electrical Supply Station" shall mean any building, room or separate space within which is located electrical supply equipment and which is accessible, as a rule, only to properly qualified persons, and shall include generating stations and stubstations and generator, storage battery and transformer rooms:

"Electrical

(d) "Grounded" shall mean connected to earth or to some extended conducting body which serves instead of earth, and this ground connection may be at one or more points;

"Grounded"

"Panel board" (e) "Panelboard" shall mean a single panel container busses, fuses and switches to control lights, and devices of small individual as well as aggregate capacity, placed in or against a wall or partion and accessible only from the front:

"Reconstruction"

(f) "Reconstruction" shall mean replacement of any portion of an existing installation by new equipment or construction, but does not include ordinary maintenance replacement.

"Switch"

(g) "Switch" shall mean a device for opening or closing or changing the connections of a circuit manually, and in these Rules a "switch" is always to be understood as operated manually, unless otherwise stated;

"Switch-

(h) "Switchboard" shall mean a large single panel or assembly of panels on which are mounted switches, fuses, busses and usually instruments, and accessible both in front and in rear. Circuits and machinery of relatively large capacity are controlled from such boards:

"l'tilization Equipment" (i) "Utilization Equipment" shall mean equipment, devices and connected wiring, which utilize electrical energy for mechanical, chemical, lighting, testing or similar purposes and are not a part of supply equipment;

(i) "Voltage" or "Volts" shall mean the highest effective voltage between the conductors of the circuit concerned, except that in grounded multi-wire circuits, not exceeding 750 volts between outer conductors, it means the highest effective voltage between any wire of the circuit and the ground, and in low-voltage ungrounded, circuits. "voltage to ground" shall mean the voltage of the circuit;

"Voltage", "Voits , "Voltage to Ground

(k) "Wire Gauge" shall mean the stand- "Wire ard known as Brown and Sharpe Gauge" (B. & S.)

# GENERAL RULES

Where electrical apparatus or machinery Competent is used at any mine it shall be in charge of an authorized person, who shall be qualified by experience to handle such apparatus or machinery. Every person operating or having charge of electrical apparatus shall have been instructed in his duty and shall be competent for the work that he is set to do. Repairs, extensions and changes shall be made to existing electrical equipment and conductors only by authorized persons.

No person, other than the person authorized by the owner, manager, or superintendent, shall enter an electrical supply station or interfere with the workings of any machine, transformer, motor, or apparatus connected therewith, and when the authorized person is not present the door of such room shall be kept securely locked.

Supply stations to be inaccessible to unauthorized persons

All electrical equipment shall be of such General reconstruction and so installed and maintained as to reduce the life and fire hazard as far as practicable.

quirements

Inspections and repairs

(241) Electrical equipment shall comply with these Rules when placed in service, and shall thereafter be periodically inspected and, when necessary, cleaned. Defective equipment shall be put in good order or permanently disconnected. Defective wiring shall be repaired or removed.

Exceptions

(242) Electrical utilization equipment as well as generating equipment, if enclosed in a separate room which is inaccessible to unauthorized persons, and when in service is under the control of a qualified electrical operator whose attention is not distracted by other processes, shall be considered as electrical supply station equipment, and such exceptions as are made to the general Rules for supply stations shall apply to those installations.

Mentification of equipment (243) All electrical equipment shall be suitably identified where necessary for safety. The voltage and intended use shall be shown, where important.

## GENERAL GROUNDING RULES

Circuits to be grounded (244) All circuits not over 150 volts shall be grounded if exposed to leakage from higher voltage circuits either through overhead construction or through transformers having primary voltage exceeding 750 volts. Three-wire single phase circuits and three-wire direct-current circuits not exceeding 300 volts between outer conductors shall have the neutral grounded.

Equipment to be grounded

- (245) Electrical equipment shall, when practicable, have the exposed non-current-carrying parts, such as frames of motors, generators, switchboards, cases of transformers, oil switches and instruments and casings or wiring and conductors permanently grounded;
  - (a) For all equipment over 150 volts;

- (b) For all equipment where metal parts are within reach of exposed grounded surfaces, such as metal frames of other machines, plumbing fixtures, conducting floors or walls (such as damp wood, concrete or rock underground). Grounded surfaces within five feet horizontally of the parts considered, or within eight feet vertically of the floor, shall be considered within reach.
- The point at which the ground conductor is attached to the equipment or wire runways, shall be readily accessible.

Equipment

The ground conductor shall be of copper or other metal which will not corrode excessively under the existing conditions and, if practicable, shall be continuous. Ground connections from circuits shall not be made to jointed piping within buildings, except that water or air piping beyond any point which is liable to disconnection may be used.

Material and continuity of ground conductor

For grounding circuits the ground conductors shall have a carrying capacity equal to that of the ground conductor. circuits and shall never be less than No. 6 B and S.

Size of

(249) For electrical equipment the current-carrying capacity of a ground conductor shall not be less than that provided by a copper wire of the size indicated in the following table. When there is no cut-out protecting the equipment, the size of the ground wire shall be determined. by the design and the operating conditions of the circuit:

Capacity of	Required size
nearest automatic	ground conductor
cut-out	B. & S. gauge
0 to 200 amperes	6
201 to 500 amperes	
Over 500 amperes	<b>2</b>

(250) In portable cord to portable equipment protected by fuses not greater than ten ampere capacity, No. 16 ground wire may be used.

Frotecting ground wire

(251) Ground conductors shall have mechanical protection and insulating guards extending for a distance of not less than eight feet above any ground, platform or floor. If attached to buildings ground conductors shall be supported on insulators and shall be protected by porcelain bushings through floors, partitions or walls.

Character of ground

(252) Main water or air lines may be used for grounds, provided that connection is made at a point where the pipe is not liable to disconnection for alteration or repairs. Main water or air lines may be substantially bound together for this purpose, but shall, unless connected to a buried piping system of considerable extent, be connected to an artificial ground.

Method of connection

(253) The ground connection to metallic piping systems shall be made by sweating a ground wire into a lug attached to a suitable clamp and firmly bolting the clamp to the pipe, after all rust and scale have been removed, or by any other equivalent method.

Artificial grounds

(254) Artificial grounds shall be located, where practicable, below the permanent moisture level, or failing this, at least six feet deep. Each ground shall present not less than four square feet of surface to the exterior soil. Areas where the ground-water level is close to the surface shall be used where available.

Where separate ground conductors requires (255) Ground conductors shall be run separately to the ground (or to a sufficiently heavy grounding bus or system ground cable which is connected to the ground at more than one place) from equipment and circuits of each of the following classes: (1) Lightning arresters; (2) secondaries connected to low-voltage lighting or power cir-

cuits; (3) secondaries of current and potential transformers and cases of instruments on these secondaries: (4) equipment operating in excess of 750 volts; (5) frames of utilization equipment or wire runways other than covered by item (4).

Lightning arrester ground connections Lightning shall not be made to the same artificial ground (driven grounds pipe or buried plate) as circuits or equipment, but shall be well spaced, and, where practicable, at least twenty feet from other artificial grounds.

arrester

# WORKING SPACE ABOUT ELECTRICAL EQUIPMENT

Suitable working space shall be provided Utilization and maintained about all electrical equipment. Where adjacent to exposed live parts such working spaces shall be so arranged that they will not be used as passageways. The working space shall, where practicable, have minimum horizontal dimensions, where adjacent to exposed parts within eight feet of the floor, as follows: (1) parts above 150 volts to ground, if on one side, 2.5 feet; if on two sides, 4 feet; (2) parts below 150 volts to ground, if on one side, 1.5 feet: if on two sides, 2.5 feet.

equipment

In supply station equipment the follow- supply ing clearances only need be maintained: (1) parts from equipment 300 up to 750 volts, if on one side, not less than 2.5 feet; if on two sides, not less than 3 feet; (2) parts above 750 volts, if on one side, not less than 3 feet; if on two sides, not less than 5 feet.

# GUARDING OR ISOLATING LIVE PARTS

In supply station equipment, current-carrying parts shall be guarded unless they are maintained at parts the following distances above the floors which may be occupied by persons:

Voltage of	conductors	Elevation in	feet
300 to	750		7
750 to		·	7.5
2,500 to	7,500		8
7,500 to	30,000		9
30,000 to	70,000		10
70,000 to	100,000	******	12

- (260) All exposed current-carrying parts of electrical equipment such as bus bars, conductors and terminals operating at over 150 volts and not isolated by an elevation of at least eight feet, shall be provided with suitable permanent enclosures or other guards arranged so as to prevent persons or conducting objects from inadvertently coming (or being brought) in contact with the parts in question.
- (261) Where the current-carrying parts at over 150 volts or in supply stations at over 300 volts to ground, must necessarily be exposed (unguarded) within eight feet, or in supply stations within the limits called for in Rule 259 from the floor line, all surrounding conducting floors shall be covered with suitable insulating platform, mats or other insulating devices.
- (262) Where the current carrying parts operate at over 7,500 volts, enclosing or barrier guards shall always be provided, even when insulating mats are also provided.

# STORAGE BATTERIES

Protection of storage batteries (263) Storage batteries in rooms used also for other purposes shall be adequately guarded or enclosed. Means shall be provided, if necessary, to prevent dangerous accumulations of inflammable gas. Batteries whose operating voltage exceeds 50 volts shall be installed in conformity with the general rules covering equipment.

## TRANSFORMER RULES

Secondary circuits of current transformers Frotecting shall be provided with means for short circuiting them transformwhich can be readily connected while the primary is energized, and which are so arranged as to permit the removal of any instrument or other device from such circuits without opening the circuits.

- (265) When primaries are above 7,500 volts, secondary circuits of current and potential transformers. unless otherwise adequately protected from injury or contact of persons shall be in permanently grounded conduit.
- (266) The low-voltage circuit of all instrument transformers shall be permanently grounded unless the circuits are installed and guarded as required for the highvoltage circuits of the transformers.
- (267) Oil immersed transformers shall not be oil mounted on or above combustible roofs or attached to any building not of fire-proof construction other than a transformer house and if within a building other than a transformer house shall be in a fire-proof compartment, suitably drained and ventilated to outdoors, the door openings to be provided with not less than six-inch non-combustible sills.

Immersed

Transformer stations, if not entirely of fireproof construction, shall be located at least fifty feet tions to be distant from other buildings.

Transformer stn-

# LIGHTNING ARRESTER RULES

(269) If the operating voltage of the circuit exceeds 750, the lightning arresters shall be made inaccessible to unauthorized persons.

Inaccessible to unauthorized persons

(270) Lightning arresters, when installed inside of buildings, shall be located as far as practicable from all other equipment and from combustible parts of the building.

Location

Provisions for disconnecting (271) Lightning arresters on circuits over 7,500 volts and all lightning arresters which may require work to be done upon them from time to time, shall be so arranged, isolated, and equipped that they may be readily disconnected by air-break manual disconnectors.

Ground Wires (272) Ground wires shall be run as directly as possible and be of low resistance and ample capacity. In no case shall ground wires be less than No. 6 copper wire. Ground conductors for lightning arresters shall not pass through iron or steel conduits unless electrically connected to both ends of such conduits.

Grounding non-currentcarrying parts (273) All non-current-carrying parts of the arresters shall be grounded, unless effectively isolated by elevation, or guarded as required for live parts of the voltage of the circuit to which the arrester is connected, and suitably identified as to that voltage.

Courties Hud parts (274) All current-carrying parts of arresters on circuits above 750 volts, unless effectively isolated by elvation shall be adequately guarded to protect persons from inadvertent contact with them, or from injury by arcing. Guarding shall comply with Rules 260 and 278.

# **CONDUCTORS**

Electrical protection of conductors

(275) Conductors shall be suitable for the location, use of voltage and each conductor (except neutral conductors, ground wires, and conductors of circuits, the openings of which may cause special hazard by interruption of service or removal of protection), shall be protected against excessive current by suitable automatic cut out or by the design of the system.

Cut-outs omitted (276) All conductors normally grounded for the protection of persons shall be arranged without automatic cut-outs interrupting their continuity between the sources of electrical supply and the point at which the ground wire is attached, unless the cut out opens all the conductors of the system with one operation.

(277) All conductors where not protected by con- fessilating duit or armouring shall have approved insulation and shall be mounted on cleats, porcelain knobs or insulators and shall be separated from contact with floors, walls or partitions by tubes of incombustible insulating material.

conductors

All fixed conductors operating at over 150 soluting conductors volts or in supply stations at over 750 volts unless isolated by an elevation of at least eight feet shall be enclosed in grounded metal conduit, grounded metal sheathing or shall be guarded by permanent screens or enclosures.

Bare conductors shall be used only for switchboard, panelboard, storage-battery connections or for open wiring at voltages exceeding 2,400 volts in supply stations or for electrolytic low-voltage furnaces and similar connections or for trolley wires and other contact conductors. Except at points where permanent ground connections are made such conductors within buildings shall be kept insulated from the ground.

Use of bar conductors

Temporary wiring and equipment, which Temporary is not in compliance with these rules, may be used, but only when under competent supervision, or protected by suitable barriers or warning signs while it or neighbouring wiring is alive and accessible to unauthorized persons.

# Fuses, Cut-outs, Switches and Controllers

(281) All switches, automatic cut-outs, control- General lers, starting rheostats, auto starters and other control devices shall be readily and safely accessible to authorized persons; they shall be so located, labelled or marked as to afford means of identifying circuits or equipment supplied through them, and to indicate whether they are open or closed. They shall be so installed, where practicable, that they cannot be closed by gravity and such switches as close by gravity shall be provided with a proper stop block or latch to prevent accidental closing

Switches required for equipment

(282) Suitable switches shall be inserted in all circuit leads to generators, motors, transformers, storage batteries, electric furnaces and similar equipment except between parts or pieces of apparatus intended to operate as a unit.

Switches required in feeders (283) Suitable switches shall be inserted in all feeder coductors connecting utilization installations to service connections from either overhead or underground lines. These switches shall be readily accessible, and as close as practicable to the point of connection with the overhead or underground lines.

Cyliches for townorary wiring

- (284) Switches or plug connectors shall be placed in all circuit leads at the point where temporary wiring or portable conductors are connected to the permanent wiring.
- (285) Switches used otherwise than as disconnectors shall have a rated capacity such as to insure safe interruption, at the working voltage, of the greatest current which they may be required to carry continuously, and shall be marked with the current they can safely interrupt.

Switches have sufficient rupturing capacity (286) All cut-outs, switches, circuit breakers and other apparatus used for opening or closing an electric circuit shall be of such design as to operate safely on the system from which the circuit is energized.

Disconnect-

(287) Disconnectors shall be of suitable voltage and ampere rating for the circuit in which they are installed and shall be accessible only to qualified persons. They shall also be protected by signs warning against opening the switch while carrying current in excess of the safe opening limit.

Locking or tagging switches

(288) All switches controlling apparatus shall be locked or plainly tagged in the open position to prevent the inadvertent closing thereof while work is being done on the apparatus.

control
required on

(289) Switches, controllers and rheostats shall be so constructed as to make and maintain good contact. Knife switches shall maintain such alignment under service conditions that they may be closed with a single, unhesitating motion.

When airbreak switches needed

(290) Unless a switch operating on a circuit above 300 volts makes an air-break there shall, if equipment controlled by such switch requires adjustment or repairs while the conductors leading to such switch are still alive, be installed between it and the source of energy supply a suitable air-break disconnector.

Enclosing live parts of switches

(291) All manual switches over 150 volts to ground or in supply stations over 300 volts to ground shall have suitable casings or guards protecting the operator from the danger of contact with current-carrying parts or being burned by arcing at the switch.

Guarding switches

(292) All switches interrupting circuits over 300 volts shall be operated by means of remote control mechanism or be provided with suitable casings protecting the operator from danger of contact with current-carying parts, except as provided in Rule 295.

above 300 volts

- (293) The control device for switches shall indicate whether the switches are open or closed.
- (294) Switches shall, if practicable, be so connected that switch blades will not be alive when in the open position.

Connections to switches

(295) Where switches, disconnectors and fuses above 750 volts are ordinarily guarded by covers or enclosed in separate rooms, but must occasionally be operated without such protection, either by removal of the covers or by entrance into the rooms, adequate working space shall be provided about the live parts so that the operator will not be required to bring any part of his body within the following horizontal distances:

Working spaces about ordinarily guarded switches above 750 volts

Voltage of parts	Distance in feet
750 to 7,500	1
7,500 to 30,000	2
30,000 to 50,000	3
50,000 to 70,000	4
70,000 to 100,000	5

Switches to be placed before fusible cut-outs (296) On circuits up to 300 volts to ground, where fusible cut-outs are not so arranged that they are necessarily disconnected from all sources of electrical energy before the underground current-carrying parts can be touched, switches shall always be so placed or arranged that opening them will disconnect the fuses from all sources of electrical energy.

Protecting fusible cut-outs above 300 volts (297) Fusible cut-outs above 300 volts to ground shall be in a cabinet or otherwise made inaccessible to all but authorized persons, and switches shall be so placed and arranged that opening them will disconnect the fuses from all sources of electrical energy.

Fuses in fireproof cabinets (298) All fusible cut-outs shall be installed in approved fire-proof cabinets.

Capacity of

(299) The rated capacity of the fuses shall not exceed the allowable current-carrying capacity of the conductor.

#### SWITCHBOARDS

Switchboards to be readily accessible (300) Switchboards and panelboards shall have all switches arranged so that the means of control are readily accessible to the operator.

Switchboards to be convenient for operation (301) Instruments, relays or other devices requiring reading or adjustment shall be so placed that the work can be readily performed from the working space provided.

Switchboards shall be so placed that the person operating them will not be endangered by machinery or equipment located near the board. Means for adequate illumination shall be provided.

lighting of switch. boards

Exposed bare parts of different potentials on any switchboard or panelboard shall be as few as practicable and these shall be effectively separated.

Protecting short circulting on switchhoards

(304)All switchboards and panelboards having exposed current-carrying parts operating at over 150 volts to ground shall, when practicable, be suitably encased in locked cabinets, screens, or rooms, or other enclosures to make them inaccessible to other than authorized operators. Conducting floors about such boards and in supply stations about boards having equipment operating at over 300 volts to ground shall be provided with suitable insulating platforms or mats so placed that no person can inadvertently touch live parts unless standing on an insulating platform or mat.

Guarding currentcarrying parts of switchboards

Where switchboards or panelboards at voltages below 150 to ground are accessible to other than authorized operators they shall, where practicable, be enclosed in cabinets or screens as an effective precaution against accidental short circuit at times when no operation of the board necessitates the opening of the cabinet or screen.

Switchbelow 150 volts accessible to unauthorized persons

# MOTOR CONTROL DEVICES

Manually controlled starters for all D.C. Motor motors and for all A.C. motors over five horsepower shall devices be so designed and the circuits so arranged that they return automatically to the "off" position upon the failure of the energy supply, except where the motors and their starting devices are, during operation, under the supervision of qualified persons or equivalent protection is otherwise provided.

l'rotecting motors against overload (307) Each motor shall be protected against excessive overload current by cut-out or automatic circuit breaker. Any such overload device shall interrupt the circuit at fifty per centum over normal motor-current rating An auto starter which disconnects all wires of the circuit automatically under overload when in the running position may be used as a circuit breaker.

# ILLUMINATING SUPPLY STATIONS

Lighting for supply stations

(308) Rooms and spaces shall have good artificial illumination. Arrangement of permanent fixtures and plug receptacles shall be such that the portable cords need not be brought into dangerous proximity to live electrical apparatus. All lamps shall be arranged to be controlled, replaced, or trimmed from readily accessible places.

Emergency lighting for supply stations (309) A separate emergency source of illumination, from an independent generator, storage battery, lanterns or other suitable source, shall be provided in every station where an attendant is located.

## FIRE-FIGHTING APPLIANCES

Fire- \
fighting
appliances

(310) Each room or space where an operator is in attendance shall be provided with an adequate approved fire extinguishing appliance conveniently located and conspicuously marked. No chemical fire extinguishing appliance which has not been approved for use on live parts shall be placed in any room containing electric apparatus or exposed lines.

# LIGHTING FIXTURES

Guarding current carrying parts of lighting fixtures (311) Electric fixtures, such as lamp sockets and lamp bases, plugs, receptacles, etc., shall be so installed that no current-carrying parts shall normally be exposed externally when these parts are within reach of grounded surfaces (see Rules 260, 261 and 262). The high-temperature current-carrying parts of radiant heaters are exempted.

Portable lamps shall not be connected to circuits operating at over 300 volts to ground.

In locations where exposed to dampness or mechanical injury, portable conductors shall be of reinforced weatherproof cord, and, when necessary, armoured.

Portable conductors exposed to miury

In locations where exposed to dampness or mechanical injury, portable lamps shall have their sockets enclosed in wood or composition handles, through which the conductor shall be carried, and shall have a substantial wire cage which encloses the lamp. A hook for hanging the lamp shall be attached either to the cage or to the handle.

Style of portable lar.ps permitted

# TROLLEY AND PORTABLE APPARATUS

Trolley or crane collector wires, whether indoors or out, shall, where practicable, be elevated at least eight feet above the rail level and be provided with suitable guards so arranged that persons cannot inadvertently touch the current-carrying parts while in contact with the ground or with conducting material connected to the ground.

collector wires

In tunnels or under bins or in similar Operating locations where trolley wires are necessarily less than eight tunnels. atc. feet above the rail level, the operating voltage shall not exceed 300 and the wires shall be efficiently guarded to prevent accidental contact of person.

Portable and pendant conductors shall not be installed or used on circuits operating at over 150 and volts to ground, unless they are accessible only to persons conductors authorized to approach them. In such cases they shall be of a type suitable to the voltage and conditions.

Portable

# CRANES AND ELEVATORS

Disconnections for curs and cranes (318) Readily accessible means shall be provided whereby all conductors and equipment located in or on cars or cranes may be disconnected entirely from the source of energy at a point as near as possible to the trolley or other current collector.

Switch required on cars and cranes (319) A circuit breaker or switch, capable of interrupting the circuit under heavy loads, shall be used unless the current collector can be safely removed, under heavy loads, from the trolley wire.

# TELEPHONE EXPOSED BY SUPPLY LINES

Frotecting relephone equipment exposed by high vollage

- (320) Telephone or other signal apparatus which must be handled by persons and which is connected to overhead signal circuits exposed by supply lines over 400 volts to ground shall be protected as follows:
  - (a) By fuses and arresters;
  - (b) All exposed non-current-carrying metal parts shall be permanently grounded; or, the apparatus shall be installed in such a way that a person using it will be obliged to stand on an insulated platform, in an insulated booth, or on other insulating surfaces.

Protecting telephone signal equipment exposed to induced voltage (321) Telephone or signal apparatus which is connected to a line which parallels a supply circuit of high voltage in such a manner as to be exposed to induced voltage shall be protected by transformers and shall comply with the requirements of Rule 320.

# TRANSMISSION LINES

Design and construction of supply lines

(322) All electrical supply lines and equipment shall be of suitable design and construction for the service and the conditions under which they are to be operated, and all lines shall be so installed and maintained as to reduce the life hazard as far as practicable.

Conductors and other current-carrying covarding parts of supply lines shall be so arranged as to provide lines adequate clearance from the ground or other space generally accessible, or shall be provided with guards so as to effectively isolate them from accidental contact of person.

Where supply lines over 300 volts to ground are attached to any buildings, for entrance, they shall be permanently guarded if accessible.

Entrance to buildings

(325) Supply lines carried over railways operated by steam, electric or other motive power and on which standard equipment, such as freight cars, is used shall have railways the style of construction and clearances overhead as called for in the regulations of the Board of Transport Commissioners for Canada. Supply lines crossing over railways on which standard equipment is not used and lines crossing over roadways shall have ample clearance for the operating conditions and shall be substantially supported.

Clearance required by over

At all underground stations where any cable transmitting power at a potential exceeding 300 volts leaves the shaft, a room or junction box shall be provided into which such cable shall be run.

underground

Junction boxes on any cable transmitting Junction or power at a potential exceeding 300 volts shall not be located in any shaft or winze or attached to any timbers at a shaft or winze station or in a headframe. Splice boxes for cable extension in a shaft or winze shall be of a type approved by the Inspector.

splice boxes

(328) (a) All cables transmitting power underground at a potential exceeding 750 volts shall have a voltage rating of 50 per centum higher than the normal operating voltage.

Rating of cables and circuit breakers under. ground

(b) All circuit-breakers, cut-outs and disconnecting switches on circuits exceeding 750 volts shall have a voltage rating of fifty per centum higher than the normal operating voltage and shall be located in a room which may be kept locked.

Transformers, type and location (c) The type and location of transformers installed underground shall be subject to the approval of the Inspector

Switches on underground cables (329) Where electrical energy is conducted underground provision shall be made so that the current may be cut off on the surface close to the point where it is led underground. The cut-off switch or switches shall be situated in a locked building or compartment and shall be accessible only to an authorized person or persons.

Fire prevention about electrical installations

(330) The bases of electric motors, transformers, starting equipment and other electrical apparatus and the compartments in which such are installed shall be of such material and constructed in such manner as to reduce the fire hazard to a minimum. No inflammable material shall be stored or placed in the same compartment with any such equipment or apparatus.

Conduits required (331) All cables over 150 volts transmitting power underground shall be armoured or enclosed in standard conduit and substantially supported.

Conduits or insulators for lighting circuits

(332) Wires carrying not over 150 volts to ground for lighting and signal circuits shall either be installed in standard conduits or casings, or suspended from and securely tied to porcelain or glass insulators, so that they do not touch any timbering or metal. On no account shall staples be used.

(333) The armouring or casing of cables, men- Grounding tioned in Rules 331 and 332, shall be bonded together so as to be electrically continuous, and shall be connected at some point or points to a satisfactory ground.

of casings

All rules governing grounding of electrical apparatus in general work shall apply equally to underground work.

Method of grounding

Adequate precautions shall be taken to prevent electrical signal or telephone wires, whether insulated or not, coming into contact with other electrical conductors.

Precautions to protect signal and telephone

# Rules Governing Electric Hoists

When the Inspector has cause to believe Testing for overloading that the shaft conveyance operated by any electric hoist is being overloaded he shall have the power to order a test to be made.

## DAMAGE TO PROPERTY

No person shall wilfully damage, or with- wilful damage out proper authority remove or render useless, any fencing, casing, lining, guide, means of signalling, signal, cover, chain, flange, horn, brake, indicator, ladder, platform, steam-gauge, water-gauge, safety-valve, electrical equipment or other appliance or thing provided in any mine in compliance with this Ordinance.

### GENERAL

No person under the influence of or carry- Persons ing intoxicating liquor shall enter any mine or be in the influence of or carrying proximity of any working place on the surface or near any machiness is a surface or near any machiness is a surface. machinery in motion.

(339) Abstracts of the rules contained in this Ordinance, authorized by the Chief Inspector, shall be posted up in suitable places at the mine or works where the same can be conveniently read and the owner or agent of the mine shall maintain such abstracts, duly posted, and the removal or destruction of the same shall be an offence against this Ordinance.

Abstract of rules to be posted

26.

# PAYMENT OF WAGES

Prohibition of payment of wages at mubile houses

(1) No wages shall be paid to any person employed in or about any mine or metallurgical works to which this Ordinance applies at or within any tavern, shop or place where spirits, wine, beer or other spirituous or fermented liquors are sold or kept for sale, or within any office, garden, or place belonging or contiguous thereto or occupied therewith.

Penalty

(2) Every person who contravenes or permits any person to contravene this section shall be guilty of an offence against this Ordinance and in the event of any such contravention by any person whomsoever the owner and agent of the mine in respect of which the wages were paid shall also each be guilty of an offence against this Ordinance, unless he proves that he had taken all reasonable means to prevent such contravention by publishing and to the best of his power enforcing the provisions of this section.

Payment of wages

(3) Notwithstanding any agreement to the contrary, every person who performs labour for wages in connection with any mine, mining claim, mining lands, or works connected therewith, shall be paid such wages not less frequently than once a month and may be paid twice a month.

# DAMAGING OTHER CLAIMS

Licensees not to damage other claims 27. No person or company shall, without right or authority, cause damage or injury to the holder of any other mining property by throwing earth, clay, stones, or mining material thereon, or by causing or allowing water which may be pumped or bailed or which may flow from a mining

claim or other mining property of such person, to flow into or upon such other mining property, and the offender in addition to any civil liability shall incur a penalty of not more than \$10 for every day such damage or injury continues, and in default of payment of the penalty and costs, may be imprisoned for any period not exceeding one month.

# PARTY WALL

Except as provided in subsection 30 of sec- Party walls, thickness of 28. (1)tion 26, or unless the owners agree to dispense therewith, in all mining operations there shall be left between all adjoining properties a party wall at least fifteen feet thick (being seven and one-half feet on each property), to the use of which the adjoining owners shall be entitled in common.

The owners shall be entitled to use such Use in (2) party wall in common as roadway for all purposes, and such roadway shall not be obstructed by the throwing of soil, rock or other material thereon, or in any other way, and any person obstructing the same in addition to any civil liability shall incur a penalty of not more than \$10 for every day such obstruction continues.

Any such adjoining owners may, in any case, Dispensing (3)apply to the Mining Recorder, who may make an order dispensing with such party wall or roadway, or providing for the working of any material therein, or otherwise as he may deem just.

When the owner of a mine or mining prop- Examina-(4) erty has reason to believe that a breach has party wall been made in the party wall between his own and an adjoining property or that a trespass

has been committed with respect thereto, the Controller may upon application to him authorize a competent and disinterested person to examine such party wall and for such purpose enter the said mine or mining property with an assistant or assistants and use if necessary the workings and appliances thereof, and the person so appointed shall immediately after such examination report in writing his findings to the Controller. The time when such examination shall be made and the cost thereof and any damage resulting therefrom shall be fixed by the order of the Controller.

Order for closing breach in party wall

Where a breach has been made in a party (5) wall of a mine by the owner of an adjoining mine or by his workmen, servants or agents without permission of the owner of such first mentioned mine or the authority of the Controller, the Controller upon the application of such first mentioned owner may make an order directing the owner of such adjoining mine to permanently close such breach or do such other things as the Controller may deem necessary or advisable to prevent water flowing into the mine of the applicant. and if work has been discontinued in such adjoining mine, or if for any other reason he deems it expedient, the Controller may authorize the applicant to enter upon the adjoining mine and into the works thereof and to erect bulkheads therein and do all such other things or make such use of the works of the adjoining mine as the Controller may deem necessary or advisable for the purpose of protecting the mine of the applicant and his workmen and employees from damage or danger from accumulations of water in the adjoining mine.

The Controller or Mining Recorder, for Varying order (6) good cause shown and on such terms as may seem just, may, by subsequent order at any time change, supplement, alter, vary or rescind any order made by him under the authority of this section.

#### NOTICE OF ACCIDENTS

29. (1)Where, in or about any mine, any accident Fatal occurs which causes loss of life to any person employed thereat, the owner, agent, manager or superintendent thereof shall immediately notify the Inspector or Mining Recorder resident in that part of the Yukon Territor in which the accident occurred and the Chief Inspector by telegraph.

(2) Subject to subsection 3, no person shall, except for the purpose of saving life or relieving human suffering, interfere with, destroy, carry away or alter the position of any wreckage, article or thing at the scene of or connected with the accident until an Inspector or an officer or constable of the Royal Canadian Mounted Police has completed an investigation of the circumstances surrounding such accident.

Scene to be

Where it is impossible for an Inspector to (3)make an immediate investigation of an accident, the Chief Inspector or any Inspector may permit such wreckage, articles and things at the scene of or connected with the accident to be moved to such extent as may be necessary to permit the work of the mine, quarry, sand, clay or gravel pit to be proceeded with, when an investigation has been made by an officer or constable of the Royal

Permission

Canadian Mounted Police, provided photographs or drawings showing details of the scene of the accident have been made prior to such moving.

Notice of accident to be sent to Inspector

30. Where, in or about any mine, any accident occurs which causes fracture or dislocation of any bones of the body, or any other injury to any person employed therein, which in the opinion of the attending physician may result in the injured person being incapacitated for work for at least three days, the owner, agent, manager or superintendent shall within three days of the accident send notice in writing to the Inspector or, in case of the Inspector's absence, to the Mining Recorder, resident in that part of the Yukon Territory in which the mine or works are situate on the form prescribed for such purpose.

idem.

- 31. Where in or about any mine,-
  - (a) Any accident involving the hoist, sheaves, hoisting rope, shaft or winze conveyances, or shaft or winze timbering;
  - (b) Any inrush of water from old workings or otherwise;
  - (c) Any failure of an underground dam or bulkhead, as defined by Rule 35 of the rules contained in section 22;
  - (d) Any outbreak of fire below ground or any outbreak of fire above ground if it endangers any structure at the mine entrance;
  - (e) Any premature or unexpected explosion or ignition of explosives;
  - (f) Any asphyxiation effecting a partial or total loss of physical control;
  - (g) Any inflammable gas in the mine workings; or
  - (h) Any unexpected and non-controlled extensive subsidence or caving of mine workings;

occurs, whether or not loss of life or personal injury is caused thereby, the owner, agent, manager or superintendent of the mine shall, within the twenty-four hours next after such occurrence, send notice in writing to the Inspector, or in case of the Inspector's absence, to the Mining Recorder, resident in that part of the Yukon Territory in which the mine is situate and shall furnish, upon request, such particulars in respect thereof as the Inspector may require.

32. (1)Where a rockburst occurs whether or not Rockburst loss of life or personal injury is caused thereby and the location of such rockburst is determined as being within the workings of any mine, the owner, agent, manager or superintendent of the mine shall, within the twentyfour hours next after the location of such burst has been determined, send notice in writing to the Inspector, or in case of the Inspector's absence, to the Mining Recorder resident in that part of the Yukon Territory in which the mine is situate and shall furnish. upon request, such particulars in respect thereto as the Inspector may require.

(2)A record of the occurrence of all rockbursts Record of at a mine shall be kept showing, as far as possible the time, location, extent of the burst, any injury to persons and any other information pertaining to the burst and such record shall be available at all times to the Inspector.

#### Other Notices and Information

The owner, manager or superintendent of a Notice to 33. (1)mine shall give written notice to the Chief Chief Inspector Inspector,—

- (a) of the intended installation of a power plant or hoist or intended erection of any buildings to house a power plant or hoist at least fourteen days prior to the commencement of such installation or erection;
- (b) of the commencement or resumption after an interruption of one month or more, of mining operations within fourteen days after such commencement or resumption; and
- (c) of the closing down of the mine and that the requirements of subsection 1 of section 22 as to the fencing of the top of the shaft, entrances from the surface, pits and openings; the requirements of Rule 55 of the rules under section 25 as to the disposal of explosives and the requirements of subsection 4 of section 35 as to the filing of plans and sections have been complied with within fourteen days of such closing down.

Information for Inspector (2) The owner, manager or superintendent of a mine shall furnish to the Chief Inspector or the Inspector resident in that part of the Yukon Territory where the mine is situate, all information which the Inspectors may require.

#### STATISTICAL RETURNS

Statistical returns by owners and agents of mines 34. (1)

For the purpose of their tabulation under the instructions of the Controller the owner or agent of every mine, quarry or other works to which this Ordinance applies shall, on or before the 15th day of January in every year, send to the Controller a correct return for the year which ended on the 31st day of December next preceding, showing the number of persons ordinarily employed below

and above ground, respectively, and distinguishing the different classes and ages of the persons so employed whose hours of labour are regulated by this Ordinance, the average rate of wages, of each class and the total amount of wages paid during the year, the quantity in standard weight of the mineral dressed, and of the undressed mineral which has been sold, treated or used during such year, and the value or estimated value thereof, and such other particulars as the Control ler may by regulation prescribe.

(2) The owner or agent of every metalliferous Monthly or mine shall, if required, make a similar return quarterly returns for the month or quarter at the end of each month or quarter of the calendar year.

(3) Every owner or agent of a mine, quarry or Penalty other works who fails to comply with this 'section, or makes any return which is to his knowledge false in any particular, shall be guilty of an offence against this Ordinance.

#### PLANS OF WORKINGS

35. On any examination or inspection of a mine (1)the owner shall, if required, produce to the Inspector or to any other person authorized by the Controller, an accurate plan and sections of the workings of the same.

Plans to be produced on inspection of mine

(2) The plan and sections shall show the working Marking of the mine up to within six months of the progress time of the examination or inspection, and the owner shall, if required by the Inspector or other authorized person, cause to be marked on the plan the progress of the workings of the mine up to the time of examination or inspection, and shall also permit him to take a copy or tracing thereof.

Plan of working mines to be filed (3) An accurate plan on a scale of not more than fifty feet to the inch of every working mine in which levels, crosscuts or other openings have been driven from any shaft, adit or tunnel, and of every mine consisting of a tunnel or shaft fifty feet or more in length shall be made and a certified copy filed with the Controller on or before the 31st day of March in each year, showing the workings of the mine up to and including the 31st day of December next preceding.

Plans to be filed before abandon-ment

(4) Before a mine or any part of a mine is abandoned, closed down or otherwise rendered inaccessible, all underground plans and sections shall be brought up to date and a certified copy filed with the Mining Recorder and Controller.

Responsibility of owner (5) The owner of every mine, to which this section applies shall be responsible for compliance with the provisions thereof and every owner or other person who fails to comply with any of the provisions of this section, or who produces to the Inspector or other authorized person, or files or causes to be produced or filed a plan which to his knowledge is false in any particular, shall be guilty of an offence against this Ordinance.

Plans to be treated as confidential (6) Every such plan shall be treated as confidential information for the use of the Controller and Inspector and shall not be exhibited nor shall any information contained therein be imparted to any person except with the written permission of the owner or agent of the mine.

#### Powers and Duties of Inspector

- It shall be the duty of every Inspector, and he Fowers of Inspector 36. (1)shall have power,--
  - (a) to make such examination and inquiry as he may deem necessary to ascertain ance with Ordinance whether the provisions of this Ordinance are complied with; and to give notice to the owner or agent in writing of any particulars in which he considers such mine or any portion thereof, or any matter, thing or practice to be dangerous or defective or contrary to the provisions of this Ordinance and to require the same to be remedied within the time named in such notice:

(b) to enter, inspect and examine any mine Inspection and any portion thereof at any reasonable time by day or night, but so as not to unnecessarily impede or obstruct the working of the mine.

to order the immediate cessation of (c) work in and the départure of all persons from any mine or portion thereof which he considers unsafe, or to allow persons to continue to work therein on such precautions being taken as he deems necessary;

Stopping work mine

(d) to exercise such other powers as he General may deem necessary for ensuring the health and safety of miners and all other persons employed in or about mines, smelters, metallurgical and mining works.

powers for protection of miners

Annual report (2) It shall be the duty of every Inspector to make an annual report of his proceedings during the preceding year to the Controller.

Special report

37. The Controller may direct an Inspector to make a special report with respect to any accident in or about any mine which has caused loss of life or personal injury to any person.

Inspectors may take evidence 38. In conducting the enquiry the Inspector shall have power to compel the attendance of witnesses and the production of books, documents and things, and to take evidence upon oath.

Offences

- 39. (1) Non-compliance with any written order of an Inspector issued in accordance with section 37 shall be deemed an offence against this Ordinance.
  - (2) Failure to give written notice of the completion of any work in accordance with any written order of an Inspector issued under section 37 shall be deemed an offence against this Ordinance.

Regulations and Forms

40. The Controller may from time to time make such regulations and prescribe such forms as may be deemed necessary for the proper carrying into effect the provisions of this Ordinance.

### Offences, Penalties and Prosecutions

Liability of owner or agent

41. (1) Every owner, agent, manager, superintendent or captain who fails to comply with any of the provisions of this Ordinance shall be guilty of an offence and liable upon summary conviction to a penalty of not less than \$100.00 nor more than \$1,000.00 or to imprisonment with or without hard labour for a term not exceeding three months unless the penalty and costs be sooner paid.

- Every person, other than an owner, agent, (2)manager, superintendent or captain, engaged or employed in or about a mine who fails to comply with any of the provisions of this Ordinance shall be guilty of an offence and liable upon summary conviction to a penalty of not less than \$10.00 nor more than \$100.00, or to imprisonment with hard labour for a term not exceeding one month unless the penalty and costs be sooner paid.
- (3) Where pursuant to this Ordinance the Controller or an Inspector has given written notice to an owner or agent or any person engaged or employed in or about a mine to remedy any default under this Ordinance, such owner or agent or other person shall in addition to any other penalty incur a further penalty not exceeding \$100 for every day upon which the default continues after such notice.

Additional penalty for continuing offence

(4)Where the offence is one which might have endangered the safety of those employed in or about the mine or caused serious personal injury or dangerous accident, and was committed wilfully by the personal act, default or negligence of the accused, every person who is guilty of an offence against the provisions of this Ordinance shall, in addition to or in substitution for any pecuniary penalty that may be imposed, be liable to imprisonment with or without hard labour for a period not exceeding three months.

ment of

42. (1) No prosecution shall be instituted for non- Instituting compliance with any provision of this Ordinance or any regulation made thereunder except,---

prosecutions

- (a) by an Inspector; or
- (b) by an officer or constable of the Royal Canadian Mounted Police: or
- (c) by the leave in writing of the Controller of the Yukon Territory.

When person not actual offender, not liable

(2) No person not being the actual offender shall be liable in respect of such offence, if he proves that he did not participate in the contravention of the rule or provision for a breach of which he is charged and that he was not to blame for such breach and that according to his position and authority he took all reasonable means in his power to prevent such breach and to secure compliance with the rules and provisions of this Ordinance.

Onus of proof

(3) The burden or proving that any rule contained in section 28 has been suspended shall be upon the person charged with a violation thereof and any such suspension may be proved by the evidence or certificate of an Inspector.

Procedure on prosecutions 43.

(1) Every prosecution for an offence against or for the recovery of a penalty imposed by or under the authority of this Ordinance shall take place before a Judge of the Territorial Court of the Yukon Territory.

Limitation of prosecutions

- (2) The prosecution shall be commenced within six months after the commission of the offence.
- 44. "The Miners Protection Ordinance", being Chapter 65 of The Consolidated Ordinances of the Yukon Territory 1914 and amending Ordinances is hereby repealed.

# CHAPTER 3

# AN ORDINANCE TO INCORPORATE THE CITY OF WHITEHORSE

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

#### SHORT TITLE

1: This Ordinance may be cited as "The Whitehorse City Charter."

#### INTERPRETATION

- 2. In this Ordinance, unless the context otherwise requires, the expression:
  - (1) "Controller" means the Controller of the Controller Yukon Territory.
  - (2) "Council" means the City Council. Council
  - (3) "Judge" means a judge of the Territorial Judge Court.
  - (4) "Householder" means the occupier of a Householder house, but shall not mean or include any person who is a mere lodger or boarder in a house.

#### PART I.

#### APPLICATION

Area a proposed city

3. This Ordinance shall apply to the area of land more particularly described as follows: Lots One (1) to Four ((4) both inclusive in Group Five (5) in the Yukon Territory as the same is shown upon a plan of survey of same registered in the Department of the Interior at Ottawa as No. 8406 and in addition that portion of the right of way of the British Yukon Railway Company and the water front and shoreline of the Lewes River lying between the extension easterly to the said Lewes River of the most southerly boundary of said Lots One (1) and Two (2) and the most northerly boundary of said Lots Three (3) and Four (4).

#### ASSESSMENT

Assessment

4. On or before the first day of October, A. D. 1946, the Controller shall cause an assessment to be made of and within the said area under the appropriate provisions of "The Assessment Ordinance".

#### Incorporation

City of Whitehorse 5. The inhabitants of the area described in section 3 hereof shall be a body corporate under the name of "The City of Whitehorse" and shall have perpetual succession and a common seal, and shall be capable of suing and being sued in all Courts of Justice, of purchasing, acquiring and holding lands, tenements and all kinds of real and personal property for the use of such city, and of making and entering into such contracts as are necessary for the exercise of their corporate functions.

#### COMMON SEAL

Seal

6. The city shall have a common seal which shall be made of suitable metal and shall have such device engraved upon it as the Council from time to time orders, and such seal shall be kept by the City Clerk.

# MAYOR AND CITY COUNCIL

- The City of Whitehorse shall be governed by a Council consisting of a Mayor and four Aldermen.
  - (1)No persón shall be qualified to be Mayor of the City of Whitehorse unless he:-
    - Is a male British subject of twenty-(a) one years of age or upwards; and

Qualifica tions of

- (b) Is a rate-payer of the City of Whitehorse and has resided therein for at least six months next prior to his nomination for such office; and
- (c) Is rated upon real property assessed at not less than two thousand dollars or upon real or personal property either separately or together at not less than \$3,000 on the last revised assessment roll.
- (2) No person shall be qualified to serve as of Alderman Alderman unless he is twenty-one years of age or upwards, a male Buritish subject, is a rate-payer in the City of Whitehorse, and has resided therein for at least six months next previous to the date of his nomination.
  - Is rated upon real property assessed at not less than one thousand dollars, or upon real or personal property either separately or together at not less than \$1,000 on the last revised assessment roll.
- In respect to every election of Mayor or Resident (3)Aldermen held within six months after the and ratepayer date of the coming into force of this Ordinance, every person who has resided for six

months next prior to the nomination for such office within the area of land to which this Ordinance applies, and who was assessed to the amount required by this section in the assessment book, and rated in the rate book prepared under the assessment made in accordance with section 4 hereof shall be deemed to be a resident and a rate-payer and to be rated in accordance with the requirements of this section.

(4) The Mayor and Council shall be elected under the provisions of this Ordinance.

#### TERM OF OFFICE OF MAYOR AND ALDERMEN

Mayoralty term 8. (1) The Mayor shall hold office for two years, and until his successor is sworn into office, and shall be eligible for re-election.

Retirement Date (2) The Mayor and Aldermen elected at the first election after incorporation shall retire from office on the first Monday of the second January following such election, or as soon thereafter as their successors are sworn into office.

Aldermanic

(3) An Alderman shall hold office for two years and until his successor is sworn into office, and shall be eligible for re-election.

#### PERSONS DISQUALIFIED AS MAYOR OR ALDERMEN

9. No person shall be qualified to be elected Mayor or Alderman who,—

Bankrupt

(a) Has been decreed or adjudged a bankrupt or insolvent by virtue of proceedings taken under any Act of the Parliament of Canada relating to insolvency; or

- Has made a general assignment of his prop- Assignment (b) erty for the benefit of his creditors; or
- (c) Suffers an order of commitment to be made Committal against him under the provisions of section 416 of Chapter 48 of the Consolidated Ordinances of the Yukon Territory, 1914, unless before being nominated he has procured a release or discharge from his creditors or from the Court having cognizance of the matter or cause.

- None of the following persons shall be qualified to be elected a Mayor or Alderman, or to be appointed to any office by the Council, or hold any office under the Council:
  - (a) Sheriff of the Yukon Territory.

Unqualified persons

- Any person who directly or indirectly, by (b) himself or by or with any other person as co-partner or otherwise, enters into, or is directly or indirectly interested in, any contract, express or implied, for the supply of any goods or materials, or for the performance of any work or labor, to or for the city.
- Provided that no person shall be disquali-(c) fied under this provision by reason of his being a member of a joint stock company. having a contract with or employment from the city, unless such person is president or managing director of, or has a controlling interest in such joint stock company.
- Any person who has been at any time con-(d) victed of any crime punishable with imprisonment in the penitentiary.

12.

11. No person shall be qualified to be elected a Mayor or Alderman who holds any office under the City Council to which a salary or remuneration payable out of the funds of the city is attached.

Vacation of

(1) Any Mayor or Alderman who becomes disqualified under any of the provisions of the next three preceding sections shall thereupon and thereby vacate his office, and the City Council shall by resolution declare such office to be vacant.

Void Nomination (2) If any person so disqualified is nominated for the office of Mayor or Alderman, such nomination shall be void.

Penalty

(3) Any person who acts or sits as Mayor or Alderman after he becomes so disqualified shall be liable to a penalty of not less than \$50.00 for each time that he so sits or acts.

Office to be declared vacant

13. Any Mayor or Alderman who neglects or refuses to be sworn into office for thirty days after his election, or who, without leave of the City Council, absents himself from meetings of the Council for three successive months, shall thereby vacate his office as such Mayor or Alderman, and such office shall be declared vacant by the Council, and such Mayor or Alderman shall be liable to a penalty of two hundred dollars.

Penalty

14. Any Mayor or Alderman at any time with the consent of the Council may resign his office by giving written notice to that effect to the City Clerk, whereupon such

office shall be declared vacant by the Council.

## QUALIFICATION OF VOTERS

British zubject 15. Every person resident within the City of Whitehorse shall be qualified to vote at an election of Mayor or Alderman who,—

- (a) Is a British subject of the full age of twentyone years.
- (b) Has been rated upon the last previous assessment in respect of property and has fully paid his rates and taxes of all kinds before the day of nominating candidates.

Qualified taxpayer

#### FIRST ELECTION AFTER INCORPORATION

16. (1) After the issue of the proclamation of incorporation of the City of Whitehorse the Controller shall forthwith appoint a Returning Officer and fix a day for holding an election of a Mayor and four Aldermen.

"eturning

(2) The Returning Officer shall within ten days from the receipt of his appointment post notices as nearly as may be in form "A" in the first schedule in various public places within the city.

Notice of a

17. Every candidate for the office of Mayor or Alderman shall be nominated as hereinafter provided, and the nomination paper shall be deposited with the Returning Officer before five o'clock on nomination day, which shall be one week previous to the day of election. If only one candidate for Mayor is nominated within the time specified the Returning Officer shall, at the hour when nominations close, declare such candidate elected Mayor. If no more than four candidates are nominated for Aldermen, he shall, in like manner, and at the same time, declare the whole four candidates duly elected as Aldermen. If there are more candidates than one for Mayor, or more candidates than four for Aldermen, a poll shall be had.

``omination
of candidate

18. The Returning Officer shall, before the opening of the poll, appoint as many Deputy Returning Officers and Poll Clerks as he considers necessary, and post up the names of the candidates and the offices for which they are nominated in one conspicuous place outside and one conspicuous place inside of each building in which the poll is taken.

D.R.O. and Poll Clerk i

19.

Voters List

- (1) The Returning Officer and Deputy Returning Officers shall before the day of election obtain from the Assessor the list of voters prepared by him, which shall comprise the names of those persons duly qualified to vote at the first election. Such list shall be divided into as many parts by the Assessor as there are Deputy Returning Officers appointed, and the electors shall vote in the poll presided over by the Deputy Returning Officer in whose list their names appear.
- (2) The right to vote at the election held under the provisions of Part 2 of this Ordinance and at the first election of Mayor and Aldermen shall belong to the following persons, being British subjects of the full age of twenty-one years, whose names appear on the voters' list hereinafter provided for:

Qualification of Voters (a) All persons who were rated on the assessment made in accordance with section 4 hereof;

(b) All persons who are in their own right freeholders within the area comprised within the limits of the City of Whitehorse;

(c) All householders within such area who have resided therein for not less than six months previous to the day fixed for the revision of the voters' list, and who pay a yearly rental of not less than \$200.00.

Court of Revision (3) The Assessor shall forthwith prepare a list in alphabetical order of all persons entitled to vote and shall post a copy of the

same in his office and in five other conspicuous places in Whitehorse. There shall be a Court of Revision consisting of such person or persons (not more than three) appointed by the Controller and such Court shall hear all applications to have the names of persons entitled to vote added to such list, or the name of any person not entitled struck off said list.

(a) The Assessor shall attach to such list a notice of the time and place fixed by the Controller for holding of such Court. If such Court of Revision consists of more than one person, the person named by the Controller, when present, shall preside: in his absence the members shall appoint one of their number to preside, and two members of the Court shall form a Guorum quorum, and the decision of the Court shall be final.

Presiding Officer

- (b) The Assessor shall be the Clerk of Clerk the Court and shall keep a record of all the proceedings.
- (c) Such Court shall have all the powers as in and privileges conferred by "The Assessment Ordinance Assessment Ordinance" upon a Court of Revision sitting upon the assessment roll, as to the attendance of witnesses and imposition and recovery of penalties, and as to procedure.

The Returning Officer, Deputy Returning Officers Oath and Poll Clerks shall, before entering upon their respective duties, be sworn to the proper and faithful discharge of the same.

Polling hours 21. Upon the day fixed by the Controller the Deputy Returning Officers shall open the poll at nine o'clock in the forenoon and shall keep the same open until five o'clock in the afternoon. The Returning Officer shall provide a ballot box, a sufficient number of ballot papers and the necessary material to mark the ballots for each Deputy Returning Officer.

Necessary supplies

Poll Book

22. The Poll Clerks shall write in the poll books the

Voting procedure 23. Every voter who, if required, takes the oath in the form "B" in the schedule, shall mark and deposit a ballot for one candidate for Mayor and for not more than four Aldermen. Any ballot containing more than one name for Mayor or more than four names for Aldermen shall not be counted, for Mayor or Alderman, as the case may be. The Returning Officer shall not vote except in the event of there being a tie, when he shall have the casting vote.

First election 24. The procedure provided herein on subsequent elections shall apply to the first election of Mayor and Alderman under this Ordinance, except as otherwise provided.

Declaration of result of Poll

25. After the close of the poll and the ballots have been counted the Returning Officer shall post up the names of the candidates with the number of votes cast for each, and shall publicly declare to be elected as Mayor and Alderman respectively the candidates having the highest number of votes.

#### Voters' Lists for Subsequent Elections

Voters Lists subsequent to first 26. The City Clerk shall on or before the first day of November, 1948, and on or before the first day of each alternate November thereafter prepare for each polling sub-division which shall be an alphabetical list of electors and which shall comprise the names of those persons duly

qualified to vote and rated on the revised assessment roll of the city, with a short description of the property on which they are assessed, and shall post one copy of same in at least five conspicuous places within the city. A copy of said list shall be kept in the City Clerk's office open to the inspection of the public at all times during office hours.

Posting of

27. Any person who has been a resident in the city in the then current year, and who is otherwise duly qualified, whose name does not appear on the voters' list or whose name is put down in error, or whose name has been omitted from the last revised assessment roll (provided that the taxes are first paid on the property or income in respect of which he claims a vote) may either by himself or agent apply to have the list amended upon giving to the City Clerk a notice in the following form:

Amending Voters List

To the City Clerk of the City of Whitehorse:

Take notice that I intend applying to the Council to have my name added to the voters' list (or corrected, as the case may be) for the following reasons (here state the grounds according to the facts).

(Signature of Applicant),
Applicant.
(Name of applicant,

Applicant by his agent. (Signature of agent).

or

28. If a person has disposed of the property for which he was qualified as a voter under this Ordinance before the first day of November in the then current year, or if any person's name is wrongfully put down, he shall be deemed disqualified as a voter, and any person duly qualified may apply to the Council to have the name of the party so or otherwise disqualified struck off the voters' list and the name of the proper party, if any, substituted therefor by notice to the City Clerk of his intention of applying to the Council for that purpose, as provided in the preceding section.

When voter ceases to be qualified

Service of Notice 29. Notices served upon the City Clerk under the two preceding sections shall be served in each year on or before the fifteenth day of November.

! ist of Amendments 30. On or before the twentieth day of November the City Clerk shall make a list of all applicants for amendments to the voters' list, stating names and grounds of each of such applicants, and shall post the same in a conspicuous place in his office, and shall immediately thereafter notify the parties interested of the time and place fixed by the Council for hearing such applications.

Posting Notice

Revision of Voters

List

31. On or before the thirtieth day of November in each year the Council shall meet as a court of revision on the voters' list and shall hear and determine all applications of which notice has been given to the City Clerk as hereinbefore provided and thereupon amend the voters' list in all cases provided for herein, as may be deemed fit and right, and the list so amended shall be the voters' list of the city for the year next ensuing.

Powers as in assessment Ordinance 32. (1) The Council sitting as a Court of Revision on the voters' list as aforesaid shall have all the powers and privileges conferred by the Assessment Ordinance upon a Court of Revision sitting upon the assessment roll, as to the attendance of witnesses and the imposition and recovery of penalties and as to procedure.

Appeal to or Judge

(2) A voter or person entitled to be a voter may appeal from the decision of the Council sitting as a Court of Revision of the voters' list to a Judge upon leaving with the City Clerk within seven days from the revision of the voters' list by the Council sitting as a Court of Revision, a notice in writing of such appeal.

- (3)Any voter or person entitled to be a voter may appeal to have the name of any other person added to or struck off the list of voters.
- (4) The Judge shall hear and dispose of all such appeals and revise the voters' list accordingly.
- (5)The decision of the Judge in regard to the right of any person to vote shall be final.
- (6) If on an appeal to strike off the list the name Judge may of a person entered therein as a voter, the voters List Judge from the evidence adduced before him is of the opinion that the person is entitled to be on the list in any character or because of property or qualification other than that in which he is on the list, the Judge shall not strike the name of the person off the list, but shall make such correction in the list as the evidence, in his opinion, warrants, with respect to the right, character and qualification of such person.

- (7)The Judge shall hold the Court for hearing appeals as aforesaid at such time and place as he appoints therefor.
- (8)If there are no appeals from the voters' list as revised by the Council sitting as a Court Gertify list of Revision, within the time limited, the City Clerk shall forthwith apply to the Judge to certify a copy of such list as being the revised list of voters for the city.

(9) If there are any appeals the Judge shall certify a corrected copy of the said list immediately after the list has been finally revised and corrected by him.

- (10) The voters' list as certified by the Judge shall be delivered to the City Clerk by the Clerk of the Territorial Court.
- (11) Only persons whose names are entered upon the voters' list as certified by the Judge shall be qualified to vote.

Recovery of taxes from persons; added to Voters List

;

(12)If a person not assessed or not sufficiently assessed is found entitled to be a voter, the city shall be entitled to recover taxes from him and to enforce payment thereof by the same means and in the same manner as if he had been assessed on the roll for the amount found by the Council sitting as a Court of Revision on the voters' list or by the Judge, and the Council sitting as a Court of Revision on the voters' list and the Judge on the hearing of appeals as aforesaid shall each make an order setting forth the names of the persons so liable and the sum for which each person should have been assessed and the property or both in respect of which the liability exists and the order shall be transmitted to the City Clerk and shall have the same effect as if the said particulars had been inserted in the assessment roll.

Time limit re-court of revision (13) The Council sitting as a Court of Revision on the voters' list shall hear and determine all complaints and revise and correct the list on or before the 10th day of December in every year.

Time limit re-appeal (14) The Judge shall hear and determine all appeals from the Council sitting as a Court of Revision on the voters' list, and finally revise, correct and certify to the voters' list on or before the 20th day of December in every year.

The Council shall at least two weeks prior to the By-law last Monday in December, by by-law, appoint a Returning R. O. and D. R. O.'s Officer for the city, define the districts or subdivisions within the city (if such are deemed necessary) and the place or places where the votes are to be polled, and appoint a Deputy Returning Officer for each of the said places where such votes are to be polled.

#### NOMINATION OF CANDIDATES

34. Every candidate for the office of Mayor or (1)Alderman shall be nominated in writing by two voters of the city.

Time of delivery

Nomination Paper

(2) The nomination papers shall be delivered to the City Clerk between the hours of ten o'clock in the forenoon and five o'clock in the afternoon of the second day of January. or if such day is a holiday then between the same hours of the next day thereafter, which is not a holiday.

(3) No nomination paper shall be accepted by Consent of the City Clerk unless it is accompanied by the consent in writing of the candidate to be nominated, signed by him before one witness.

Every candidate for the office of Mayor (4) shall at the time of delivering his nomination paper to the City Clerk deposit in the hands of the City Clerk the sum of one hundred dollars (\$100.00) in legal tender or in the bills of any chartered bank doing business in Canada which sum shall be forfeited to the city if such candidate fails to receive one-half of the total number of votes received by the candidate elected.

Mayoralty Candidates

Aldermanic Candidate Deposit (5) Every candidate for the office of Alderman shall at the time of delivering his nomination paper to the City Clerk deposit in the hands of the City Clerk the sum of fifty dollars (\$50.00) in legal tender or in the bills of any chartered bank doing business in Canada which sum shall be forfeited to the city if such candidate for Alderman fails to receive one-half of the total number of the votes received by the candidate elected polling the lowest number of votes.

Evidence of Receipt (6) The receipt of the City Clerk shall in every case be sufficient evidence of the delivery of the nomination paper and of the payment of the deposit mentioned in the foregoing sub-sections 4 and 5.

Condition re Return of Deposit (7) The sum so deposited by any candidate for Mayor shall be returned to him if he is elected or receives one-half of the total number of votes received by the candidate elected for Mayor, and the sum so deposited by any candidate for Alderman shall be returned to him if he is elected or receives one-half of the total number of votes received by the candidate elected for Alderman polling the lowest number of votes.

Council to point Election Officials 35. All elections subsequent to the first election of Mayor and Aldermen held after the issue of such proclamation shall be conducted by a Returning Officer and such Deputy Returning Officers and Poll Clerks as are appointed by the Council.

Oath of

36. The Returning Officer before acting as such, shall make and subscribe the oath in form "C" in the schedule to this Ordinance.

Save as in this Ordinance otherwise provided, the Date of election of Mayor and Aldermen shall be held on the seventh day after the day for nominating candidates.

Election

No person shall be appointed Returning Officer who is not qualified to vote.

Qualification of R. O.

The Returning Officer shall not vote except in the R. O. may case of a tie as hereinafter provided.

If any person appointed Returning Officer, Deputy Returning Officer or Poll Clerk neglects or refuses to act, the Mayor shall appoint a substitute.

Substitute Officials

Notice of the time and place fixed for nominating Posting of candidates and of the time and place or places of holding R. O. the poll, if a poll is granted, and of the time and place of summing up the votes, shall be posted up by the Returning Officer in seven of the most public places of the city for ten days next previous to the time for the nomination of candidates.

#### PROCEEDINGS IN CASE OF A VACANCY

When a vacancy occurs in the office of Mayor or Alderman the Council shall forthwith by resolution appoint a time, not less than twenty-one days after the passing of such resolution, for holding an election to fill such vacancy. Provided, however, that if such vacancy occurs within three May be months of the next regular annual election, the City Council may, in its discretion, leave the vacancy unfilled until such annual election.

By-Election

The election to fill such vacancy shall be conducted in the same manner as a regular annual election, except that the nomination papers shall be delivered to the City Clerk not later than five o'clock in the afternoon on the nomination day, which shall be one week previous to the day fixed by the Council for the polling.

Conduct of By-Election

Unexpired Term 44. A Mayor or Alderman elected to fill a vacancy caused by the retirement, death, resignation or removal of a Mayor or Alderman before his term of office has expired shall only serve for the unexpired term of the Mayor or Alderman whose office he was elected to fill.

#### PROCEEDINGS ON POLL BEING GRANTED

City Clerk to prepare ballotpapers 45. (1) When a poll has been granted the City Clerk shall forthwith cause to be printed a number of ballot papers not less than the number of voters in the city.

Form of

(2) The ballot paper for Mayor shall be a separate ballot paper from that for Aldermen, and shall be in form D in the Schedule to this Ordinance, and the ballot paper for Aldermen shall be in form DD in said Schedule.

Material for D. R. O.'s

- 46. (1) On a poll being granted, the City Clerk shall furnish each Deputy Returning Officer with,—
  - (a) A list in alphabetical order of the persons qualified to vote in the city or polling subdivision.
  - (b) One ballot box.
  - (c) A sufficient number of ballot papers for Mayor and Alderman, and also the necessary materials for voters to mark the ballot papers.

Record of and care of material (2) The City Clerk shall keep a correct record of the number of ballot papers he furnishes to each Deputy Returning Officer. The materials for marking the ballots shall be kept in the polling place by the Deputy Returning Officer for the convenient use of voters from the opening to the close of the poll.

#### PROCEEDINGS ON POLLING DAY

Every Deputy Returning Officer shall open the poll assigned to him at nine of the clock in the forenoon, and shall keep the same open until five of the clock in the afternoon; and sha'l during that time receive in the manner hereinafter prescribed, the votes of all voters duly qualified to vote at such polling place.

Polling

Every polling place shall be furnished with com- rolling partments in which voters can mark their ballots, screened from observation, and the City Clerk shall see that a sufficient number of such compartments is provided.

49. During the holding of the poll no person (1)shall be entitled or permitted to be present in the polling place other than the officers appointed to hold the election, the candidates to be voted for in such polling place and their agents duly authorized in writing (not exceeding two agents for each candidate) and any voter for the time being actually engaged in voting. Provided, that the Deputy Returning Officer may have present or summon to his aid any constable or police officer for the purpose of maintaining order or preserving the public peace.

Those eligible to be present at

(2) The Deputy Returning Officer may order the removal of any person from the place who is not entitled to be present, or who being so entitled, obstructs the voting, and such order shall be executed by any constable or police officer without the same being in writing and without warrant.

Removal of ineligible

Every agent for a candidate at a polling place under the next preceding section shall, on being admitted to such polling place, take an oath to keep secret the name of the candidate for whom any voter has marked his ballot

Oath of

in his presence. Such oath shall be administered by the Deputy Returning Officer and shall be in form "F" in the Schedule.

Inspection of Ballot Box 51. At the hour fixed for opening the poll the Deputy Returning Officer shall show the ballot box to the candidates or their agents, or to any such persons as are present within the polling place, so that they may see that it is empty, and shall immediately thereupon lock the ballot box, place it in view for the reception of ballot papers, and keep it locked until the close of the poll.

Oath of D. R. O.

52. (1) The Deputy Returning Officer shall, at the opening of the poll, declare the names of the candidates, and shall at or before the opening of the poll, and before receiving a vote, take the oath in the form "F" in t... Schedule.

Of Poll Clerk (2) The Poll Clerk shall before or at the opening of the poll take the oath in the form "F" in the Schedule.

Who may administer

(3) The Stipendiary Magistrate, the City Clerk, a Justice of the Peace, or in their absence, any two electors may administer the oath.

Voting on certificate

53. Any Deputy Returning Officer, candidate, agent or Poll Clerk who belongs to a polling division other than the one in which he is performing the duties of such, may vote at the polling station where he is so engaged, provided that he produces a certificate from the City Clerk that he is a qualified voter in the city, and the Deputy Returning Officer shall attach such certificate to the voters' list.

#### POLL

Voters admitted 54. Not more than one voter for each compartment shall at any one time enter the room where the poll is held.

Every voter shall before voting, if so required Oath by any candidate or agent, take the oath in form "B" in the required Schedule, which shall be administered by the Returning Officer, and any voter refusing to take such oath shall not be permitted to vote.

When any person claiming to be entitled to vote Procedure presents himself at the polling place for the purpose of voting, he shall state his name, residence and occupation or addition and the Deputy Returning Officer shall proceed as follows:

- (a) He shall ascertain that the name of such person is entered or purports to be entered upon the copy of the list of voters for the polling division in which he is residing, and shall mark such person's name thereon. If the name of the voter proposing to vote is not found on the list furnished to the Deputy Returning Officer, he shall so inform such person, and the person so proposing to vote shall be permitted to leave the polling place if necessary for the purpose of procuring the required certificate, if any, and to return for the purpose of voting, but in no other case shall a voter or person proposing to vote who leaves the polling place after presenting himself, to vote, be permitted to return.
- (b) He shall enter or cause to be entered in the poll book the name of such person; but shall in no instance enter on the poll book or elsewhere the name or names or anything to indicate the name or names, of the candidate or candidates for whom the voter votes.

Entry on Poll Book

Entry when sworn (c) If such person takes any oath or affirmation required to be taken by this Ordinance the Deputy Returning Officer shall cause to be entered opposite such person's name in the poll book the word "Sworn" or "Affirmed" according to the fact.

Entry when objection taken

(d) When a vote is objected to by any candidate or his agent the Poll Clerk shall enter the objection in the poll book by writing opposite the name of the person whose vote is objected to the words "Objected to", entering at the same time the name of the candidate by or on behalf of whom the objection is made.

If voter refuses to take the (e) When such person has been duly required to take any prescribed oath or affirmation and refuses to take the same the Deputy Returning Officer shall cause to be entered opposite the name of such person in the poll book the words "Refused to be sworn" or "Refused to affirm", according to the fact, and the vote of such person shall not be received or taken, and if the Deputy Returning Officer receives such vote, he shall be liable to a penalty of one hundred dollars.

Initialling and delivery of ballot (f) When the name of the person so claiming to vote is found on the list of voters for the polling subdivision and marked thereon, and when the proper entries respecting him have been made in the poll book in the manner prescribed, the Deputy Returning Officer shall write his initials on the back of a ballot paper for Mayor and a ballot paper for Aldermen and deliver the same to such person, unless such person has refused to take any prescribed oath or affirmtion, when no ballot paper shall be delivered to him.

The Deputy Returning Officer may, and up-(g) on request of any voter shall, either personally or through his Poll Clerk, explain to the voter as concisely as possible, the mode of voting, but neither the Deputy Returning Officer nor his Poll Clerk shall influence or attempt to influence the voter to vote for any candidate at the election.

Upon receiving from the Deputy Returning Of-

D.R.O. may

57. No ballot paper shall be delivered to a voter by Ballot must any Deputy Returning Officer or counted by him unless it initialled is duly initialled by him.

ficer the ballot papers the voter shall forthwith proceed into one of the compartments of the polling place and shall then and therein forthwith mark his ballot papers by marking a cross with a pencil on any part of the ballot papers within the division containing the name (or names) of the candidate or candidates for whom he intends to vote, and shall then fold the ballot papers in such a way as to show the initials of the Deputy Returning Officer, and so as to conceal the names of the candidates and the marks upon the face of such papers and leaving the compartment shall without delay, and without showing the ballot to anyone or so displaying the ballot papers as to make known the candi-

date for whom he voted, hand the same to the Deputy Returning Officer, who shall deposit the ballot papers in the ballot box, and the voter shall then forthwith leave the poll-

Manner in which ballots are

59. While any voter is in any compartment for the purpose of marking his ballot paper, no person shall be allowed to enter the compartment or to be in any position from which he can observe the mode in which the voter marks his ballot paper.

ing place.

Secrecy of

Every person who, having received a ballot Penalty 60. (1)paper from the Deputy Returning Officer, takes the same out of the polling place, shall be liable to a penalty of one hundred dollars.

"Declined"

(2)Every person so having received a ballot paper who leaves the polling place without first depositing the same in the ballot box in the manner prescribed, shall thereby forfeit his right to vote at the election; and the Pol! Clerk shall make an entry in the poll book in the column for remarks to the effect that such person received a ballot paper, but took the same out of the polling place or returned the same, declining to vote, as the case may be: and in the latter case, the Poll Clerk shall immediately write the word "Declined" upon such ballot paper and shall preserve it and return it to the Returning Officer.

Incapacitated voters

61. In case of an application by any voter claiming to be entitled to vote who makes oath or affirmation that he is incapacitated by blindness or other physical cause from marking his ballot paper, or that he is unable to read, the proceedings shall be as follows:

Manner in which ballots of such are dealt with (a) The Deputy Returning Officer shall, in the presence of the candidates or their agents, if they choose to be present, cause the vote of such person to be marked on his ballot paper in the screened compartment in the manner directed by such person and shall cause such ballot paper to be placed in the ballot box.

Entry in Poll Book (b) The Deputy Returning Officer shall cause to be stated by an entry opposite the name of such person in the poll book that the vote of such person is marked in pursuance of this section and the reason why it is so marked.

Oral oath

(c) The oath or affirmation shall be made orally in the form "H" in the Schedule.

Such oath or affirmation shall be made by Before D.R.O. (d) the person claiming to be entitled to vote at the time of voting before the Deputy Returning Officer.

If a person representing himself to be a particular "Tendered" ballot voter named on the list of voters applies for a ballot paper after another person has voted as such voter, the applicant shall, upon taking the oath prescribed by law to be administered to voters at the time of polling, be entitled to mark a ballot paper, but such ballot paper shall be given to the Deputy Returning Officer, and shall be placed by him in an envelope securely sealed, and upon the envelope shall be endorsed the words "Tendered ballot" and the Deputy Returning Officer shall deposit the envelope containing such ballot paper in the ballot box, and such ballot shall not be counted by the Deputy Returning Officer, and the Poll Clerk shall enter such person's name in the poll book and shall make an entry opposite such name showing the circumstances of the case.

Any voter who has inadvertantly dealt with the ballot paper given in such manner that it cannot be conveniently used as a ballot paper, may on delivering to the Deputy Returning Officer the ballot paper so inadvertantly dealt with, obtain another ballot paper, and the Deputy Returning Officer shall write the word "Cancelled" upon the ballot paper so delivered to him, and preserve it and return it to the Returning Officer.

"Cancelled"

#### PROCEEDINGS AFTER CLOSE OF POLL

Immediately after the close of the poll the Deputy Examina-Returning Officer, with the assistance of his Poll Clerk, and ballots in the presence of the candidates and their agents or such of them as are then present, shall open the ballot box and examine the ballots therein and proceed to count the votes.

#### Vald ballots

- 65. (1) Any ballot paper,
  - (a) Not initialled by the Deputy Returning Officer, or
  - (b) On which votes are given to more candidates than are to be elected, or
  - (c) On which anything is written or marked appearing to have been designedly put thereupon, for the purpose of enabling the same to be identified as the ballot of a particular voter, or
  - (d) Which is unmarked, or
  - (e) From which it is uncertain for which candidate or candidates the voter votes,

shall be void and shall not be counted.

#### To be endorsed

(2) The Deputy Returning Officer shall endorse "Rejected" on every ballot paper which he rejects as void.

# Counted ballots

- (3) The Deputy Returning Officer shall count the votes given for each candidate upon the ballot papers not rejected.
- 66. After the votes are counted the Poll Clerk shall make up and enter in the poll book a written statement containing the following particulars:

#### Summary of entries in Poll Book

- (a) Number of votes for each candidate.
- (b) Number of ballot papers rejected as voting for more candidates than are to be elected.

- (c) Number of ballot papers rejected for having a writing or mark by which the voter could be identified.
- Number of ballot papers rejected as un-(d) marked or void for uncertainty.
- Number of tendered ballot papers de-(e) posited.
- (f) Number of spoiled ballot papers.

. . . . ji.

- Number of ballot papers, if any, taken from (g) the polling place.
- (h) Number of unused ballot papers.
- The Deputy Returning Officer shall return all the Return by D.R.O. ballot papers that have been used in the election to the proper ballot box, with a written statement signed by him containing all the particulars mentioned in the next preceding section, and shall cause the ballot box to be locked and sealed up, and shall deliver the same, with the contents and the keys, to the Returning Officer, to whom he shall also deliver the poll book. The Returning Officer shall after the declaration hereinafter mentioned return the same to the City Clerk.

68. The ballot boxes, unless it is otherwise ordered by City Clerk to retain the Court or Judge, or unless a recount has been demanded, to retain ballot shall remain locked and sealed, as handed to the City Clerk, for the period of twenty-one days after the election, and from thence until the determination of any legal proceedings instituted to test the validity of the election.

## PROCEEDINGS IN CASE OF A TIE

Whenever on an election of a Mayor or an Alder- A casting man or Aldermen an equality of votes is found to exist be-vote tween two or more candidates, and the addition of a vote would entitle any one or more of such candidates to be declared elected, the Returning Officer when he makes the declaration hereinafter mentioned shall give such casting or additional vote in favor of one or more of such candidates.

## DECLARATION

Public declaration of result of Poli

70. The Returning Officer shall at the time and place fixed in the proclamation open the poll books, add up the votes polled for each candidate, and publicly declare the candidate or candidates for the office of Mayor and Aldermen having the highest number of votes to be duly elected, and shall also publicly declare the number of votes given for each of the candidates for the office of Mayor or Alderman.

Report of R. O.

71. The Returning Officer shall forthwith report to the City Clerk the result of the election for Mayor and Aldermen.

### OFFENCES

Offences of Election Officials, etc.

- 72. Every Deputy Returning Officer, Poll Clerk, candidate or agent of a candidate, present within the room where an election is being held, who, except as in this Ordinance is otherwise provided:
  - (a) Gives to any voter a ballot paper to vote with, or
  - (b) Offers or gives to such voter any advice as to the person for whom he should vote, or
  - (c) Otherwise interferes with the voter in the exercise of his franchise, or
  - (d) Divulges to any person the name of the candidate for whom any voter has voted.

shall be liable for every such offence to a penalty not exceeding two hundred dollars, and in default of payment, to imprisonment for a period not exceeding three months.

Penalty

- 73. Every person who-
  - (a) Not being entitled to vote, votes, or

Offences of

- (b) Fraudulently tenders more than one ballot paper for Mayor or more than one ballot paper for Aldermen, when voting, or
- (c) Attempts to vote under the name of any other voter,

shall for every such offence be liable to a penalty not exceed. Benalty ing one hundred dollars, and in default of payment to imprisonment for a period not exceeding three months. Provided, that no such penalty or imprisonment, nor the conviction for any such offence, shall operate as a bar to any other penalty, prosecution or criminal proceedings whatever to which such person so offending would otherwise be liable.

# RE-COUNT

If within three days after the day of election any candidate by himself or his agent requests a re-count of the votes of such election, the City Clerk shall appoint a time, within three days after such request, to recount the votes at his office.

The City Clerk shall, by himself or his agent, Notice notify every candidate at such election of such request, and of the time and place appointed to re-count the votes.

The City Clerk may summon the Deputy Returning Officers and Poll Clerks at such election to attend at such place at the time appointed, and may command any of them to bring with them any papers in his custody or possession relating to such election.

Summons to

The following persons shall be present at such re-77. count:

Whose attendance

- (a) The City Clerk and any person he appoints to assist him, and
- Each candidate and his agent appointed to (b) attend such re-count, or, if any candidate does not attend, an agent of such candidate, or
- If the candidates and their agents do not (c) attend, then at least three voters of the city.

Procedure on recount 78. At the time appointed and at such place, and in the presence of such persons, the City Clerk shall proceed to re-count the votes in the ballot boxes returned to him by the Deputy Returning Officers at such election, and in so doing he shall decide upon the validity of every ballot.

Declaration of result

79. The City Clerk, as soon as he ascertains the result of the poll, shall declare to be elected the candidate having the highest number of votes. In the event of a tie, the casting vote shall be given, or the result of the election determined by the same person or in the same manner as provided in this Ordinance in the case of a tie on the counting of the ballots by the Returning Officer.

Casting vote

## CORRUPT PRACTICES

80. The following persons shall be deemed guilty of bribery, and shall be punished accordingly:

Bribery

- Every person who, directly or indirectly, by (1)himself or any other person in his behalf, gives, lends or agrees to give or lend, or offers or promises money or valuable consideration, or gives or procures or agrees to give or procure or offers or promises any office, place or employment to or for any voter or to or for any person on behalf of any voter, or to or for any person in order to induce any voter to vote or refrain from voting at an election or upon a by-law for raising money or creating a debt upon the city for any purpose whatever or who corruptly does any such act as aforesaid on account of such voter having voted or refrained from voting at such election or upon such by-law.
- (2) Every person who, directly or indirectly, by himself or by any other person in his behalf, makes a gift, loan, offer, promise or agree-

ment as aforesaid to or for any person in order to induce such person to procure or endeavor to procure the return of any person to serve in the Council or to procure the passing of any by-law as aforesaid or the vote of any voter at an election or for such by-law.

- (3) Every person who by reason of such gift, loan, offer, promise, procurement or agreement, procures or engages, promises or endeavors to procure the return of any person in the election or to procure the passing of any by-law as aforesaid or the vote of any voter at an election or for such by-law.
- (4) Every person who advances or pays or causes to be paid money to or for the use of any person with the intent that such money or part thereof shall be expended in bribery at an election or at any voting upon a by-law as aforesaid, or who knowingly pays or causes to be paid any money to any person in discharge or repayment, of any money wholly or in part expended in bribery at such election or the voting on such by-law.
- (5) Every voter who before or during an election or the voting on such by-law, directly or indirectly by himself or any other person in his behalf, receives, agrees or contracts for money, gift, loan or valuable consideration, office, place or employment for himself or for any other person for voting for or agreeing to vote, or refraining from or agreeing to refrain from voting at such election or upon such by-law.

- (6) Every person who after such election or t'e voting upon any such by-law directly or indirectly by himself or any other person on his behalf, receives any money or valuable consideration on account of any person having voted or refrained from voting or having induced any other person to vote or refrain from voting at any such election or upon such by-law.
- (7) Every person who hires automobiles or other vehicles for the purpose of conveying electors to or from the polls, and every person who receives pay for the use of any automobile or vehicle for the purpose of conveying any electors to or from any polls as aforesaid.

Undue influence defined (8)Every person who, directly or indirectly, by himself or by any other person on his behalf, makes use of or threatens to make use of force, violence or restraint or inflicts or threatens to inflict by himself or by or through any other person, any injury, damage or loss, or in any manner practices intimidation upon or against any person in order to induce or compel such person to vote or refrain from voting or on account of such person having voted or refrained from voting at any election, or who in any way prevents or otherwise interferes with the free exercise of the franchise of any voter, shall be deemed to be guilty of undue influence and be subject to the penalty hereinafter mentioned.

Lawful expenses 81. The actual personal expenses of a candidate, his expenses for actual professional services performed and bona fide payments for the fair cost of printing and adver-

tising shall be held to be expenses lawfully incurred, and the payment thereof shall not be a contravention to this Ordinance.

# CONTROVERTED ELECTIONS

82. If, within twenty-one days after the election of When writ any person to the office of Mayor or Alderman, an elector shows by affidavit to any Judge of the Territorial Court reasonable grounds for supposing that the election was not legal, or was not conducted according to law, or that the person elected thereat was not duly elected or was guilty of bribery or undue influence, and if the elector deposits with the Clerk of the Court \$200.00 as security to prosecute the writ with effect, or to pay the party against whom the same is brought, any costs which may be adjudged to be paid by such elector, the Judge shall direct a writ of summons to be issued to try the matters complained of.

In case the elector alleges that he himself or some other person has been duly elected, the writ shall be to try the validity both of the election complained of and the alleged election of the elector or other person.

In case the grounds of objection apply equally to two or more persons elected the elector may proceed by one writ against such persons.

One writ

85. When more writs than one are brought to try the validity of an election or the validity of an election of more than one person, the Judge may consolidate the actions and may give one judgment upon all or a separate judgment upon each or more of them as he thinks fit. .

Discretion as to consolidation

The writs shall be issued by the Clerk of the Ter- Return of ritorial Court and shall be returnable before a Judge in Chambers at a place named in the writ upon the eighth day after service, computed exclusively of the day of service, or upon any later day named in the writ by order of a Judge.

Service

87. The writ shall be served personally unless it is made to appear to a Judge that the complainant is from any cause unable to effect prompt personal service, in which case the Judge, upon being satisfied thereof by affidavit, or otherwise, may make an order for such substitutional service as he thinks fit.

Addition, of parties

88. The Judge before whom the writ is made returnable or is returned may, if he thinks proper, at any stage of the proceedings, order the Returning Officer or any Deputy Returning Officer to be made a party thereto.

Intervening

89. The Judge before whom the writ is returned may allow any elector to intervene and prosecute the action, and may grant a reasonable time for the purpose, and any intervening party shall be liable or entitled to costs in the same manner and to the same extent as any other party to the proceedings.

Form of hearing 90. The Judge shall in a summary manner upon statement and answer without formal pleadings hear and determine the validity of the election, and may by order cause the assessment rolls, tax roll, voters' list and any other records of the election to be brought before him, and may inquire into the facts on affidavit or by oral testimony.

Forfeiture of scat 91. Any candidate elected at any election who shall be found guilty of any act of bribery or using undue influence, shall forfeit his seat, and shall be rendered ineligible as a candidate at any city election thereafter.

Penalty

92. Any person who is adjudged guilty of bribery shall incur a penalty not exceeding \$500.00, and shall be disqualified from voting at any city election or upon a by-law, for the next succeeding four years.

Mode of

93. The penalties imposed by the preceding section shall be recoverable with full costs of suit by any person who sues for the same in the Territorial Court, and any person against whom judgment is rendered shall be ineligible either as a candidate or a voter until the amount which he has been condemned to pay is fully paid and satisfied.

It shall be the duty of the Judge who finds any candidate guilty of a contravention of the section of this Ordinance relating to corrupt practices, or who condemns any person to pay any sum for any offence against the said section, to report the same forthwith to the City Clerk.

Report to City Clerk

The City Clerk shall duly enter in a book kept for Clerk's that purpose the names of all persons within the city who have been adjudged guilty of an offence as aforesaid, and of which he has been notified as aforesaid.

Every person shall be bound to attend before any Judge of the Territorial Court upon being served with a writ of subpoena or subpoena duce tecum so to attend, and he may be punished for contempt and shall be liable to all the penalties for such non-attendance as in other cases in the Territorial Court.

Power to

All proceedings for penalties for any violation of section 79 of this Ordinance respecting bribery shall be commenced within thirty days after the election at which the offence was committed or after the offence was committed, or within thirty days after the day of voting upon a by-law as aforesaid.

Limitation

In case the election complained of is adjudged invalid, the Judge shall forthwith order the person found not to have been duly elected to be removed, and in case the Judge determines that any other person was duly elected, the Judge shall forthwith order such other person to be admitted, and in case the Judge determines that no other person was duly elected, instead of the person removed, the Judge shall order a new election to be held.

Powers of

In case the election of all the members of a Council is adjudged invalid, the order for their removal and for the election of new members in their place, or for the admission of others adjudged legally elected and an election to fill up the remaining seats in the Council shall be directed to the City Clerk, and the City Clerk shall have all the powers for causing the election to be held which the City Council has in order to supply vacancies therein.

Direction . as to new for disclaimer

100. Any person whose election is complained of may unless such election is complained of on the ground of corrupt practices on the part of such person, within one week after service on him of the writ, deliver to the Clerk of the Court who issued the writ a disclaimer signed by him to the effect following:

Form of

I, A. B., upon whom a writ of summons has been served for the purpose of contesting my right to the office of Mayor (or Alderman) of the City of Whitehorse, do hereby disclaim the said office and all defence of any right I may have to the same.

Dated	day of
	(Signature) A. B.

Endorsement 101. Such disclaimer shall be endorsed on the outside thereof with the word "Disclaimer."

Notice of

102. The City Clerk shall forthwith communicate the same to the Council.

Costs

103. Costs shall in all cases be in the discretion of the Judge.

Returns to Territorial Court 104. The decision of the Judge shall be final, and he shall immediately, after his judgment, return the writ and judgment with all things had before him touching the same, except such as he may otherwise order, into the Territorial Court, there to remain of record as a judgment of the said Court, and he shall, as occasion requires, enforce such judgment by writ in the nature of a peremptory writ of mandamus and by writs of execution for the costs awarded.

Enforcing judgment 105. The Judge of the Territorial Court may by rules settle the forms of the writs of execution and mandamus under this Ordinance, and may regulate the practice respecting the suing out, service and execution of such writs and the punishment for disobeying the same or any other

writ or order of the Court or Judge and respecting the practice generally in hearing and determining the validity of such elections or appointments and provide a tariff of costs thereon, and may from time to time rescind, alter or add to such rules, but all existing rules in force in the Territorial Court shall remain in force until rescinded or altered as aforesaid.

Fules of

## MEETINGS OF THE CITY COUNCIL

106. The first meeting of the City Council after the city shall have become incorporated under the provisions of this Ordinance shall be held at such time and place as the Controller shall appoint in the proclamation incorporating said city.

First meeting

107. Meetings of the City Council shall be held at such times and places as the Council shall fix by by-law, and may be called by the Mayor as often as he deems necessary; and when requested so to do by two members of the Council in writing, the Mayor shall call a meeting of the Council within three days thereafter, and in the event of his refusal or neglect to do so, such two members may appoint a time and place for holding such meeting and shall notify the Mayor and the other members of the Council thereof, and the meeting so called shall have the same powers and authority as if the same had been a regular meeting of the Council or been summoned by the Mayor.

Provision re. subsequent meetings.

108. Written notice shall be given by the City Clerk to every member of the Council of all meetings other than regular meetings at least twenty-four hours previous to such meeting, provided that an emergency meeting may be called by the Mayor at shorter notice, when necessary, but no business shall be transacted at such emergency meeting other than that indicated in the notice calling such meeting unless all members of the Council are present and no objection is taken to the discussion or transaction of business other than that stated in such notice.

Notice of meetings.

Appointment of presiding 109. The Council shall at each first meeting after each election or so soon thereafter as practicable, and from time to time as occasion requires, appoint one of their number to discharge the duties of Mayor, who shall be called the presiding Alderman and shall, during any vacancy in the office of Mayor, or during any absence or illness of the Mayor, have all the powers and authority, and shall exercise all the functions and discharge all the duties of the Mayor.

Quorum

110. A majority of the members of the Council shall constitute a quorum.

Open meetings 111. All meetings of the Council shall be open to ratepayers of the city.

Presiding Officer 112. The Mayor or presiding Alderman shall preside at all meetings of the Council.

Voting at meetings

113. When a majority of the members, of the City Council signify in writing a request that the Mayor put to a vote of the Council any motion not declared by the City Solicitor to be illegal, the Mayor shall forthwith put such motion to a vote of the Council, and if the Mayor refuses or neglects to put such motion to a vote of the Council, any member of the Council may put such motion, and vote himself thereon, and if a majority of the Council votes for such motion the same shall be recorded by the City Clerk in the minutes of proceedings of the Council and shall be valid and binding as a resolution of the Council.

### OATH OF OFFICE

Oaths tenuired 114. (1) The Mayor and Aldermen shall before entering upon the duties of their respective offices take and subscribe the oath of qualification and the oath of office. Such oath shall be administered to the Mayor-elect by a Judge of the Territorial Court or a

Stipendiary Magistrate of the Territory Such oath shall be administered to the Aldermen by the said Judge, Stipendiary Magistrate or Mayor.

(2)A certificate of such oaths having been taken shall be entered by the City Clerk. The oaths of qualification and of office shall be in the forms "E" and "G" in the Schedule to this Ordinance.

Certificate ra Anthe

# Duties of Mayor

115. The Mayor shall be the chief executive officer of Function of the city, and it shall be his duty to be vigilant and active at all times in causing the law for the government of the city to be duly executed and put into force; to inspect the conduct of all subordinate officers in the government thereof. and as far as is in his power to cause all negligence, carelessness and positive violence of duty to be duly prosecuted and punished, and to communicate from time to time to the Council all such information, and recommend all such measures as tend to the improvement of the finances, police, health, security, cleanliness, comfort and appearance of the city.

# Powers and Duties of City Council

116. (1)The City Council shall exclusively have, enjoy and exercise within the city all jurisdiction, power and authority conferred upon the City of Whitehorse by this Ordinance or any other Ordinance of the Yukon Territory.

Ordinance

(2) All streets, sidewalks and lanes which at any streets and time were granted and conveyed or were originally laid out or allotted or dedicated to the use of the public within the said City

118.

of Whitehorse shall become and be the public property of said city and shall be under the exclusive control and management of the City Council thereof.

# Standing committees

117. The Council shall assist the Mayor in the discharge of his duties and shall appoint standing committees from among its members for such purposes as the Council by by-law determines.

# To report

(1) The various standing committees shall report from time to time to the Council any special circumstances in respect to the services under their charge, and shall further report to the Council in reference to any subject coming within their supervision whenever required by vote of the Council so to do.

# Special committees

(2) Special committees may be appointed for any particular purpose, matter or thing by vote of the Council, and such special committees shall report to the Council in writing upon the matters so committed to them.

#### FINANCE

Powers of Council in re. 119. The Council shall have exclusive power to vote, rate, collect, receive, appropriate and pay out of the current revenues of the city all sums of money required by the city for the following purposes, that is to say:

#### Salaries of Mayor and Aldermen

(a) The payment of salaries or compensation to the Mayor and Aldermen, but the salary for Mayor shall not exceed \$1,500.00 for any one year and the salary for Aldermen shall not exceed \$500.00 for any one year.

#### Indigents

(b) The support and maintenance of the poor

#### Civil servants

(c) The payment of salaries and compensation to the officers and servants of the city.

- (d) The purchase of land for City Hall, fire purchases engine houses and necessary city buildings.
- (e) The erection of a City Hall, buildings for City the use of the fire department and other city buildings.
- (f) The laying out, opening, building, making, streets, repairing, lighting and cleaning of the bridges streets, roads and bridges of the city.
- (g) The construction, repairing and cleaning of sewers and drains of the city.
- (h) The equipment and maintenance of a fire protection department and the purchase, equipment, maintenance and repair of machinery and implements for extinguishing fires.
- (i) The care and improvement of the public public grounds, squares and parks of the city or property held by trustees for the use of the public.
- (j) The construction, maintenance, improve- Water and ment and extension of water works and electric light plants and the maintenance of the water supply and the electric light service for the city.
- (k) The payment of principal and interest on Retirement of loans money borrowed for the purposes of the and debentures city and the payment of debentures issued by the city for local improvement and interest thereon.
- (1) Or other expenditure incurred in the due execution of the powers and duties by law vested in or imposed upon the city, its Mayor, Council and Officers.

Submission of Estimates 120. (1

(1) The annual assessment roll as finally passed by the Assessment Appeal Court and certified by the City Clerk shall be by him laid before the Council at its next regular meeting and the Council shall, at that meeting, or at any subsequent meeting, make esti-

mates of all sums which are required for the lawful purposes of the city for the then current year, after crediting the probable receipts from all sources other than the rates for that year, and making due allowance in such estimates for the abatement, losses and

expenses which may occur in the collection

of the taxes and for taxes which may not be collected or collectable; and the Council shall authorize the levying and collection

shall authorize the levying and collection of a rate (not exceeding four cents on the dollar) on the assessed value of the prop-

dollar) on the assessed value of the property assessed in such roll as the Council deems sufficient to raise the sums required to defray the expenses of the city for the

> from any preceding year, but notwithstanding anything contained in the Assessment Ordinance or in the Dawson City Charter, the Council may authorize the levying and collection upon the assessed value of land,

then current year, including any deficiency

collection upon the assessed value of land, exclusive of the buildings and improvements thereon, of a rate greater than that authorized by the Council, to be levied and collected upon the assessed value of per-

sonal property, buildings and improvements on land.

Proviso

Mill rate

Temporary

(2) The Council may in the name of the city, from time to time, effect temporary loans from any chartered bank or from any corporation or individual for the purpose of defraying the annual current expenditure of

the city, which has been duly authorized by the Council, and rated upon the city as by law directed, and the interest on such loans shall be provided for in the annual estimates.

(3)Such loan or loans shall not in the whole be at any time more than 50 per cent of the taxes collected on the assessment for the preceding year, and when that amount has been borrowed, shall cease until the said loans have been reduced, when the power may again be exercised to the limit mentioned, and such loan shall be repaid within the financial year.

Limitation on borrowing

## HEALTH

The City Council shall within the city have all the Health powers and exercise all the functions and discharge all the Ordinance to apply duties conferred or imposed or appertaining to a Board of Health under The Yukon Health Ordinance, being Chapter 40 of The Yukon Consolidated Ordinances, 1914, and amending Ordinances.

122. The City Council in addition to the powers Additional (1) conferred upon or appertaining to such in re. Board of Health shall have power to make, revoke, renew and alter sanitary orders, rules and regulations in relation to any of the following classes of subjects, that is to say:

For the prevention or mitigation of Epidemics (a) any infectious epidemic, endemic or contagious disease prevalent in the city in such manner as is deemed expedient.

Medical aid

(b) For supplying accommodation, medical aid and medicines and such other articles as are deemed necessary.

Quarantine

rec) For domestic quarantine and for preventing the admission of persons to, or the departure of persons from, any infected building, house or place within the city, and for detaining persons or things and closing up shops, dwelling houses and buildings that have been exposed to infection, for inspection and disinfection until the danger of infection is passed.

Disinfection

(d) For the cleansing, purifying, ventilating and disinfection of dwellings, hotels, schools, churches, public buildings and places of assembly, and cars boats, and conveyances coming into or landing passengers in the city by the owners, occupiers or agents of persons having charge of the same.

Reporting discase, burial (e) For the reporting of all cases of disease and the safe and speedy interment of the dead, and the conduct of funerals.

Sanitation

(f) For the frequent and effectual cleansing of public and private buildings, yards and outhouses, by the owners, occupiers, tenants or agents of the same.

Nuisances

(g) For the removal of nuisances or anything declared by the Council to be detrimental to the public health.

For the establishment, management, Isolation Hospital (h) and maintenance of an infectious disease hospital, the isolation of patients out of the hospital and their removal to and detention in the same.

For the appointment of sanitary santary (i) police, to be paid by the city for the purpose of carrying out and enforcing the regulations and orders of the Council.

(i) For the doing of any work, act, mat- Expenditer or thing at the cost and expense Recovery of of any person or corporation who has been ordered or required by the Council to do the same and has neglected or refused to do so, and for collecting and recovering the amount so expended by distress and sale of the goods or property of the person or corporation so neglecting or refusing, or by action at law, or otherwise.

The Council may fix penalties for the viola- Penalties (2)tion of any such sanitary orders, rules and regulations, not exceeding \$100.00 for any one offence.

Such sanitary rules, orders and regulations Regulations (3) shall come into force immediately upon being made, and shall remain in force until disapproved of by the Council or repealed or altered by the Council.

### STREETS

Btreets, etc., vested in City 123. All public streets, roads, highways, lanes, side-walks, bridges, squares and thoroughfares, all public sewers, drains and ditches, and all public wells in the city are hereby vested absolutely in the city, and the Council shall have full control over the same.

A vailable fund 124. All sums of money required for the street service of the city shall be taken from and borne by the general revenues of the city.

Streets Committee 125. The City Council shall annually appoint from among its members a committee on streets.

Powers of Council restreets 126. The Council shall have power to maintain, improve, repair, widen, extend, alter, stop up, light, water and oil the streets, roads, lanes, bridges and public squares in the city and shall have full power and authority to lay out, open and construct all such streets, roads, lanes, bridges and public squares as the Council deems necessary or expedient, and for such purposes, and also for obtaining materials for carrying out any such purposes, may when necessary or expedient, enter upon and take any land required and remove any buildings, projections, walls, fences or other things, or any portion thereof.

Plan of survey filing 127. When it is proposed by the City Council to lay out or open a street, road, lane or public square or to widen, divert or straighten any street, road or lane, the Council shall cause a survey and plan of such street, road, lane or square to be made, and the plan when completed shall be filed in the City Clerk's office.

Minimum width 128. The Council shall not lay out or open, nor accept the dedication to the city of any street which is less than fifty feet in width.

No person shall break up the soil of any Trespass 129. (1)street or erect or place in any street, side-encroachwalk, road, lane, park or square within the city any telegraph, telephone, electric light or other poles without first making application to the Council in writing, specifying the purposes for which such breaking up is required, and obtaining their permission therefor in writing; and the Council may impose such terms upon the person applying as the security of the public appears to them to require.

and

(2)Every person who violates the provisions of this section, or the terms imposed by the committee shall for every such offence be liable to a penalty not exceeding twenty dollars, and in default of payment, to imprisonment for a period not exceeding sixty days.

(3) This section shall not apply to any prop- Exception erty the control of which is vested in commissioners or trustees for any public use.

No person shall move any building upon Permission 130. (1)or over a public street without permission to move first obtained from the committee on streets or the Council and payment of such sum for the privilege as the committee or Council determines.

(2) Every person who violates the provisions Penalty of this section shall be liable to a penalty of not more than twenty dollars, and in default of payment, to imprisonment for a period of not more than twenty days.

Every person who piles, deposits or places on any road, street, sidewalk, lane or other public place of the city, any manure, compost, earth, wood, lumber or other substance or material whatsoever, shall be liable to a penalty

Penalty

not exceeding ten dollars for each offence, and in default of payment to imprisonment for a period not exceeding thirty days. Every twenty-four hours that such manure, compost, earth, wood, lumber or other substance or material remains piled, deposited or placed on such road, street, lane or other public place of the city shall be a separate offence.

Temporary use of street for building purposes

132. Any person building or repairing a house or other building in the city may be permitted to use and occupy for such time as the Council or committee deems necessary, a space of not more than twenty-five feet in width from the line of the street toward the center, and extending the length of the house or building so being erected or repaired, for the purpose of piling lumber, stone, brick, sand or lime, and for mixing lime and sand, or doing such other work as is necessary for the erection or repair of such house or building, if he encloses the portion of the street so used and occupied by a substantial fence, and also provides a suitable path or sidewalk at least two and a half feet in width around such fence, and keeps the same lighted.

Fire Prevention Ordinance to apply 133. The provisions of "The Fire Prevention Ordinance," being Chapter 1 of the 1944 Ordinances of The Yukon Territory, and amending Ordinances shall mutatis mutandis apply to the City of Whitehorse.

## SEWERS

Construction and protection

134. The City Council shall have power and authority to lay out, excavate, dig, make, build, maintain, repair and improve all such drains, sewers and water courses, as the Council deems necessary or expedient, and to make by-laws and regulations respecting the same, and for the purpose of protecting and keeping the same free from obstruction.

Entry for such purpose

ŧ

135. (1) When the Council deems it necessary for the public health, or for any other purpose, to construct a sewer upon or across the land of any private person or corporation, or

number of persons, they may, after resolution to that effect, enter upon such property from time to time and as often as is necessary, and do all such acts as are necessary for the construction and repair of a suitable sewer or drain across such land.

The City Council upon application of any Authority (2) private person or corporation or number of persons, may, by resolution, empower and authorize such private person or corporation or number of persons, to construct such sewer or drain if the Council deems it necessary for the public health, or for any other purpose, and unless otherwise provided by such resolution of Council, the provisions of this Ordinance shall apply to the construction of such sewer or drain.

(3) Such sewer or drain shall be at least four Depth feet below the surface and shall be covered with earth and stones.

### By-LAWS AND ORDINANCE

The City Council, in addition to any powers by Power of this Ordinance conferred upon the Council to make by-laws re and ordinances, shall have power to make by-laws in respect to all matters coming within the following classes of subjects, and may from time to time amend or repeal such by-laws, that is to say:

 $(\cdot 1)$ Regulating its own proceedings and preserv ing order at Council meetings.

Council meetings. etc.

(2) The management of such real property as Real is required for the public use of the inhabitants of the city and other property of the city.

property

Other public property

(3) Regulating the management and providing for the security of public property of any kind belonging to the city, and providing for the permanent improvement of the city in all matters as well ornamental as useful.

City officials (4) Appointing such city officers and servants under such names as the Council may deem necessary for carrying out the work of the city, defining their duties and the manner in which they shall account for money received by them, and regulating the salaries, wages and emoluments to be paid to such officers and servants.

Bonds of Indemnity by city officials (5) Regulating the amounts in which bonds shall be given by city officers concerned in the collection, receipt or expenditure of money, the form thereof, the manner in which they shall be given, and the nature of the security to be given when not otherwise provided.

Census

(6) Taking the census of the city.

Polling divisions

(7) Dividing the city into two or more polling divisions and for establishing polling places therein and varying the same from time to time.

Peace, health, good order (8) Preserving peace, health and good order within the city.

Dogs

(9) Restraining and regulating the running at large of dogs, and imposing a tax on the owners, possessors or harbourers of dogs.

Impounding of

(10) Impounding dogs running at large contrary to any by-law.

Imposing fines upon the owners, possessors Dangerous (11)or harbourers of dogs, who without provocation, injure any person or property, and restraining and killing dogs which are fierce and dangerous.

- (12)Compelling the owners or occupiers of Fire escapes houses to have ladders leading to and on the roofs of such houses.
- The prevention of the firing of guns or Fire-arms, (13)other firearms, or the setting off of squibs etc. or other fireworks, or the burning of inflammable materials, the carrying of fire, lighted candles or lamps, without being covered or secured.
- (14)Preventing and regulating the keeping and \*Explosives transporting of gunpowder or other explosive or dangerous substances.
- (15)Preventing or regulating the use of fire, Open fires open lights or candles in garages, shops and other places where combustible substancés are kept and preventing or punishing smoking in such places.
- Regulating the carrying on of businesses or Fire hazards (16)trades with high fire hazards or otherwise prejudicial to public safety.
- Regulating the time and mode of cleaning Chimneys (17)chimneys.
- The prevention of the occurrence, increase Fire protection (18)or spreading of fires.

Safety in building construction (19 Providing for the safety, security and advantage of the inhabitants by such rules, regulations and restrictions as are deemed expedient to be observed by all persons in the erection of buildings within the populous parts of the city.

Cruelty to

(20) Preventing cruelty to animals, and the destruction of birds not being inconsistent with any statute or ordinance in that behalf.

Vehicles, driving of (21) Regulating the driving of vehicles within the city.

Speed:

(22) Regulating the speed of vehicles within the city.

Fences

(23) Prohibiting the building of barbed wire fences along the roads and streets of the city, and regulating the manner of building other fences for the purpose of preventing accidents or injuries therefrom to animals and persons.

Signboards

(24) Prohibiting the use of swinging signboards or other signs or signboards of a danger-ous nature.

Pound

(25) Providing sufficient yards and enclosures for the safe keeping of such animals as it is the duty of the poundkeeper to impound.

Running at large, animals

(26) Restraining and regulating the running at large or trespassing of any animals, and providing for impounding them, and for causing them to be sold in case they are not claimed within a reasonable time, or in case the damages, penalty and expenses are not paid according to law.

JI.

(27)For appraising the damages to be paid by Damage by owners of animals impounded for trespassing centrary to the laws of the city.

(28)For determining the fees to be allowed to Found fees poundkeepers and others in carrying out the provisions of any ordinance or by-law with respect to animals impounded.

(29)Providing for the defraying out of the city city funds, if it is necessary, the expense of lighting the city or any part thereof, with gas, electricity, oil, or by other means, and compelling the owners or occupiers of real property to allow such work to be done and to permit such fixtures as are necessary to be placed in or about their premises at the cost of the city.

(30)Preventing the violation of, or in any way Cemeteries unlawfully interfering with cemeteries, graves, tombs, tombstones or vaults where the dead are buried.

(.31)Preventing the injuring or destroying of trees or shrubs planted or preserved for shade or ornament, and the defacing of public or private property by printed or other notices.

(32) Making and regulating the use of public Public wells wells, cisterns and reservoirs.

Regulating the size and number and con- Public (33)struction of doors in churches, theatres and halls or other places of public worship, public meetings or places of amusement, and the street gates leading thereto, and also the size, and structure of stairs and stair railings in all such buildings and the strength of beams, joists and their supports.

Policing

(34) Appointing and regulating a police force within the city.

Ganla

(35) The establishment, management, maintenance and regulation of gaols and detention homes.

Slaughter houses, etc. (36) Regulating the slaughter of animals and the sale of meat.

Tainted meat, etc.

(37) Seizing and destroying all tainted and unwholesome meat, fish, poultry or other articles of food.

Contracting for water supply, etc.

(38)Contracting with any waterworks or water company for a supply of water for fire purposes and other public uses, for hydrants or otherwise, as may be deemed advisable, and for the renting of any such hydrants for any number of years not in the first instance exceeding three, and renewing any such contract from time to time for such period not exceeding three years, as such Council may desire, and every such Council shall also have power to purchase hydrants necessary for any of the purposes or uses aforesaid, and also to erect the same, and purchasing and renting for a term of years or otherwise fire apparatus of any kind, and fire appliances and appurtenances belonging

Purchase of hydrants and fire apparatus

Indecent placards (39) Preventing the posting of indecent placards, writing or pictures, or the writing of indecent words or making indecent pictures or drawings on walls or fences in streets or in public places.

thereto respectively.

Preventing and punishing vice, drunkenness, Punishment (40)immorality and indecency on the public streets, highways and other public places.

of vice, etc.

(41) The protection of and the prevention of in-Protection jury to streets, squares sidewalks and pavements, and of the posts, railings, trees and other defences and ornaments thereof.

of streets

(42)Preventing the encumbering of streets, sidewalks, roads or highways, or crossings within the city, protecting any such street, sidewalk, road or highway from encroachment and injury, and providing for the confiscation, sale, removal or destruction of every encumbrance thereon.

(43)Providing for the removal of all fences, houses, steps, erections, projections or obstructions whatsoever, or any part or parts thereof, which now or at any time hereafter project over or into any street, road, sidewalk or highway in the city, at the expense of the owners or occupants of the property in connection with which such fence, house, steps, erection, projection or obstruction is used or found.

Removal of brances

(44) Preventing the leading, riding or driving of horses, cattle or dogs upon sidewalks or other places not proper therefor.

Use of sidewalks

(45)Compelling persons to remove all snow and Removal of ice from the roofs of the premises owned or occupied by them; and to remove and clear away all snow, ice and dirt and other obstructions from sidewalks, streets and alleys belonging to such premises; providing for the cleaning off and the removal of all snow, ice, dirt and other obstructions from the sidewalk and streets adjoining

snow and ice

vacant property, or the property of persons who for twenty-four hours neglect to remove the same at the expense of the owner or occupant; and in case of non-payment charging such expense as a special rate upon the premises, to be recovered in like manner as other city rates; the Council may in any such by-law define the area within the city within or over which the by-law shall be operative.

Regulation of traction trends and loads

(46) Regulating the type of traction treads to be used and weights of loads to be carried on different classes of vehicles and automotive equipment and prohibiting the use of streets of the city to vehicles and automotive equipment having traction treads and for carrying loads other than as prescribed.

Poles, signs

(47) Regulating or prohibiting the erection and preservation of lamp posts, telegraph, telephone and electric light poles, signboards, awnings and other fixtures within the city

Public nuisances (48) Preventing and abating public nuisances.

Nuisance grounds (49) Providing for places for the deposit of ashes, cleanings of yards and streets and other filth and ordure, and compelling the owners or occupants of property within the city to remove all such ashes, cleanings, filth and ordure to such places of deposit.

Street cleaning (50) The removal of all filth and encumbrances on the streets, sidewalks roads and alleys within the city and places adjacent thereto

Dumping of rubbish

(51) Preventing persons from throwing anv dirt, filth or rubbish on any street, road, lane or highway.

- (52), Regulating and preventing the erection Slaughter houses and continuance of slaughter houses.
- (53) The regulation and prevention of unusual Noise or unnecessary noises in the streets.
- (54) The prevention of persons loitering on or Loitering about any steps or entrances of stores or shops, or on the streets or street corners.
- (55) The establishing and regulating of mar Markets and fairs kets, market houses, city scales and fairs.
- (56) Regulating all vehicles, vessels and other stands things in which anything may be exposed for sale or marketed in any street or public place.
- (57) Regulating the manner of selling meat, sale of fish, vegetables, fruit, grain, hay, straw and fodder.
- (58) Restraining and regulating the manner of selling vegetables, fruit, country produce, for sale poultry or animals openly exposed for sale Hucksters or in market, and all other articles and things by hucksters and runners living in the city.
- (59) Regulating the weight of bread and pro- Bread viding for the seizure of bread contrary to such regulations.
- (60) The weighing and measuring of coal, ruel etc. wood, lumber, shingles, logs, timber, hay, straw and grain and fixing the charges therefor.
- (61) Licensing persons using automotive equip-vehicle ment, bicycles and other vehicles.

Auctioneers, peddlers, etc. Licensing and regulating auctioneers who are ratepayers within the city, and licensing and regulating auctioneers, junk dealers and peddlers and hawkers and traders of goods who are not ratepayers within the city, with power to discriminate between those who are ratepayers and those who are not, as to the amount of the license fee to be charged.

Taxi drivers, etc. (63) Regulating and licensing carters, hackmen, wagoners, cartmen, taxi-drivers and bus drivers, fixing the price to be paid to them for hauling loads or transporting passengers in the city and the quantity of weight to comprise a load.

Transportation businesses (64) Regulating and licensing taxi and/or bus transportation businesses and the owners of same and other owners of taxis, automobiles and/or buses letting out the same for hire or profit.

Circuses, etc. (65) Restraining, prohibiting and licensing and authorizing a committee of the Council to license all exhibitions, circuses or other shows for hire or profit.

Fowling alleys, billiard rooms, etc. (66) Restraining, prohibiting, regulating and licensing bowling alleys, billiard tables, pool tables, skating rinks, shooting galleries and merry-go-rounds, concerts or other places of recreation and amusement kept for hire or profit.

License fees generally (67) Fixing and regulating the fee to be paid for licenses issued under any by-law of the city.

- (68)Allowing a rebate on all taxes paid be- leebate on fore a time to be named in the by-law; such rebate shall not exceed ten per cent., and the time fixed by the by-law shall not be less than thirty days from the passage of the by-law.
- (69)Exemption from taxation for the then cur- Tax rent year.
- (70)Exemption from taxation for a longe Extended period than one year, subject to ratification as hereinafter provided.
- (71)Compromising upon such terms as may be Tax agreed upon for the payment of arrears of arrears taxes.
- (72)The purchase or otherwise acquiring and Nuisance holding any lands situated outside the limits of the city which may be required for a nuisance ground for the purpose of disposing of the sewage and other refuse of the city.
- (73) The erection and regulation of hospitals Hospitals or granting aid to same.
- (74)Building, erecting or buying or leasing, controlling and operating telephone plant, electric plants, electric light and power plant, gas and water works, etc. water works plant, or purchasing stock in any incorporated company, carrying on, or formed for the purpose of carrying on any of the said businesses, subject to the ratification of the ratepayers.

Telephone,

Purchase of

Contracting re. public utilities

Appointment of Public Utility Commissioners

- (a) For all purposes connected with the carrying on of any of the above works the city is hereby authorized to purchase any lands, either within or without the city, and to enter into any contract necessary for the proper carrying on of said businesses, and generally to conduct said works and businesses arising in connection therewith, either by the Council or by conmissioners or agents appointed for the purpose, as fully and freely and with all the powers and rights they would have if specially incorporated for the purpose of carrying on said business.
- (b) In case the city engage in any of the businesses hereinbefore referred to, the Council shall have power to appoint by by-law commissioners for the purpose of carrying on such bus:nesses, or any of them, and all neces sary contracts in connection therewith may be done and performed in the name of the said commissioners, who shall be called "Electric Light Commissioners," "Telephone Commissioners" or, as the case may be, and by that name shall have all the powers for properly carrying on the businesses which are herein granted to the city.

Sanctioning street railway system, etc. (75) Sanctioning and permitting the track of any railroad, street railway or tramway to be laid in, on or along any street or avenue of the city, and to provide compensation for any damage that may be done to prop-

erty on said streets or avenues: the amount of said damage, if any, to be settled in the manner provided herein in regard to the expropriation of land; and to regulate the use of locomotive engines, and of steam or other motive power, and any or every portion of any railroad within the city, and to provide and regulate the speed of cars upon any and every part of any railroad within the city, and to impose a penalty not exceeding \$500.00 for any breach of such bylaw.

(76)Subject to the provisions of any Act of the Regulating Parliament of Canada respecting railways, trains, etc. regulating the speed of railway trains and engines along or across any of the streets or avenues of the city, and preventing the obstructing of any streets or avenues by leaving, keeping or allowing to stand thereon any engine, train, car or cars or truck for a longer period than five minutes at a time, and preventing the loading or unloading of any car or truck alongside or from any street-crossing or sidewalk in the city. and blowing of whistles or ringing of bells while the engine is going along or crossing a street or avenue, except under conditions mentioned in such by-law, and imposing a penalty for breach of such by-law not exceeding \$500.00.

> In any proceedings taken for infrac-(a) tion of by-laws, passed under the two preceding sub-sections, service of the necessary documents upon any resident employee of the railroad shall be good service upon the owners of the railroad and both the owners of

Service of process

the railroad and the person in charge of the engine, car, truck or train shall be liable for the penalty provided in the by-law, and proceedings may be taken against either or both.

Naming and numbering streets (77) Naming or numbering the streets or avenues and changing the name and numbers or any of them, of streets and avenues now existing or hereinafter laid out within the city.

General powers

(78) Providing for any other purpose, matter or thing specially within the powers, duties or control of the City Council.

By-laws to be consistent with Ordinances 137. The by-laws for the foregoing purposes, or any or them, shall not be inconsistent with any Statute or Ordinance in force in this Territory.

Proof of By-laws 138. The production of a copy of any such by-law purporting to be certified by the City Clerk under his hand and the seal of the city to be a true copy of the by-law passed by the City Council, shall, without proof of the official character of the City Clerk, or of the said seal, be sufficient evidence of such by-law.

Penalties for infraction of By-laws

139. The Council may prescribe a penalty not exceeding \$100.00, inclusive of costs, for the violation of any by-law under the provisions of this Ordinance, and may provide that in default of payment of such penalty, the offender may be imprisoned, with or without hard labour, for such period, not exceeding three months, as the Council in such by-law prescribe. The Stipendiary or other Magistrate may impose the whole or such part of the penalty or punishment fixed by the by-law as he deems fit.

140. Every person who violates any by-law of the city, General unless the penalty is otherwise fixed by the by-law, shall, penalty provision upon conviction thereof before a Stipendiary or other Magistrate, be liable to a penalty not exceeding \$50.00, and in default of payment, to imprisonment for a period not exceeding thirty days.

141. When the Council, by by-law or otherwise, directs Ly-law that any matter or thing shall be done, the Council may, by the same or another by-law, or otherwise, in default of its being done, by any person or corporation required to do the same, cause such matter or thing to be done at the expense of the person or corporation in default and may recover the expense thereof with costs from such person or corporation as a private debt.

No repeal, alteration or amendment of any by- Notice of repeal, law adopted by the Council shall be made unless two weeks' alteration, notice in writing has first been given to the Council of such intended repeal, alteration or amendment.

143. Any by-law regulating the procedure at Coun- By-law re. cil meetings may be suspended, wholly or in part, by the unanimous consent of all the members of the Council present, without the notice in the next preceding section provided.

144. The precedure and other provisions of the Criminal Code of Canada, being Chapter 36 of the Revised Statutes of Canada, 1927, and amending Acts relating to summary convictions, shall apply to every case in which any person commits or is suspected of having committed any offence for which a penalty is provided by this Ordinance.

#### OFFICERS.

#### THE CITY CLERK

The City Council at their first meeting after the Appointcity shall have become incorporated, shall appoint an officer who shall be called the City Clerk who shall hold office during pleasure.

Recording

(2) The City Clerk shall truly record in a book all resolutions, decisions and other proceedings of the Council and shall, if required by the Aldermen present, record the name and vote of every Alderman voting on any matter submitted, and shall keep the books, records and accounts of the Council, and shall preserve and file all accounts acted upon by the Council and also the original and certified copies of all by-laws and of all minutes and proceedings of the Council, all of which he shall keep in his office, or in the place appointed by by-law of the Council.

As Assessor and Collector 146. The City Clerk shall, until the Council otherwise prescribes by by-law, perform the duties appertaining to the office of assessor and collector, and any other duties that are from time to time required of him by the Council.

Deputy

147. The City Clerk may, with the concurrence of the Council, appoint a deputy to perform any or all of the duties, and he shall be responsible for the acts of such deputy.

Inspection of records

148. The books, records and accounts of the City Council and of any committee appointed by the City Council, and of the City Clerk or clerk of any committee of the city, shall be open, without fee, to the inspection of any rate-payer of the city at all reasonable times and hours.

City Treasurer 149. The City Clerk shall be the Treasurer of the city, and as such shall receive and safely keep all moneys belonging to the city, and shall pay out the same to such persons and in such manner as the laws of the Territory and the lawful by-laws and resolutions of the Council of the city, whose officer he is, direct; but no member of the Council shall receive any money from such Treasurer for any work performed, or to be performed, and the Treasurer shall not

be liable to an action for any moneys paid by him in accordance with any by-law or resolution passed by the Council, unless where another disposition of the moneys is expressly made by law.

The Treasurer shall keep and make the nec- to keep 150. (1)essary entries in all such books as shall from time to time be required by the Council, on recommendation of the Auditor hereinafter provided for, or otherwise.

The Treasurer shall open an account in the Bank (2) name of the city in such of the chartered banks of Canada, or at such other place of deposit as may be approved of by the Council, and shall deposit to the credit of such account all moneys received by him, and all cheques issued on said account shall be signed by the Mayor and the Treasurer.

- The various books required shall be pro- Books to be (3)vided at the expense of and shall be the property property of the city.
- Every Treasurer shall also prepare and submit Statement to the Council half yearly a correct statement of the moneys half-yearly at the credit of the city.
- 152. In case any Treasurer is dismissed from office or Power of absconds, it shall be lawful for his successor to draw any moneys belonging to the city...

#### AUDIT OF ACCOUNTS

153. The financial year of the city shall end on the 31st Fiscal year day of December, and all accounts of the moneys received and disbursed by the city for the year shall be made up by the Treasurer and submitted to the Auditor not later than one week after the end of the year.

Annual audit (1)The Controller shall, annually, on or before the '31st day of December, appoint one The Auditor shall examine and Auditor. report upon all accounts affecting the city, or relating to any matter under its control within its jurisdiction for the year in which he is appointed; and shall prepare an abstract in duplicate of the receipts, showing the different sources of the same, and of the expenditures under the different heads thereof, and also of the assets and liabilities of the city. The Auditor shall prepare a report in duplicate which shall contain a summary of all accounts audited by him, and shall file such reports and abstracts in the office of the Treasurer on or before the 6th day of January, and thereafter one copy shall be open to the inspection of any ratepayer during office hours, and he may, by himself or his agent, at his own expense, take a copy thereof or abstract therefrom.

Auditor's report

Prohibition

(2) The Auditor shall not remove any books, vouchers or accounts from the office of the Treasurer.

Ineligible as Auditor 154. No person who at any time during the year in which such Auditor is appointed is or has been a member of the Council or a contractor with or officer appointed by the Council (other than an Auditor) shall be appointed as such Auditor.

Passing accounts

155. The Council shall, upon the report of the Auditor, finally pass and allow the accounts of the Treasurer, if the same are found to be correct, to the satisfaction of the Council.

Publication of Auditor's report

156. The Treasurer shall print and publish the Auditor's report and abstract, in such form as the Council directs.

#### ASSESSMENT AND COLLECTION OF TAXES

The provisions of "The Assessment Ordinance" being Chapter 5 of the Consolidated Ordinances of the to apply Yukon Territory, 1914, and amending Ordinances shall mutatis mutandis apply to the City of Whitehorse.

Assessment Ordinance

(1)In and for the City of Whitehorse the Assessment members of the assessment appeal court shall consist of three persons, one appointed by the Council of the said city, one appointed by the Commissioner of the Yukon Territory and the other appointed by the senior judge of the Territorial Court, for the time being in the Territory and the person appointed by the Council of the said city shall. when present, preside at all meetings of the Court, and in his absence, the members present shall appoint one of their number to preside; the said Court for the City of meetings of Whitehorse shall meet for the hearing of appeals at such time and place as is appointed by the Council of the said city.

constitution ·

#### LOCAL IMPROVEMENT AND ASSESSMENT

The term "local improvement" shall be taken to Local mean the opening, widening, straightening, extending, gradimprovement defined ing, levelling, macadamising, paving or planking on any street or public lane, alley, way or place, sidewalk or bridge forming part of a highway; or the curbing, sodding or planting of any street or public lane, alley, square or other public way or place; or the making, deepening, enlarging or prolonging of any common ditch, drain or sewer; or the reconstruction, but not the repair and maintenance of any of the said works.

The term "special frontage assessment" shall be Special taken to mean a rate charged according to the lineal measure along the front of the several lands fronting on the street or

ï

place whereon or wherein the improvement is to be made for the purpose of paying for such local improvement, which rate shall be computed by dividing the total charge to be provided by special frontage assessment on said lands by the number of lineal feet frontage of such lands on the street or place whereon or wherein the local improvement is to be made.

### 160. The City Council may pass by-laws:—

Powers of Council relocal improve-ments

(1) For ascertaining and finally determining what portion, if any, of the cost of any local improvement should be borne by the city at large.

Special, fronta**ge** rate (2) For assessing, by way of a special frontage assessment, the cost, or a portion of the cost, of any local improvement upon the lands fronting upon the street or place wherein or whereon the local improvement is to be made, and for levying such cost, or portion thereof, by a special rate upon such lands.

Payment of rates

(3) For regulating the time or times and manner in which the rates for such improvements are to be paid.

Borrowing for local improvements (4) For borrowing, by way of temporary loan upon the credit of the city at large, any moneys required to meet the cost of any local improvement, provided that such temporary loan shall mature within six months from the making thereof; and for borrowing by the issue of debentures upon the credit of the city at large, the moneys required to meet the cost of any local improvement or required to pay any temporary loan made for that purpose:

Provided, that the amount of such tempor- Proviso ary loan or loans by way of debentures shall not increase the general debt of the city beyond the limits thereof fixed by any Ordinance in that behalf: and

Provided, that such debentures shall mature Proviso within the probable life of the local improvement.

An assessment or levy shall be made under a bylaw passed under clause 2 of the last preceding section, upon petition to the Council of at least two-thirds in number of the persons registered or assessed as owners of the lands fronting on the street or place whereon or wherein the improvement is proposed to be made, representing at least one-half of the value of such land, excluding improvements thereon.

Action upon petition re.

162. The request of the petition may be acceded to by the Council, either in respect to the whole or a part of the street or place proposed to be improved.

Discretion in re. petition

After the Council has resolved to grant the re- Petiton quest of any such petition, in whole or in part, as aforesaid, it shall be lawful for the said Council, in the same or the succeeding year, to carry on the proposed improvement or service to completion before making the assessment therefor, and such petition so presented shall stand good as authority for undertaking any such improvement, and making such assessment or assessments, and passing all necessary by-laws, whether the improvements shall have been or shall be undertaken and completed by the Council to whom such petition is presented or by the Council in the succeeding year.

sufficient authority

The City Council may by resolution direct Assessment (1)that the cost of the construction of any sidewalk or portion thereof which is hereafter

constructed at the cost and expense of the said city, shall by special frontage assessment be charged against the several lots of land opposite which the sidewalk or portion thereof is constructed as aforesaid, notwith standing that the Council has not been petitioned to do so.

"Sidewalk Improvements" assessment (2) At the time for levying the annual rate next after the passing of any such resolution the City Assessor shall add a column to the tax roll headed "Sidewalk Improvements" and shall insert therein opposite the respective lots of land directed to be charged as aforesaid, the respective amounts by such resolution directed to be charged against such lots of land, which amounts shall be a lien and tax against said lots of land; and shall levy the said amounts in the same manner and with the like penalties and remedies that other rates or taxes against land may be levied.

''Land'' defined (3) The word "land" wherever used in the next two preceding sections shall be construed to mean land adjoining the same side of the street as that on which the sidewalk or portion thereof is so constructed.

Right of appeal

165. There shall be a right of appeal against every assessment and rating made under the authority of any by-law passed under the local improvement sections of this Ordinance to a Court of Revision, to be composed of three members of the Council, to be appointed by the Council.

Notice of special rate to be given

166. Notice of every proposed special frontage rate shall be given by the Assessor to the persons registered or assessed as owners or addressed to the last postoffice address of each such owner known to the Assessor of the city, of every parcel of land to be charged therewith, by registered letter, and according as the improvement has actually been made or is only contemplated, and the notice shall set forth:

Contents of

- (a) The probable lifetime of the proposed improvement as being the period over which the cost will be spread.
- (b) The probable or actual cost of the improvement.
- (c) The portion, if any, of the costs to be borne by the city at large.
- The portion of the cost to be provided by special frontage assessment.
  - (e) The frontage of the property upon which the special frontage assessment is to be levied stated in lineal feet.
  - (f) The rates of special frontage assessment per foot frontage.
  - (g) The amount chargeable to each lot or parcel of land assessed according to the rate per foot frontage.
  - (h) The value of the land chargeable with the special frontage rate, exclusive of all improvements thereon.
  - (i) The time fixed for sittings of the Court of Revision for the hearing of appeals in respect of the assessment and proposed special rate; such sittings to be not earlier than fifteen days from the date of mailing of the notices.

Proof of Notice 167. A memorandum by the Assessor in any proper book or roll kept for that purpose of the mailing of such notices and the date thereof shall be *prima facie* evidence of the mailing of such notices in accordance with the last preceding section on the date mentioned in the memorandum.

Final decision in Court of Revision 168. The decision of the Court of Revision shall be final and conclusive upon all matters respecting the assessment and special rate, and the Court of Revision shall have power, in the event of the assessment of any party being decreased or increased on appeal, to raise or lower proportionately the assessment of the other parties assessed without any further notice.

Form of Local Improvements Borrowing Dy law

- 169. Every by-law passed for borrowing money for local improvements shall recite:
  - (a) The amount of the debt which such by-law is intended to create, and the object in general terms for which it is to be created.
  - (b) The total amount required to be raised annually by special rate for paying the debt and interest under the by-law.
  - (c) The total value of the land, exclusive of improvements, charged with the special assessment, and if any portion of the debt is to be borne by the city at large, the value of the whole rateable property according to the last revised assessment roll.
  - (d) The annual special rate per foot frontage for the paying of the interest and creating a yearly sinking fund for the payment of the debt or portion thereof not payable by the city at large, as the case may be, or for discharging the instalments of such princi-

pal and interest in case the debt is to be so payable, and if any portion of the debt is to be borne by the city at large, the annual special rate on the dollar for the payment of the portion of the debt chargeable to the city at large, or for discharging the instalments of such principal and interest, as the case may be.

- (e) That the debt is contracted upon the credit and security of the city at large, but as to so much as is not to be paid by the city at large, the city is to collect the same only by way of special frontage tax as aforesaid.
- No by-law passed hereunder shall require the assent of the electors. Provided, however, that if the Council in any case of local improvements provided that more than one-third of the total cost of improvements shall be paid by the city at large and such sum shall be greater than can be properly paid out of the current revenues of the year during which the improvement is made, then, and in every case, the Council shall pass a separate by-law for the portion of money to be provided by the city at large, and said by-law shall, before being finally passed, receive the assent of the electors.

How by-law

#### VOTING ON BY-LAWS

In case a by-law requires the assent of the electors, Procedure of the city before the passing thereof, the following proceedings shall be taken for ascertaining such consent:

when by-law réquires electoral assent

The Council shall, by the by-law, fix a day (1)and hour for taking the votes of the electors and such places in the city as the Council shall in their discretion deem best, and shall name a returning officer and deputy returning officers to take the votes at each place

where the votes are to be taken, and the day so fixed for taking the votes shall no be less than three, nor more than four, weeks after the first publication of the proposed by-law as hereinafter provided.

Publication of Ey-law

172. The Council shall, before the voting thereon by the ratepayers, publish a copy of the by-law in some public newspaper published within the city, which publication shall be continued in at least one number weekly of such newspaper for two consecutive weeks, and shall also put up a copy of the by-law at four or more of the most public places of the city.

Publication of Notice

173. Appended to each copy so published shall be a notice, signed by the City Clerk, stating that such copy is a true copy of a proposed by-law, which will be taken into consideration by the Council after being voted on by the electors, and stating the date of the first publication and the day, hour and place or places fixed for taking the votes of the electors.

Polling procedure 174. At such day and hour a poll shall be taken, and all proceedings thereat and for the purposes thereof, including a recount, shall be conducted in the same manner as nearly as may be, at an election for Mayor and Alderman.

Form of

175. The ballot papers shall be printed with "For the By-Law," and "Against the By-Law," and shall, by the voter, be marked with a cross on the right side thereof, opposite the words "For the By-Laws," or "Against the By-Law," as he may desire to vote.

Time of return

176. The Council shall, in the by-law, fix the time and place when and where the returning officer of the city shall sum up the number of votes given for or against such by-law.

Representatives 177. On the application of any person interested in promoting or opposing the passage of the by-law, the Mayor shall authorize the attendance of one person on behalf of the party applying at each polling place and at the final summing up of the votes.

178. Every ratepayer shall be entitled to vote on any qualification of by-law requiring the assent of the electors, who at the time voters of tendering the vote is of the full age of twenty-one years. and is named on the last voters' list of the city, and who has neither directly nor indirectly received, nor is in expectancy of receiving, any reward or gift for the vote which he tenders, and who is at the time of the tender a freeholder in his own right of real property within such city, and is rated on the last revised assessment roll as such freeholder for not less than \$400.00.

179. Any ratepayer offering to vote on the by-law may Oath be required by the Deputy Returning Officer, or by any required ratepayer entitled to vote on the by-law, to make, before his vote is recorded, the following oath or affirmation, or any part thereof:

"You swear that you are of the full age of twenty-one Declaration in the voters' list; that you are a freeholder in your own right of real property within the city, and rated on the last revised assessment roll as such freeholder for not less than \$400.00; that you have not voted before on the by-law now before the electors; that you have not directly or indirectly received any reward or gift, nor do you expect to receive any for the vote which you tender."

The Returning Officer after he has received certi- council fied returns from the Deputy Returning Officers of the by-law number of votes given at each polling place, shall at the weeks within two time and place appointed by the by-law, in presence of the persons authorized to attend, or such of them as may be present, sum up from such statements the number of votes for and against such by-law, and shall then and there declare the result and forthwith certify to the Council under his hand whether the majority of the electors entitled to vote, who have voted upon the by-law, approved or disapproved of the same.

Entry on and expropriation for water services 181. Every by-law which is carried by the required majority of the duly qualified electors who have voted thereon shall, within two weeks thereafter, be passed by the Council which submitted the same.

Power to Take Land For Certain Purposes

182. Whenever it becomes necessary in the judgment of the Council to construct, enlarge, improve or repair any reservoir or to lay down, take up or repair any water pipes belonging to the city, the Council may enter upon and take the lands or property of any person, corporation or number of persons from time to time, and as often as is necessary for the purposes aforesaid, or any of them, and when any lands or property are so taken, shall cause a plan of such lands or property, or of so much thereof as is required for the purposes aforesaid, to be made, and shall notify the owner or owners of the lands or property which are proposed to be entered upon or taken.

for civic buildings 183. The City Council may enter upon and take any land within the city required for the purpose of a city hall, fire hall, city market, lockup or other city building for any purpose whatever, and may remove therefrom any buildings, projections, walls, fences or other things, or any portion thereof.

Notice to

184.

- (1) Before entering upon or taking any land of removing any building, projection, wall. fence or other thing for any purpose under the authority of this Ordinance, or of any Ordinance of the Territory, the Council shall notify the owner of the said land, building, projection, wall, fence or other thing that such land or such removal is required by the city.
- (2) Such notice shall contain a description of the land proposed to be entered upon or taken, or of the building, projection, wall, fence or other thing proposed to be removed, and a statement of the purpose for which the same is required.

185. (1) If the City Council and such owner cannot It the City Council and such owner cannot compensation to be paid to determined the owner for such land, or for such dam- arbitration age that may be caused by entering upon such land, or by removing such building projection, wall, fence or other thing, the Council shall appoint one arbitrator and shall notify the owner to appoint one arbitrator.

(2) If such owner neglects or refuses to anpoint an arbitrator for ten days after the arbitrators service of the said notice, the Mayor shall appoint an arbitrator to act on behalf of the owner, and the two arbitrators so appointed shall choose a third arbitrator.

(3) If the said arbitrators cannot agree upon the third arbitrator, he shall be appointed by the Controller upon the application of either party.

186.: (1) The three arbitrators so appointed and Procedure chosen, having been first duly sworn to the arbitration faithful discharge of their duties before the Mayor or Stipendiary Magistrate, shall give notice to the person whose land it is proposed to enter upon or take, or whose building, projection, wall, fence or other thing it is proposed to remove, or to his agent, of the time and place at which they will meet to fix the amount of compensation. to be paid.

(2)At the time and place so appointed they shall proceed to fix and award the amount of the compensation to be paid to the owner of said land, building, projection, wall, fence or other thing, and shall make a return thereof to the City Clerk within thirty days after their appointment.

188.

189.

Awards to be final (3) The award of the arbitrators, or any two of them, shall be final and conclusive and binding on all the parties interested.

Pight of city upon payment or tender 187. Upon the payment or tender to the owner of the amount so awarded, or upon the payment thereof to the Clerk of the Territorial Court for the Territory under the provisions of this Ordinance, the city shall become the owner in fee simple of the said lands, if such lands have been taken, or shall be entitled to enter upon such lands for the purpose designated by the Council, or to remove such building, projection, wall, fence or other thing.

Council may suspend or abandon project (1) If the amount of compensation awarded appears to the Council excessive, when compared with the utility of the work, the Council may suspend or abandon such work at any time, and if such lands have not been entered upon the Council may, within one month after the making of the award, notify the owner of such suspension or abandonment. In such case the city shall not be bound to accept such land or pay the amount of compensation awarded.

Time limit on payment of compensation (2) If the City Council decides to proceed with such work they shall within six months after the arbitrators' award has been filed with the Clerk of the Court, pay to the owner the amount of compensation awarded to him.

Payment into court in certain cases

- (1) The Council may pay the amount awarded by the arbitrators into the office of the Clerk of the Territorial Court, and deliver to the Clerk a copy of the award in the following cases:
  - (a) If there are any claims or encumbrances on the lands taken or entered upon; or

- (b) If the owner of the land is unknown: or,
- If the person to whom the compensa-(c) tion is awarded to be paid cannot be found; or.
- If there is any dispute as to the own-(d) ership of such land, building, projection, wall, fence or other thing taken or removed: or.
- If there is any dispute as to the per-(e) son to whom compensation should be paid for the taking or removal thereof; or,
- (f) If for any other reason the Council deems it advisable.
- The person or persons entitled to such Payment (2)amount shall, on establishing his or her out of Court right, on a summary application to the said Court or a Judge thereof, be entitled to have the same paid over to him or them on order of the Court or Judge.

The award shall contain a description of the land and a copy thereof, certified under the hand of the Clerk. shall be filed with the Clerk of the Court and on application shall thereupon be made to said Court or a Judge thereof for an order vesting the title to said land in the city, and such order, on being granted, shall be registered in the Land Titles Office for the Yukon Land Registration District, and a certificate of title issued thereon.

Award to be basis of Visiting Order

Registration

If the owner of the land which it is proposed to enter upon or take, or of the building, projection, wall, enter upon or take, or of the building, projection, wall, of notice fence or other thing which it is proposed to remove, is not cases known, or if there is a dispute as to the ownership thereof, the notices required to be given to such owner may be given by advertisement in a newspaper published in the city.

Qualification of arbitrators 192. The arbitrators shall be ratepayers, but shall not be interested in the land entered upon or taken, nor in the building, projection, wall, fence or other thing to be removed, nor in the lands lying along any street, road, lan or square proposed to be entered, opened or repaired, but they may be residents of the city.

Arbitrators' remunera-

193. The arbitrators shall receive such compensation, to be paid by the city, as the Council determines.

#### Miscellaneous Provisions

Proof of appoint-, ment of City Officers

194. When, at the trial of any action or complaint in any Court, it is necessary to prove the appointment of any officer of the city, a certificate, under the hand of the City Clerk and seal of the city, stating the time and manner of the appointment of such officer and of his having been sworn into office, shall be sufficient proof of the appointment, and of his having been sworn into office, without any proof of the handwriting or signature of such City Clerk, or of the seal or of the official character of such City Clerk.

Who may administer oaths

195. When no provision is made in this Ordinance for the administering of any oath or affirmation required to be administered or taken, the same may be administered by the Mayor, the Stipendiary Magistrate, or any Justice of the Peace; and when an oath or affirmation is directed to be administered by or taken before any officer or person, the authority to administer such oath or affirmation is included.

Provisions as to notice before action against. City. etc. 196. No action ex delicto shall be brought against the city or against the City Council or any member thereof, or against the Committee on Streets or any member thereof, or against any person acting under the authority of any such City Council committee or member, unless within six months next after the cause of action has accrued, and upon one month's previous notice thereof in writing served upon the defendant, or in the case of an action against the city, upon the City Clerk, in which notice the cause of action and the Court in which it is to be brought shall be explicitly stated, and upon the back thereof shall be endorsed the name and place of abode of the party intending to sue.

197. All Ordinances of the Yukon Territory affecting Territorial Ordinances matters over which the City Council is given jurisdiction by in effect this Ordinance shall remain in full force and effect until other provisions are made therefor by said Council.

#### APPLICATIONS TO QUASH BY-LAWS

In case a resident of the city, or any other person interested in a by-law, order or resolution of the Council thereof, applies to a Judge and produces a certified copy of the by-law, order or resolution, and shows by affidavit that the same was received from the City Clerk and that the applicant is resident or interested as aforesaid, t Judge, after at least ten days from service on the city of an order to show cause in this behalf, may quash the by-aw, order or resolution, in whole or in part, for illegality, and, according to the result of the application, award costs for or against the city.

Procedure for an Order to show cause on ground of illegality

No application to quash or annul any such by-law, order or resolution, in whole or in part, shall be entertained by any Judge unless such application is made within two months from the final passing of such by-law, order or resolution.

Time limitation

200. Any by-law the passage of which has been pro- corrupt cured through or by means of any corrupt practices as defined by this Ordinance, shall be liable to be quashed upon application to be made in conformity with the provisions hereinbefore contained.

practices

Before determining any application for the quashing of a by-law upon the ground that the passing of the inquiry same has been procured by means of any corrupt practices as defined by this Ordinance and if it is made to appear to a Judge that probable grounds exist for a motion to quash such by-law, the Judge may thereupon make an order for an inquiry to be held upon such notice to the parties affected as the Judge may direct concerning the said grounds, before himself, or whom he may appoint to conduct such inquiry.

Judge may

Procedure with regard to such

and require that upon such inquiry all witnesses, both in support and against such hy-law, be orally examined and cross-examined upon oath; and the said Judge, upon the taking or return of said evidence, as the case may be, may, upon notice to such of the parties concerned as he thinks proper, proceed to hear and determine the question, and i grounds therefor appear to him to be satisfactorily established, he may make an order for quashing said by-law, and order the costs attending such proceedings to be paid by by the parties, or any of them, who have supported said by-law; and if it appears that the application to quash said by-law ought to be dismissed, the Judge may so order, and in his discretion award the costs to be paid by the persons applying to quash the said by-law.

Judge may quash by-law costs

Stay of proceedings pending hearing 202. After an order has been made by a Judge directing an inquiry and after a copy of such order has been left with the City Clerk, all further proceedings upon the by-law shall be stayed until after the disposal of the application in respect of which the inquiry has been directed; but if the matter is not prosecuted to the satisfaction of the Judge, he may remove the stay of proceedings.

Action vs. the City in re. illegal procedure 203. In case a by-law, order or resolution is illegal, in whole or in part, and in case anything has been done under it which by reason of such illegality, gives any person a right of action, no such action shall be brought until one month has elapsed after the by-law, order or resolution has been quashed or repealed, nor until one month's notice in writing of the intention to bring action has been given to the city, and every such action shall be brought against the city alone, and not against any persons acting under the by-law, order or resolution.

No personal Hability

204. In case the city tenders amends to the plaintiff or his advocate, if such tender is pleaded and (if traversed) proved, and if no more than the amount tendered is recovered the plaintiff shall have no costs, but costs shall be taxed to the defendant and set off against the verdict, and the balance due to either party shall be recovered as in ordinary cases..

Tendering

205. No by-law shall be set aside for corrupt practice Proviso provided the passage thereof was not affected by such corrupt practices.

This Ordinance shall not come into force until the Proclamasame shall be brought into force by Proclamation of the nursuant Controller pursuant to the provisions of any Ordinance Publishing which may be passed providing for a plebiscite or vote of the people of Whitehorse (being the area described in section 3 hereof) upon the question of bringing the same into force.

## **SCHEDULE** FORM A PROCLAMATION CITY OF WHITEHORSE

Public notice is hereby given to the electors of the City of Whitehorse that a poll has been granted for the election now pending for the said city, and that such poll will be open on (here insert day for election, being same day of the week as for nomination in the next following week) the day of 194 from the hour of nine o'clock in the morning till five of the clock in the afternoon, at (describe the polling station, or, as the case may be), in each of the following polling divisions; that is to say:

For the Polling Division No. 1 (or other designation), consisting of those electors whose surnames commence with the letters from.....to.....(or bounded as follows, or otherwise describing it clearly), at (describe the polling station and so continuing for all the other polling divisions and stations in the city).

And I will at (describe the place), on (day of the week), o'clock in the.....noon, sum up the votes and declare the result of the election.

Given under my h	and at Whitehorse	this	day
of, 1	94		

Returning Officer.

## FORM B

### OATH OF VOTER

#### FORM C

#### OATH OF RETURNING OFFICER

I,....., do swear that I have not received any sum of money, office, employment or gratuity, or any bond, bill or note, or any promise of gratuity by myself or another, to my use or advantage, for making any return at this election; that I will return to the City Clerk a true and faithful account of the votes polled in this election, and that I will faithfully discharge my duty at the election to the best of my knowledge and judgment.

#### FORM D

#### BALLOT PAPER

Election of a Mayor for the City of Whitehorse.

	For Mayor
Jones, John	· · · · · · · · · · · · · · · · · · ·
Low, Sam	
Patrick, James	

## FORM DD

## BALLOT PAPER

Election of the Aldermen for the City of Whitehorse.

FOR ALPERMEN

<u>                                       </u>
Abel, James
Bruce, Don
Ferguson, Jerry
Milton, Tom
Peters, James •
FORM E
OATH OF QUALIFICATION
I,, do swear that I am a British subject; that I had at the time of my election or appointment to the office of
(Signature)

#### FORM F

OATH OF DEPUTY RETURNING OFFICER, POLL CLERK

#### CANDIDATE OR AGENT

#### FORM G

#### OATH OF OFFICE

I,....., do swear that I will truly, faithfully and impartially, to the best of my knowledge and ability, execute the office of............................... to which I have been elected or appointed (as the case may be), in the City of Whitehorse, and that I have not received any payment or reward, or promise of such, for the exercise of any partiality or neglect or undue execution of the said office, and that I have not myself nor on behalf of any other person, either directly or indirectly, any interest in any contract with or on behalf of the said city.

#### FORM H

#### OATH OF ILLITERATE PERSON

I,....., a voter named in the list of voters for Polling Subdivision No.............. (or City of Whitehorse), do hereby declare that I am unable to read (or that I am from physical incapacity) unable to mark a ballot paper (as the case may be).

# CHAPTER 4

# AN ORDINANCE TO AMEND "THE POLL TAX ORDINANCE."

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

"The Poll Tax Ordinance," being Chapter 1 of the Ordinances of the Yukon Territory, 1918, and amending Ordinances, is hereby amended by adding the following section immediately after section 17 thereof:

"18. This Ordinance shall not apply nor shall the poll tax be collected from any person who has been awarded a pension under "The Pension Act," being Chapter one hundred and fifty-seven of the Revised Statutes of Canada, 1927, and amending Acts in respect of service in the war with the German Reich as said expression is interpreted in said Pension Act."

## CHAPTRE 5

# AN ORDINANCE TO AMEND "THE FOREST FIRES ORDINANCE."

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

1. Section 10 of "The Forest Fires Ordinance," being Chapter 37 of The Consolidated Statutes of the Yukon Territory, 1914, and amending Ordinances, is hereby amended by striking out the last line thereof and substituting the following:

"To a fine not exceeding \$50.00 and in default of payment thereof to imprisonment for any term not exceeding two months."

2. Section 11 of the said Ordinance is hereby repealed.

# **CHAPTER** 6

## AN ORDINANCE TO AMEND "THE DENTAL

#### **ORDINANCE.**"

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

- 1. Subsection 1 of section 4 of "The Dental Ordinance," being Chapter 7 of The Ordinances of the Yukon Territory, 1920, and amending Ordinances, is hereby repealed and the following substituted therefor:
  - (1) Every person who possesses a diploma of graduation in dental surgery from any dental college in Canada or from any University in Canada having a special dental department or from any dental college or university having such department in Great Britain or in any of the British Dominions or in the United States of America.

## CHAPTER 7

# AN ORDINANCE RESPECTING FAIR WAGES

# AND HOURS OF LABOUR FOR SHOP

#### **EMPLOYEES**

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of the said Territory, enacts as follows:

#### SHORT TITLE

1. This Ordinance may be cited as "The Fair Wages Ordinance."

#### Interpretation

- 2. In this Ordinance, unless the context otherwise requires.
  - (a) "Fair Wages" means such wages as are generally accepted as current for competent workmen in the district in which the work is being performed for the character or class of work in which such workmen are respectively engaged; but shall in all cases be such wages as are fair and reasonable:
  - (b) "Employee" means any person of either sex, who is in receipt of or entitled to any compensation for labour or services performed for another.
  - (c) "Employer" means any person who, in his own behalf or as a manager, superintendent, overseer or agent for any person, firm, company, or corporation, has charge of any shop and employs persons therein;

"Fair wages"

"Employee"

"Employer"

(d) "Shop" means a place where retail or whole- "shop" sale trade is carried on, and shall extend to and include places or establishments where service is also dispensed for profit to the public, inclusive of, hotels, inns, taverns, restaurants. refreshment houses, garages, laundries, tailors, hoot repair, barber shops, beauty parlours:

"Controller" means the Controller of the Yu- Controller" (e) kon Territory;

"Take-home pay" means the total amount of "Take-(f) compensation paid to an employee for labour homeor services performed, irrespective of whether he is paid by the hour, day, week, month or any other period of time.

In the case of a person holding a position of super- Persons vision or management or employed in a confidential capacity, the provisions of this Ordinance shall not apply to him so long as the duties performed by him are entirely of a supervisory or managerial character and do not comprise any work or duty customarily performed by other employees.

The working hours of each employee employed in or Hours of about any shop in the Yukon Territory shall not exceed eight hours in each day of twenty-four hours, nor forty-four hours in each week of seven days, except as hereinafter provided.

An employee may be employed and work during the Overtime time over and in excess of such daily limit of eight hours compensaand of such weekly limit of forty-four hours, only if the employee is compensated at a rate of not less than time and one-half for each hour of such overtime.

Fair wages

6. For each of the said eight hours of work and fortyfour hours per week each employee shall be paid fair wages not less than the take-home wages paid him at time of enactment of this Ordinance.

Effect of Ordinance. on alternative wage, and hours arrangements

- 7. (1) Nothing in this Ordinance shall affect any provision in any Ordinance, agreement or contract of service or any custom which insures to employees more favourable conditions than those provided by this Ordinance.
- (2) No agreement, whether heretofore or hereafter entered into, shall have any force or effect in so far as it deprives any employee of any right, power, privilege or other benefit provided by this Ordinance.

Hours

- 8. (1) Every employer shall keep in his principal place of business in the Territory a true and correct record in the English language of the hours worked each day by each of his employees.
- (2) Every employer shall, on demand of the Controller or his duly authorized representative, produce for inspection all records kept by him relating to hours of labour of any person employed by him.

Penalties

9. Every employer who violates any provision of this Ordinance, shal' be liable, on summary conviction, to a fine of not less than twenty-five dollars and not more than one hundred dollars for each employee affected and in default of payment the eof to imprisonment for a term not exceeding three months.

Coming into effect

10. This Ordinance shall come into effect on June 1st, 1946.

## **CHAPTER 8**

AN ORDINANCE TO EXEMPT J. B. KUNZE AND
E. KUNZE FROM PAYMENT OF LICENSE FEE
ON ELECTRIC LIGHT PLANT IN MAYO
AREA FOR STATED PERIOD.

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

1. The license provided for in the proviso to section 20 of "The Assessment Ordinance," being Chapter 5 of The Consolidated Ordinances of the Yukon Territory, and amending Ordinances, shall not be levied against Jack Bonnar Kunze and Ed. Kunze, carrying on business in copartnership in the Mayo area, Yukon Territory, under the firm name and style of Mayo Light Plant in respect of the said Light Plant operated by them for the year ending March 31, 1947.

# CHAPTER 9

AN ORDINANCE TO PROVIDE FOR A PLEBI-SCITE ON THE QUESTION OF BRINGING INTO FORCE "AN ORDINANCE TO INCOR-PORATE THE CITY OF WHITEHORSE."

(Assented to May 6th, 1946.)

Preamble

Whereas, The Yukon Council at its present session has passed an Ordinance entitled "The Whitehorse City Charter."

And Whereas, The said Ordinance provides that it shall not come into force until brought into force by Proclamation of the Controller pursuant to the provisions of any Ordinance that may be passed providing for a plebiscite or vote of the people of Whitehorse upon the question of bringing the same into force.

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

Short title

1. This Ordinance may be cited as "The Whitehorse Plebiscite Ordinance."

Area affected 2. This Ordinance shall apply to the area of land more particularly described as follows: Lots One (1) to Four (4) both inclusive in Group Five (5) in the Yukon Territory as the same is shown upon a plan of survey of same registered in the Department of the Interior at Ottawa as No. 8406 and in addition that portion of the Right of Way of the British Yukon Railway Company and the water

front and shoreling of the Lewes Rive: lying between the extension easterly to the said Lewes River of the most southerly boundary of said Lots One (1) and Two (2) and the most northerly boundary of said Lots Three (3) and Four (4).

3. On or before the first day of July, A. D. 1946, the Writ Controller of the Yukon Territory shall cause to be issued directing Phebiscite a writ directing a plebiscite or vote to be taken on the question to be submitted hereunder. Such writ shall be dated and shall be returnable on such day as the Controller determines and shall be issued by the Territorial Secretary under his hand and the seal of the Territory to such person resident within the area described in section 2 hereof as the Controller appoints and such person shall be the Returning Officer at the plebiscite or voting to which such writ relates. and Provide,d always that if the person to whom the writ has R. O. been addressed refuses or is unable to act he shall (under penalty hereinafter provided) forthwith after the receipt of such writ notify the Controller by the most speedy means available of such refusal or inability when the Controller may appoint some other person as Returning Officer, who shall act under the writ already issued.

4. The Controller shall fix a date not later than the Date fixed first day of August, 1946, for the plebiscite or vote to be controller taken on the question to be submitted hereunder and the date so fixed shall be specified in the writ provided for in the last preceding section.

The writ shall be in Form A to Schedule 1 of Form of Writ this Ordinance and shall be transmitted by registered mail by the Territorial Secretary addressed to the Returning Officer therein named.

5. The Returning Officer shall on receiving the afore- Indorsement said writ forthwith indorse thereon the date on which he or R. O. received the same and before taking action under this Ordinance shall take before a Justice of the Peace or Com-

missioner for taking Ashdavits the oath of office set out in Form B in said Schedule 1 and shall forthwith thereafter cause a certificate (Form C in said Schedule) made by such Justice of the Peace or Commissioner of the said oath having been taken, to be filed with the Territorial Secretary.

Election Clerk 6. The Returning Officer, by a warrant under his hand in Form D in said Schedule 1 shall appoint an election clerk and may at any time during the taking of the vote appoint in the same manner another election clerk if the one so appointed resigns or is unable to perform his duties as cuch clerk.

Duties

7. The Election Clerk shall assist the Returning Officer in the performance of his duties and act in his stead as Returning Officer whenever the Returning Officer after appointing such Election Clerk refuses or is unable to perform his duties.

When acting as R. O.

(1) All the provisions of this Ordinance in regard to Returning Officers shall apply to Election Clerks acting as Returning Officers.

Prohibition

(2) The Returning Officer or Election Clerk shall not act as Deputy Returning Officer or Poll Clerk in any polling place.

Oatl: of

8. The Election Clerk, before acting as such, shall take the oath of office in Form E in said Schedule 1 before the Returning Officer or any person authorized to administer an oath within the Territory and a certificate as in Form F in said Schedule of his having taken such oath shall be delivered to him by the person before whom such oath is taken, which certificate he shall cause to be forwarded to the Territorial Secretary.

Certificate

9. The Election Clerk when acting for or in the stead of the Returning Officer, shall be subject to like penalties as the Returning Officer for violating any of the provisions of this Ordinance, but this shall not relieve the Returning Officer from any penalties to which he may render himself

Penalty

liable.

#### Polling Divisions

- 10. The Returning Officer shall with all reasonable dispatch after receiving the writ provided for in section 3 hereof:
  - (i) Subdivide the area specified in section 2 hereof into as many polling divisions as he deems necessary for the convenience of voters and number them consecutively, provided always that no such polling division shall have a greater voting population than 200 nor less than 15. Provided, further, however, that if a polling division should include a greater number of voters than 200 the fact shall not be held to invalidate the poll held in that polling division nor shall it render the Returning Officer liable to a penalty, unless it can be shown that one or more duly qualified voters have been deprived of the opportunity to vote by reason of such larger number of voters having been included within the polling division.

Number of voters in polling division

(ii) Provide suitable and conveniently situated Polling buildings for use as polling places.

Procure or cause to be procured as many boxes (iii) Ballot hereinafter called "ballot boxes" as there are polling places within said area.

(iv) The ballot boxes shall be made of some durable material, shall be provided with a lock and key, and shall be so constructed that the ballot paper can be introduced therein and not withdrawn therefrom unless the box is unlocked.

Specifica-

The number of the polling place at which the ballot box is to be used shall be plainly painted marked

or otherwise securely marked thereon so that it may be easily distinguished from the ballot box of any other polling place.

Penalty

(vi) If the Returning Officer fails to furnish ballot boxes in the manner herein provided he shall incur a penalty of \$100.00 in respect of every ballot box which he has failed to furnish in the manner prescribed.

#### PROCLAMATION

Posting of Proclama11. At least seven days before the day fixed for the plebiscite or taking of the vote hereunder the Returning Officer shall provide and cause to be posted up in some conspicuous place in the immediate neighbourhood of each polling place a Proclamation in Form G in said Schedule 1 in which proclamation shall be set forth:

Contents of

- (a) The date when the polls will be opened at the several polling places and the time during which such polls shall remain open.
- (b) The numbers and whereabouts of the places at which the several polls shall be held.
- (c) A statement that the vote or plebiscite hereunder will be taken at the aforesaid polling place.
- (d) A copy of the ballot containing the question to be submitted hereunder.

#### Instructions For Voters

Instructions for voters

12. The Returning Officer shall also cause to be posted up near to the aforesaid Proclamations copies of Form "H" for the guidance of voters.

#### BALLOTS

Specifications reliable to ballet-papers

13. The Returning Officer shall cause to be printed and furnished for the purposes of this plebiscite a sufficient number of ballot papers for each polling place, and the ballot

papers shall be provided with a counterfoil and a stub, and there shall be a line of perforation between the ballot and the counterfoil and between the counterfoil and the stub. The ballot papers shall be numbered with the same number on the back of the stub and of the counterfoil and shall be bound or stitched in books of convenient size.

14. The said ballot papers shall be in the following form:

ballotpapers

•		Yes	No
	City of Whitehorse" passed at the		

#### DEPUTY RETURNING OFFICERS

15. For the purpose of taking the vote herein provided Appointment of D.R.O.'s for the Returning Officer shall, by writing over his signature appointing a Deputy Returning Officer for each polling place and shall thereby require the Deputy Returning Officer to open and hold the poll in such division at the time and place fixed in the Proclamation referred to in section 11 hereof, and according to the provisions of this Ordinance.

Every Deputy Returning Officer shall, before acting as such, take and subscribe before the Returning Officer or any person authorized to administer oaths within the Territory, the oath in Form I in said Schedule 1.

Oath of D.R.O.'s

16. The provisions of "The Ordinance Respecting Election tions," being Chapter 7 of the Ordinances of the Yukon to apply Territory, 1919, and amending Ordinances in so far as they relate to the powers and duties of Deputy Returning Officers shall mutatis mutandis apply and extend to Deputy Returning Officers herein provided for.

Poll Book

17. The poll books to be supplied the Deputy Returning Officer shall be in Form "J" in said Schedule 1 of this Ordinance.

Poll Clerk

18. The Deputy Returning Officer shall, before the hour for opening the polls on the day of the plebiscite, appoint under his signature a Poll Clerk to assist him in taking the votes or to act in his stead if necessary with all the powers and liabilities of the Deputy Returning Officer, and such Poll Clerk before acting as such shall take the oath in Form K of said Schedule 1 before the Deputy Returning Officer, the Returning Officer, or any person authorized to administer oaths within the Territory.

Election Ordinance

to apply

Oath of

19. The provisions of the hereinbefore recited Ordinance Respecting Elections, in so far as they relate to the powers and duties of Poll Clerks shall mutatis mutandis apply and extend to all Poll Clerks herein provided for.

#### POLLING PLACE

Privacy required

- 20. The polling place shall have an outer room suitable for the accommodation of the persons or things required to take the vote under this Ordinance and opening therefrom an inner room in which the voter may mark a ballot screened from all observation, provided that where it is difficult or impossible to secure two rooms as required, a single room divided by a screen or curtain so that the interior of the two parts shall be completely hidden from each other shall be sufficient.
- 21. In the outer room shall be kept the poll book and ballot box.

Poll Book may be inspected (1) The poll book shall be open to inspection on demand by any representative or agent duly appointed under the provisions of this Ordinance for a reasonable time for the purpose of checking an entry.

The ballot box shall be kept in a conspicuous Ballot box (2) position during the voting so that the representatives or agents may see the ballots as they are dropped in and shall not during such voting, be touched by any person except the Deputy Returning Officer or Poll Clerk acting for him and only touched by him in such a manner that the representatives or agents, if present, can observe it.

22. Except as hereinafter provided, no person shall have secrecy of access to the inner room or compartment but the voter who is engaged in marking his ballot.

23. In the said inner room or compartment of the polling Contents. place there shall be a table suitable for use in marking bal- compartlots; there shall be posted on the walls a copy of the "Instructions for Voters" provided in Form "H" in the said Schedule 1 and a copy of the Proclamation provided in section 11 of this Ordinance.

#### REPRESENTATIVES

24. The affirmative side and the negative side of the To be qualified question submitted hereunder shall each appoint in writing voters a representative who shall be a qualified voter to represent them during the proceedings hereunder, and each representative so appointed shall forthwith after his appointment credentials. file his credentials with the Returning Officer.

To file

Each representative of the affirmative and May appoint (1)negative sides shall be entitled to appoint no more than two agents to represent him at each polling place on the day of the voting, and every such agent shall, before acting as such, produce and file with the Deputy Returning Officer, his appointment as such, signed by the representative appointing him.

Proviso

(2) In the absence of such appointment or order, or no such appointed agent being present at any polling place, the affirmative and negative sides respectively may be represented at such polling place by no more than two electors present and voting at such polling place and any voter so acting as such agent shall hand in his name to the Deputy Returning Officer, who shall cause an entry thereof to be made in some convenient place in the poll book.

#### WHO MAY VOTE

Basic qualification 25. Every person shall be qualified to vote who, not being an Indian, is a British subject of the full age of twenty-one years and who is either:

Freeholder or Tenant

- (a) In his own right a freeholder within the area described in section 2 hereof; or
- (b) A householder within said area who has resided therein for not less than six months previous to the polling day, and who pays a yearly rental of not less than \$200.00.

Oath required 26. Every voter shall, before receiving a ballot paper, take the oath of qualification set forth in Form L in said Schedule 1.

Signature may be required (1) The Deputy Returning Officer may, and if so requested by a duly qualified representative of either the affirmative side or the negative side of the question submitted hereunder, shall, require any voter to take and subscribe the said oath set forth in Form L.

Procedure on receipt of ballotpaper (2) Upon taking such oath of qualification as hereinbefore provided, the voter shall be entitled to receive from the Deputy Returning

Officer a ballot in the form prescribed by this Ordinance, and the said ballot shall, subject to the provisions of this Ordinance, be dealt with by the Deputy Returning Officer and by Ordinance the voter in the same manner as required by the hereinbefore recited "Ordinance Respecting Elections."

The Poll Clerk shall make entry in the poll (3)book opposite the the name of each voter, in the column provided for such entry, of the fact of his having voted or refused to take the oath.

27. An affirmative vote on the question submitted and Manner of contained in the ballot shall be made by marking a cross, ballot thus "X" opposite the question under the word "Yes," and a negative vote shall be made by marking a cross, thus, "X" under the word "No"

28. Every person voting shall answer the question on the Imperative direction ballot paper either in the affirmative or the negative in the manner above described.

29. The taking of the vote or plebiscite and all proceedings hereunder shall, subject to the provisions of this Ordinance, be conducted in the same manner as provided in the Election Ordinance said "Ordinance Respecting Elections", and the provisions said "Ordinance Respecting Elections", and the provisions thereof as to dealing with the secret marking of ballots, proceedings on a recount, corrupt practices and penalties, and proceedings after the close of the poll and in all other respects shall, so far as the same are not inconsistent with the provisions of this Ordinance, mutatis mutandis, apply and extend to the taking of and completing the said plebiscite or vote.

to this Ordinance.

30. After summing up and ascertaining the result of the D.R.O.'s vote hereunder, the Deputy Returning Officer shall post in and return the polling place a certificate of the number of the affirma-

tive and negative votes respectively on the question submitted hereunder, and shall then place all the ballots, used as well as unused, and the oaths and other papers in reference to the voting, in the ballot box and seal up the said box in the presence of at least three voters and return the same to the Returning Officer, together with a written statement of the result of the vote.

R. O. shall make return to Controller

31. The Returning Officer shall within fourteen days after the day on which the plebiscite is held, sum up the result of the returns of all the Deputy Returning Officers and make a return to the Controller of the result of the plebiscite.

Proclamation by Controller 32. If a majority of the votes polled is in the affirmative, the Controller shall forthwith publish a Proclamation declaring that "An Ordinance to Incorporate the City of Whitehorse shortly entitled "The Whitehorse City Charter," shall come into force on a date to be named in the said Proclamation.

# SCHEDULE I.

## FORM A.

WRIT	IN	RESPECT	OF	Α	PLEBISCITE

WALL IN RESIDER OF A LEBRISCIE
Toof the district of Whitehorse in the Yukon Territory:
Whereas, The Controller of the Yukon Territory haseen fit under and by virtue of the provisions of "The Whitehorse Plebiscite Ordinance" to order a writ in respect of a plebiscite for the area comprising: Lots One (as in Sec. 3 of Whitehorse Charter) addressed to you whom he has been pleased to select to perform the dutie of Returning Officer;
You are therefore commanded that you do cause a plebi scite or vote to be taken under the provisions of the White horse Plebiscite Ordinance to ascertain the will of the voters of said area as to whether or not "The Whitehorse City Charter" should be brought into force such vote to be taken within the confines of said area on the
Given under my hand and seal of said Territory at Dawson, in the said Yukon Territory, thisday ofA. D. 1946.  Territorial Secretary.
Indorsement
Received the within writ on theday of, 1946.
Returning Officer

#### FORM B.

## OATH OF RETURNING OFFICER (Sec. 5)

appointed under the provis scite Ordinance, do solemni	Returning Officer sions of The Whitehorse Plebily swear that I will act faithfully tiality, fear, favour or affection.
Sworn before me at Whitehorse, in the	Returning Officer.
Tukon Territory, this (day of, 1946.)	Returning Officer.
Signature of Officer Admir	

## FORM C.

CERTIFICATE OF RETURNING OFFICER HAVING TAKEN

## OATH OF OFFICE ) Sec. 5)

I, the undersigned.......hereby certify that on the......day of......, 1946, the Returning Officer appointed under the provisions of "The Whitehorse Plebiscite Ordinance" took and subscribed before me the oath of office in such case required of a Returning Officer by Section 5 of said Ordinance.

In testimony whereof I have delivered to him this certificate.

## FORM D.

Appointment of Election Clerk )Sec. 6)
To, Whitehorse, Y. T.,
Know you that in my capacity of Returning Officer under "The Whitehorse Plebiscite Ordinance" I have appointed and do hereby appoint you to be my election clerk to act in that capacity according to law at the plebiscite or taking of a vote under the provisions of said Ordinance.
Given under my hand thisday of, A. D. 1946.
Returning Officer.
FORM E.
OATH OF ELECTION CLERK
I, the undersignedappointed election clerk, under the provisions of the Whitehorse Plebiscite Ordinance do solemnly swear that I will act faithfully in my said capacity of election clerk and also that of Returning Officer if required to act as such according to law without partiality, fear, favour or affection. So help me God.
Signature of Official Signature of Election Clerk. Administering Oath.

#### FORM F.

#### CERTIFICATE OF ELECTION CLERK HAVING TAKEN THE

#### OATH OF OFFICE

I, the undersigned, hereby certify that on the day of A. D. 1946, Election Clerk appointed under the provisions of the Whitehorse Plebiscite Ordinance took and subscribed before me the oath of office required in such case of an election clerk by the said Ordinance.

In witness whereof I have delivered to him this certificate under my hand.

Signature of Officer Administering Oath.

## FORM G.

## PROCLAMATION OF RETURNING OFFICER

#### PROCLAMATION

Yukon Territory (

Public notice is hereby given to the voters of Whitehorse, being the following described area: Lots One (1) to Four (4) both inclusive in Group (5) in the Yukon Territory as the same is shown upon a plan of survey of same regis-

tered in the Department of the Interior at Ottawa as No. 8406 and in addition that portion of the Right of Way of the British Yukon Railway Company and the water front and shoreline of the Lewes River lying between the extension easterly to the said Lewes River of the most southerly boundary of said Lots One (1) and Two (2) and the most northerly boundary of said Lots Three (3) and Four (4), that in obedience to the Whitehorse Plebiscite Ordinance I require the presence of said voters at a poll to be open and held on the day of A. D. 1946, from the hour of nine o'clock in the forenoon uuntil the hour of six o'clock in the afternoon in each of the following polling places, that is to say—

Polling Place No.	1at	<b></b>
<u> </u>	describe the polling station)	

and so continue for all other polling places in the said area.

to determine whether or not "An Ordinance to Incorporate the City of Whitehorse" shortly entitled "The Whitehorse City Charter" passed at the last session of the Yukon Council shall be brought into force.

The ballot to be used will be in the following form:

Ballot on the in- corporation of the	Are you in favour of the incorpora- tion of the City of Whitehorse as pro-	Yes	No
City of White	vided in "An Ordinance to incorporate		
horse under "The	the City of Whitehorse" passed at the		
Whitehorse Plebi-	last session of the Yukon Council?		
scite Ordinance."			

Of which all persons are hereby required to take notice and govern themselves accordingly.

Returning Officer.

## FORM H.

.Instruction For Voter Under Section\_12

RE MANNER OF VOTING UNDER THE WHITEHORSE

#### PLEBISCITE ORDINANCE

- 1. Every man or woman not being an Indian who is a British subject of the full age of twenty-one years and who is either:
  - (a) In his own right a freeholder within the area described in section 2 hereof; or
  - (b) A householder within said area who has resided therein for not less than six months previous to the polling day, and who pays a yearly rental of not less than \$200.00;

shall be entitled to vote.

- 2. No person other than those qualified shall be entitled to vote and no person shall vote more than once.
- 3. The voter on entering the polling booth shall state his name, occupation and residence to the Deputy Returning Officer, and after taking the oath of qualification as required by the abovementioned Ordinance and receiving a ballot as provided for the purpose of this plebiscite, the voter shall go to the compartment provided for the secret, marking of the ballot and with a pencil provided in the compartment if he so desires to vote in favour of the incorporation of the City of Whitehorse under the provisions of "The Whitehorse City Charter" as passed by the Yukon Council at its last session, mark with a cross, thus, "X" in the space underneath the word "Yes." If he desires to vote against such incorporation he shall mark the cross in the space beneath the word "No."
- 4. The voter shall, before leaving the compartment, fold up the ballot paper so as to show the initials of the Deputy Returning Officer on the back of it, and so that the

number on the counterfoil can be seen without opening it, and shall then leave the compartment, and, without showing the face of the ballot to anyone, shall deliver such ballot, so folded, to the Deputy Returning Officer, to be by him put in the proper ballot box in the presence of the voter, and shall then forthwith leave the polling place.

- 5. Every voter must answer the questions on the ballot paper in the manner above stated, either in the affirmative or the negative, and unless he so answers the same, his ballot will be treated as a spoiled ballot and will not be counted.
- 6. If the voter places on the ballot paper any mark other than such cross or any mark by which he can be identified, his ballot will be void and will not be counted.
- 7. If the voter inadvertantly spoils a ballot paper he shall return it to the Deputy Returning Officer, who will, if satisfied of such inadvertance, give him another ballot paper.
- 8. Any voter who fails to return to the Deputy Returning Officer the ballot paper handed him by such officer or hands the Deputy Returning Officer any paper other than the ballot paper so delivered to him or by any means causes to be put into the ballot box any other paper than the ballot handed him by the Deputy Returning Officer, shall be liable to a fine not exceeding five hundred dollars and costs, or to be imprisoned for a term not exceeding one year or both.
  - 9. The ballot to be used is in the following form:

Ballot on the in- corporation of the	Are you in favour of the incorpora- tion of the City of Whitehorse as	Yes	No.
City of White-	provided in "An Ordinance to incor-		-
horse under "The	porate the City of Whitehorse"		
Whitehorse Plebi-	passed at the last session of the Yu-		
scite Ordinance."	kon Council?		

## FORM I.

OATH OF DEPUTY RETURNING OFFICER (Section 15-1)
I, the undersigned, appointed Deputy Returning Officer for polling place numberof the proposed City of Whitehorse, do solemnly swear that I will act faithfully in my said capacity as Deputy Returning Officer without partiality, fear, favour or affection. So help me God.
Sworn before be at in the Yukon Territory, thisday of, A. D. 19
Signature of Deputy Returning Officer.
Signature of Officer Administering Oath.

227

## FORM J.

## POLL BOOK (Sec. 24)

Yukon Territory, District of Whitehorse.						Polling Place No			
Whitehorse Plebiscite held on the					the	day of A. D. 19			
No.	Name of Voter	Occupation of Voter	Residence of Voter	Sworn Form L.	If oath demanded on behalf of whom	Write the word "Sworn" or "Refused to Swear" as the case may be	Write the word "Voted" if ballot is placed in ballot box	Remarks as to employment of interpreter, spciled ballot papers, blind persons, ets.	Remarks at opening of poll.  Remarks as to the conduct of poll, examination of innercoom, etc.  Symmaty of Count of Bal'ots: Rejected ballots
th pr op th an th we ca	at the num's ovisions of ened the baserein and to that there we have there so mark st by which your of the estion subn	ber of bathe What llot box hat ther her were. et that a the int question witted.	allots ca itehorse for the e weresuch the inte- ient of t n submi	st at the Plebisci aforesai such ba ballots int of the he voter ited and	nd declary e polling p te Ordinan d polling c ballots the illots there therein; the voter usi had been	E: That the lace	e entries aon this rdinance the presence hare count and exan ots had bh	ting as Deput appearing in tday of respecting Ele ee cf nted the num ed the said een made pla ave been co	Counted in favour Counted not in favour Fotal ballots counted  y Returning Officer) for Polling his poll book are correctly maic.  19, according to the ections was

## FORM K.

## OATH OF POLL CLERK (Sec. 18)

polling place number of Whitehorse, do solem in my capacity as Poll ( Returning Officer if requi	, appointed Poll Clerk for, of the proposed City nly swear that I will act faithfully Clerk and also in that of Deputy red to act as such according to law favour or affection. So help me
Sworn before me at in the Yukon Territory, thisday of, A. D. 19	(

Signature of Poll Clerk.

Signature of Officer Administering the Oath

#### FORM L.

## OATH OF QUALIFICATION (Sec. 26)

You swear that you are legally qualified to vote upon this plebiscite, that you are a British subject of the full age of twenty-one years, that you are, either:

- (a) In your own right a freeholder within the area comprised within the limits of the proposed City of Whitehorse; or
- (b) A householder within such area and have resided therein for not less than six months previous to this date and pay a yearly rental of not less than \$200.00.

and that you have not voted before at this or any other polling place. So help you God.

# CHAPTER 10

## AN ORDINANCE TO AMEND "THE ASSESSMENT

## ORDINANCE."

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

- 1. Section 14 of "The Assessment Ordinance, being Chapter 5 of The Consolidated Ordinances of the Yukon Territory, 1914, and amending Ordinances, is hereby repealed and the following substituted therefor:
  - "14. There shall be levied and collected annually on every railway within the Yukon Territory a tax equal to \$125 per mile of railway actually operated."
- The said Ordinance is further amended by adding the following section immediately after section 56 therein: "56A." The provisions of this Ordinance in so far as they create a liability in any ratepayer in the area comprised or to be comprised in the City of Whitehorse for payment of rates, taxes and licenses hereunder to the Government of the Yukon Territory shall cease to have effect and shall become inoperative as and from the date upon which the City of Whitehorse shall or may become incorporated by proclamation of the Controller of the Yukon Territory. Forthwith after incorporation of the City o. Whitehorse as aforesaid the Territorial Treasure: shall refund to every ratepayer in said city the amount of any rates, taxes or licenses which he has paid in excess of the proportionate amount of same due and payable to the Government of the Yukor Territory calculated as at the date of said incorpor ation."

## CHAPTER 11

# AN ORDINANCE TO AMEND THE GASOLINE AND FUEL OIL TAX ORDINANCE."

(Assented to May 6th, 1946.)

The Commissioner of the Yukon Territory, by and with the advice and consent of the Council of said Territory, enacts as follows:

1. The "Gasoline and Fuel Oil Tax Ordinance," being Chapter 6 of The Ordinances of the Yukon Territory, 1940, and amending Ordinances, is hereby amended by striking out the definition of "gasoline" and "fuel oil" where the same appears in section 2 of said Ordinance and substituting the following therefor:

"Gasoline" means the liquid derived from petroleum or natural gas commonly known or sold as gasoline.

2. The said Ordinance is further amended by striking out the words or expressions "fuel oil," "and fuel oil" and "or fuel oil," wherever the same appear in any section of said Ordinance.

SUPPLY 23!

## CHAPTER 12

AN ORDINANCE FOR GRANTING TO THE COM-MISSIONER CERTAIN SUMS OF MONEY TO DEFRAY THE EXPENSES OF THE PUBLIC SERVICE OF THE YUKON TERRITORY AND THE CITY OF DAWSON.

(Assented to May 6th, 1946.)

Whereas, It appears by Message from George Allen Jeckell, Esquire, the Controller of the Yukon Territory, and in the Supplementary Estimates accompanying the same, that the sums hereinafter mentioned in Schedule "A" are required to defray certain further expenses of the Public Service of the Yukon Territory and the City of Dawson, and for the purposes relating thereto, for the year ended March 31st, 1946; and,

Whereas, It appears by Message from George Allen Jeckell, Esquire, the Controller of the Yukon Territory, and in the Estimates accompanying the same that the sums hereinafter mentioned in Schedule "B" to this Ordinance are required to defray certain expenses of the Public Service of the Yukon Territory, and for the purposes relating thereto, for the twelve months ending March 31st, 1947; and.

Whereas, It appears by Message from George Allen Jeckell, Esquire, the Controller of the Yukon Territory, and in the Estimates accompanying the same, that the sums hereinafter mentioned in Schedule "C" to this Ordinance are required to defray certain expenses of the Public Service of the City of Dawson, and for the purposes relating thereto, for the twelve months ending March 31st 1947;

The Controller of the Yukon Territory, by and with the advice and consent of the Council of said Territory, therefore enacts as follows:

- 1. From and out of the sums at the disposal of the Yukon Council there shall be paid and applied a further sum not exceeding in the whole five hundred and sixty thousand two hundred seventy dollars and eighteen cents for defraying the several charges and expenses of the Public Service of the Yukon Territory for the year ending March 31st, 1946, as set forth in Schedule "A" of this Ordinance; and from and out of the sums at the disposal of the Yukon Council there shall be paid and applied a further sum not exceeding in the whole one thousand five hundred and five dollars and ninety-two cents for defraying the several charges and expenses of the Public Service of the City of Dawson for the year ending March 31st, 1946, as set forth in Schedule "A" of this Ordinance.
- 2. From and out of the funds at the disposal of the Yukon Council there shall and may be paid and applied a sum not exceeding in the whole six hundred and two thousand seven hundred dollars for defraying the several charges and expenses of the Public Service of the Yukon Territory for the twelve months ending March 31st, 1947, as set forth in Schedule "B" of this Ordinance.
- 3. From and out of the funds at the disposal of the Yukon Council there shall and may be paid and applied a sum not exceeding forty-two thousand nine hundred dollars for defraying the several charges and expenses of the Public Service of the City of Dawson for the twelve months ending March 31st, 1947, as set forth in Schedule "C" of this Ordinance.
- 4. The due application of all moneys expended shall be duly accounted for.

## SCHEDULE "A"

Further sums granted to the Controller by this Ordinance for the twelve months ending March 31st, 1946, and for the purposes for which they are granted:

SCHOOLS:	
Generally\$ 451.79	
Dawson 486.79	
Destruction Bay	
Teslin	
Auto Transportation 978.00	
•	\$ 4,903.19
HOSPITALS, CHARITIES AND PUBLIC HEALTH	:
Public Health and Care In-	
digents\$ 3,463.75	
Whitehorse Public Cemetery 172.41	
<del></del>	3,636.16
MISCELLANEOUS:	
Printing and Stationery\$ 82.09	
Cost-of-Living Bonus	
Contingencies	
	17,140.58
ROADS	18,931.92
GOVERNMENT LIQUOR STORE ORDINANCE	515,658.33
	\$560,270.18
CITY OF DAWSON:	
Printing and Stationery\$ .52	
Streets and Sidewalks 1,030,82	
Cost-of-Living Bonus	
<del></del>	\$ 1,505.92

## SCHEDULE "B"

Sums granted to the Controller by this Ordinance for the twelve months ending March 31st, 1947, and the purposes for which they are granted:

## SALARIES AND TRAVELLING EXPENSES

Salaries\$ Accumulated Holiday allowance and gratuity, J. H. McNeill	3,365.00	
Travelling Expenses		\$ 15,365.00
		q. 13,003.00
YUKON COUN	CIL	
Sessional Indemnity and Trav-		
elling Expenses\$	1,450.00	
Election New Council	2,350.00	
<del></del>		3,800.00
SCHOOLS		
School Generally\$	5,325.00	
Dawson School	19,000.00	
St. Mary's School	3,600.00	
Whitehorse School	27,500.00	
Mayo School	4,010.00	
Carcross School	3,425.00	
Destruction Bay School	2,460.00	
Teslin School	2,460.00	
Auto Transportation	2,800.00	
_		70,580.90
HOSPITALS, CHARITIES AND	PUBLIC HI	EALTH
Grant, St. Mary's Hospital\$		
Grant, Whitehorse Hospital	25,000.00 	
Carried forward\$	97,000.00	\$ 89,745.00

Brought forward\$ Salary, Medical Health Officer and Services Indigents,	97,000.00	\$ 89,745.00
Dawson District	1,800.00	
Whitehorse District	1,200.00	
Public Nursing Service, Mayo Public Health and Care of In-	1,800.00	
digents	36,000.00	
Venereal Diseases Prevention Care Indigent Half-breed and	750.00	
White Children at St. Paul's Hostel	5,000.00	
Whitehorse Public Cemetery— Painting Fence	400.00	143,950.00
_		143,730.00
GRANTS		
Dawson Library and Reading Room\$	900.00	
Whitehorse Library and Read-	700.00	
ing Room	900.00	
Mayo Library and Reading Room	450.00	
Yukon Law Library Dawson Branch, B. CYukon	150.00	i
Chamber of Mines	750.00	
tion	500.00	
City of Dawson	18,000.00	
City of Whitehorse in re Incor-	•	
poration	10.000.00	
- · · · · · · · · · · · · · · · · · · ·		31,650.00
Carried forward		\$265,345.00

Brought forward	•••••	\$265,345.00
MISCELLANEOUS EX	PENDITURES	3
Torritorial Agant Whitehouse de	750.00	
Territorial Agent; Whitehorse\$ Town of Whitehorse		
	27,360.00	
Territorial Assay Office	5,700.00	1.
Printing and Stationery	4,000.00	•
Consolidation of Ordinances	5,000.00	
Cost-of-Living Bonus	9,000:00	
Contingencies	2,500.00	
Cost of Plebiscite re incorpora-	F45 00	
tion of City of Whitehorse	545.00	54 055 00
-		54,855.00
BOÜNTY ON WOLVES A	ND COYOTE	s
Bounty on Wolves and Coyotes		12,500.00
ROADS, BRIDGES AND P	UBLIC WORK	ζs
Ferry Service, Yukon River at		
. Dawson\$	5,000.00	
Dawson to Miller Creek and In-	2,000.00	
ternational Boundary	5,000.00	
Dawson to Granville via Domin-	3,000.00	
ion and Sulphur Creek Roads	11,000.00	
Bonanza, Eldorado, Quartz	11,000.00	
Creek and Indian River	4,000.00	
Klondike Road; Mouth of Hun-	1,000.00	
ker Creek to North Fork		
Ferry	3,500.00	
Clear Creek Road	2,000.00	
Completion of Road to connect	2,000.00	
Klondike Road with Clear		
Creek Road at Barlow	23,000.00	
	23,000.00	
Renewal and Repair Bridges,	25 000 00	
Mayo District	25,000.00	
Mayo District Roads	17,000.00	
Whitehorse District Roads	5,000.00	
Carried forward\$	100,500.00	\$332,700.00

Brought forward\$100,500.00	\$332,700.00
Road from Alaska Highway to	
Whitehorse Rapids 5,000.00	
Cverland Road, Dawson and Mayo to Alaska Highway,	
not otherwise provided 5,000.00	
Thistle Creek and Henderson	
Creek Roads	
Britannia and Canadian Creek	
Roads	
Maintenance Road Equipment,	
Garages, including gasoline	
and oils	
Sundry Roads and General Ex-	
penses	
Aviation Fields; Improvements	
and Maintenance	
Purchase of Equipment 116,150.00	
Tarenase of Equipment	270,000.00
Total Estimated Expenditure	\$602,700.00

## SCHEDULE "C"

## CITY OF DAWSON

Fire Department\$	15,831.00
Hydrant Service	14,469.00
Street Lighting	2,825.00
Printing and Stationery	
Salaries	1,120.00
Cost-of-Living Bonus to Em-	
ployees	450.00
Contingencies	100.00
Streets and Sidewalks	7,855.00
	\$ 42,900.00

3. In the event of there being a surplus of moneys standing to the credit of any item voted for Roads, Bridges and Public Works after the construction or repairs provided for have been completed to the satisfaction of the Superintendent of Works and Buildings, such surplus of moneys shall forthwith, on the acceptance of such works or repairs by the Controller of the Yukon Territory, be taken from said item and become part of and be added to the amount provided for Contingencies to such Roads, Bridges and Public Works, and shall thereafter be at the disposal of the Controller of the Yukon Territory for Roads, Bridges and Public Works.

INDEX 239.

# INDEX

#### TO

# **ORDINANCES OF 1946**

	Se	ction.	Page:
Motor Vehicle Ordinance The, amended.			
Section 2 amended-re "resident"	·	. 1	1
Section 4 amended, sub-section 4 added		. 2	1
Section 11A added—clearance lights			2
Mining Safety Ordinance, The.			_
Abandoned mines, fencing of	25	2 (1)	17
Abandonment, plans to be filed before	3!	5 (4)	110
Absence of hoistman	7	(2) a	8
Abstract of rules to be posted	25	(339)	101
Accident, Notice of, to be sent to Inspector	3	0: 31	106
Acids and poisons, storage of	25	(213)	77
Actual offender, only, liable		2 (2)	114
Additional penalty, for continuing offences		1 (2)	113
Age limit of hoistmen			10
Age specification re elevator and crane operators	Z5	(223)	79
"Agent" defined			4
Agent, liability of	4	1 (1)	112
Agents, statistical returns by			108
Aid to injured25	(31)	(32)	29
Air-break switches, when needed			93
Air compressed, transfer of liquids by			77
Air receivers			76
Annual report			112
Antidotes and washes			77
Apparatus, Rescue			78
Appliances, fire-fighting			96
Appliances, Safety2			57
Appliances, Safety, when not used2			58
Appliances on crosshead, Safety	25	(134)	55
Applicant de ned		9 (a)	11
Application of penalty sections		7 (4)	9
Approaches, track, guard rails at	25	(216)	78
Appointment of inspectors		3	7
Approved firing dev.ce			44
Arrester, lightning, g cund connections for	25	(256)	87
Arti cial grounds, location of	25	(254)	86
Asphyxiation	3	1 (f)	106
Attachments, examination of	25	(175)	66
Automatic safety devices			80
Automatic brake required2			60
Automatic operation of chairs			58
"Author zed" de ned		(A)	4
Authorized person in charge of conveyance2			59
Authorized person may give signals only	25	(190)	73
Auxiliary brake required			62
Auxiliary overwind device regulred			61
Back-out switch required on electric hoist25			60
Batteries, storage, protection of			88
Bare conductors, use of			91
20.0 0022201010, 436 01		(210)	<i>3</i> 1

Bells, code of signals		Section.	Page.
Belt, conveyor, problibition re riding on	Mining Safety Ordinance, The.		
Belt, conveyor, problibition re riding on	Bells, code of signals	5 (187)	71
Bins, storage, precautions re entering			
Blast, interval before return to scene of			77
Blasting approved device required	Blast, lowering men after2	5 (136)	55
Blasting detonators required   25 (79) (a)   42   Blasting, detconnection of electric current after   25 (89)   44   Blasting, electile, where required   25 (88)   44   Blasting, firing, required   25 (79) (b)   42   Blasting, guarding entrances near   25 (76)   41   Blasting, length of fuse   25 (77)   41   Blasting, length of fuse   25 (77)   41   Blasting, length of fuse   25 (77)   41   Blasting, machine, provision: re "battery" type   25 (91-94)   45   Blasting, machine, provision: re "battery" type   25 (91-94)   45   Blasting, missing holes to be reported and blasted   25 (82)   43   Blasting, number of men lights for   25 (82)   43   Blasting of roast heaps   25 (71)   41   Blasting, precautions re working places near   25 (84)   43   Blasting, safety fuse specifications   25 (80)   42   Blasting, safety fuse specifications   25 (80)   42   Blasting, time for   25 (119)   51   Blasting, ventilation after   25 (83)   43   Boilers and diesel engines, installing of   25 (21)   25   Boilers, maintenance of   25 (20)   76   Boilers, steam, opecifications re   25 (206)   76   Boilers, steam, specifications re   25 (206)   76   Book, Hoistman's Log   25 (185)   69   Book, Hoistman's Log   25 (185)   69   Book, Hoistman's Log   25 (185)   69   Book, auxiliary, required on certain types of hoist   25 (160)   62   Brakes and clutch interfocking   25 (185)   62   Brakes, automatic, required on electric hoists   25 (149-150)   Brakes required on hoisting device, type of   25 (149-150)   Brakes to be tested by hoist operator   25 (154) (c)   Breaker, circuit, required on electric hoists   25 (154) (c)   Breaker, circuit, required on electric hoist   25 (154) (c)   Breaker, precautions re hoisting person in   25 (166)   Breaker, precautions re hoisting person in   25 (166)   Buckets, precautions re lowering of   25 (137-8)   Buckets, precautions re lowering of   25 (137-8)   Buckets, precautions re lowering of   25 (139)   Buckets, precautions re lowering of   25 (139)   Buckets, precautions re lowering of   25 (13	Blast, interval before return to scene of	25 (78)	42
Blasting deconators required   25 (79) (a)   42   8   8   18   18   18   18   18   19   18   18			
Blasting   disconnection   of electric current after   25 (89)   44			_
Blasting, electric, where required			
Blasting, firing, required			
Blasting, guarding entrances near   25 (76)   41   Blasting, length of fuse   25 (77)   41   Blasting, highting of fust: for   25 81)   43   Blasting machine, provision: re "battery" type   25 (91-94)   45   Blasting, missing holes to be reported and blasted   25 (82)   43   Blasting on contiguous claims   25 (69)   40   Elasting of roast heeps   25 (71)   41   Blasting, precautions re working places near   25 (84)   43   Blasting, safety fuse specifications   25 (84)   43   Blasting, safety fuse specifications   25 (81)   51   Blasting, ventilation after   25 (83)   42   Blasting, ventilation after   25 (83)   43   Boilers and diesel engines, installing of   25 (21)   25   Boilers, inspector, to inspect annually   25 (206) (b)   76   Boilers steam, Ordinance to apply   25 (206c)   76   Boilers steam, ordinance to apply   25 (206c)   76   Book, Hoistman's Log   25 (86)   76   Book, Hoistman's Log   25 (86)   76   Bookleg holes   25 (74)   41   Box, junction, for electric cables   25 (326-7)   99   Brake, auxiliary, required on certain types of hoist   25 (152)   60   Brakes and clutch interfocking   25 (152)   60   Brakes required on hoisting device, type of   25 (149-150)   59   Brakes to be tested by hoist operator   25 (154) (a)   60   Breakers, circuit, required on electric hoists   25 (154) (a)   60   Breakers, circuit, required on electric hoists   25 (154) (a)   60   Breakers, circuit, required on electric hoists   25 (154) (a)   60   Breakers, circuit, orliage rating of   25 (328b)   100   Breaking through to mine workings   25 (160)   62   Buckets, precautions re hoisting person in   25 (145)   58   Buckets, precautions re hoisting person in   25 (161)   62   Buckets, precautions re dumping of   25 (137-8)   55   Buckets, precautions re lowering of   25 (137-8)   55   Buckets, precautions re lowering of   25 (137-8)   55   Buckets, shaft, use of   25 (136)   62   Buckets, shaft, use of   25 (136)   62   Buckets, precautions re lowering of   25 (137-8)   55   Buildings, proximity to mine entrance   25	Blasting, electric, where required	25 (88)	
Blasting, length of fuse	Blasting, hring, required	79) (b)	
Blasting machine, provision: re "battery" type	Blasting, guarding entrances near	25 (76) 95 (77)	
Blasting machine, provision: re "battery" type			
B asting, missing holes to be reported and blasted. 25 (85, 86) Blasting, number of men lights for	Blasting machine provision as "bettery" type	25 81)	
Blasting on contiguous claims			
Blasting of coast heeps			
Elasting of roast heaps			
Blasting, precautions re working places near 25 (84) 43 Blasting, safety fuse specifications 25 (80) 42 Blasting, time for 25 (119) 51 Blasting, ventilation after 25 (83) 43 Boilers and diesel engines, installing of 25 (21) 25 Boilers, inspector, to inspect annually 25 (206) (b) 76 Boilers, maintenance of 25 (207) 76 Boilers steam, Ordinance to apply 25 (206c) 76 Boilers, steam, specifications re 25 (206) 75 Book, Hoistman's Log 25 (185) 69 Bootleg holes 25 (74) 41 Box, junction, for electric cables 25 (326-7) 99 Brake, auxiliary, required on certain types of hoist 25 (160) 62 Brakes and clutch interlocking 25 (152) 60 Brakes, automatic, required on electric hoists 25 (154) (a) 60 Brakes required on hoisting device, type of 25 (149-150) 59 Brakes to be tested by hoist operator 25 (154) (c) 60 Breakers, circuit, required on electric hoist 25 (154) (c) 60 Breakers, circuit, voltage rating of 25 (328b) 100 Breaking through to mine workings 25 (113) 49 Bucket, and attachments to be approved by inspector 25 (166) 63 Buckets, precautions re hoisting person in 25 (147) 58 Buckets, precautions re hoisting person in 25 (147) 58 Buckets, precautions re dumping of 25 (139) 56 Buckets, precautions re dumping of 25 (139) 56 Buckets, precautions re dumping of 25 (137-8) 55 Buckets, shaft, use of 25 (136) 48 Buckets, sinking, level of load in 25 (135) 55 Buildings, entrances of electric supply lines to guarding 25 (324) 99 Buildings, proximity to mine entrance 25 (20) 25 Buildings to house power plant or hoist, notice required 33 (a) 108			
Blasting, safety fuse specifications   25 (80)   42   Blasting, time for   25 (119)   51   51   51   51   52 (83)   43   52 (83)   43   53   52 (83)   43   53   53   53   53   53   53   53			
Blasting, time for	Blasting, safety fuse specifications	25 (80)	
Blasting, ventilation after			
Boilers and diesel engines, installing of   25 (21)   25   Boilers, inspector, to inspect annually   25 (206) (b)   76   Boilers, maintenance of   25 (207)   76   Boilers steam, Ordinance to apply   25 (206c)   76   Boilers, steam, specifications re   25 (206)   75   Book, Hoistman's Log   25 (185)   69   Book, Junction, for electric cables   25 (326-7)   99   Brake, auxiliary, required on certain types of hoist   25 (160)   62   Brakes and clutch interlocking   25 (152)   63   Brakes, automatic, required on electric hoists   25 (154) (a)   60   Brakes required on hoisting device, type of   25 (149-150)   Brakes to be tested by hoist operator   25 (157)   61   Breaker, circuit, required on electric hoist   25 (154) (c)   60   Breakers, circuit, voltage rating of   25 (328b)   100   Breaking through to mine workings   25 (113)   49   Bucket, and attachments to be approved by inspector   25 (145)   58   Buckets, precautions re hoisting person in   25 (147)   58   Buckets, precautions re hoisting person in   25 (147)   58   Buckets, precautions re dumping of   25 (137-8)   56   Buckets, shaft, use of   25 (137-8)   55   Buildings, entrances of electric supply lines to guarding   25 (324)   99   Buildings, proximity to mine entrance   25 (20)   25   Buildings, proximity to mine entrance   25 (20)   25   Buildings to house power plant or hoist, notice required   33 (a)   108			43
Boilers, inspector, to inspect annually	Boilers and diesel engines, installing of	25 (21)	25
Boilers steam, Ordinance to apply			76
Boilers, steam, specifications re	Boilers, maintenance of25	5(207)	76
Boilers, steam, specifications re	Boilers steam, Ordinance to apply25	(206c)	76
Bootleg holes	Boilers, steam, specifications re25	5 (206)	
Box, junction, for electric cables			
Brake, auxiliary, required on certain types of hoist			
Brakes and clutch interlocking       25 (152)       6)         Brakes, automatic, required on electric hoists       25 (154)       (a)       60         Brakes required on hoisting device, type of       25 (149-150)       59         Brakes to be tested by hoist operator       25 (157)       61         Breaker, circuit, required on electric hoist       25 (154)       (c)       60         Breakers, circuit, veluined on electric hoist       25 (154)       (c)       60         Breakers, circuit, veluined on electric hoist       25 (154)       (c)       60         Breakers, circuit, veluined on electric hoist       25 (328b)       100         Breakers, circuit, veluined on electric hoist       25 (328b)       100         Breakers, circuit, veluined on electric hoist       25 (328b)       100         Breakers, circuit, veluined on electric simply electric simply electric simply       58         Bucket, and attachments to be approved by inspector       25 (145)       58         Buckets, examination of       25 (166)       63         Buckets, precautions re hoisting person in       25 (147)       58         Bucket, position of, to be shown by reliable depth indicator       25 (139)       56         Buckets, precautions re dumping of       25 (137-8)       55         Bucket			
Brakes, automatic, required on electric hoists 25 (154) (a)  Brakes required on hoisting device, type of 25 (149-150) 59  Brakes to be tested by hoist operator			
Brakes required on hoïsting device, type of	Brakes and clutch interlocking	(152)	
Brakes to be tested by hoist operator.       25 (157)       61         Breaker, circuit, required on electric hoist.       25 (154) (c)       60         Breakers, circuit, voltage rating of.       25 (328b)       100         Breaking through to mine workings.       25 (113)       49         Bucket, and attachments to be approved by inspector.       25 (145)       58         Buckets, examination of.       25 (166)       63         Buckets hoisting men and materials simultaneously.25 (146)       58         Buckets, precautions re hoisting person in.       25 (147)       58         Bucket, position of, to be shown by reliable depth indicator.       25 (161)       62         Buckets, precautions re dumping of.       25 (139)       56         Buckets, precautions re dumping of.       25 (139)       56         Buckets, precautions re lowering of.       25 (137-8)       55         Buckets, shaft, use of.       25 (105)       48         Bucket, sinking, level of load in.       25 (135)       55         Buildings, entrances of electric supply lines to       25 (324)       99         Buildings, proximity to mine entrance.       25 (20)       25         Buildings to house power plant or hoist, notice       23 (20)       25			
Breaker, circuit, required on electric hoist       25 (154) (c)       60         Breakers, circuit, voltage rating of       25 (328b)       100         Breaking through to mine workings       25 (113)       49         Bucket, and attachments to be approved by inspector       25 (145)       58         Buckets, examination of       25 (166)       63         Buckets hoisting men and materials simultaneously       25 (146)       58         Buckets, precautions re hoisting person in       25 (147)       58         Bucket, position of, to be shown by reliable depth indicator       25 (161)       62         Buckets, precautions re dumping of       25 (139)       56         Buckets, precautions re dowering of       25 (139)       55         Buckets, shaft, use of       25 (105)       48         Bucket, sinking, level of load in       25 (135)       55         Buildings, entrances of electric supply lines to       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice       23 (a)       108	Brakes to be tested by heist operator 95	43-130) (157)	
Breakers, circuit, voltage rating of       25 (328b)       100         Breaking through to mine workings       25 (113)       49         Bucket, and attachments to be approved by inspector       25 (145)       58         Buckets, examination of       25 (166)       63         Buckets, parcautions re hoisting person in       25 (147)       58         Buckets, precautions re hoisting person in       25 (147)       58         Bucket, position of, to be shown by reliable depth indicator       25 (161)       62         Buckets, precautions re dumping of       25 (139)       56         Buckets, precautions re lowering of       25 (137-8)       55         Buckets, shaft, use of       25 (105)       48         Bucket, sinking, level of load in       25 (135)       55         Buildings, entrances of electric supply lines to guarding       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice       27 (20)       25         Buildings       25 (20)       25          Buildings       23 (3)       108	Breaker circuit required on electric hoist 25 (15	(101) (4) (c)	
Breaking through to mine workings	Breakers circuit voltage rating of 25	(328b)	
Bucket, and attachments to be approved by inspector	Breaking through to mine workings	(113)	
tor	Bucket, and attachments to be approved by inspec-	<b>\</b> ,	
Buckets, examination of       25 (166)       63         Buckets hoisting men and materials simultaneously25 (146)       58         Buckets, precautions re hoisting person in		(145)	58
Buckets hoisting men and materials simultaneously25 (146)       58         Buckets, precautions re hoisting person in			63
Bucket, position of, to be shown by reliable depth indicator       25 (161)       62         Buckets, precautions re dumping of       25 (139)       56         Buckets, precautions re lowering of       25 (137-8)       55         Buckets, shaft, use of       25 (105)       48         Bucket, sinking, level of load in       25 (135)       55         Buildings, entrances of electric supply lines to guarding       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice required       33 (a)       108			58
Bucket, position of, to be shown by reliable depth indicator       25 (161)       62         Buckets, precautions re dumping of       25 (139)       56         Buckets, precautions re lowering of       25 (137-8)       55         Buckets, shaft, use of       25 (105)       48         Bucket, sinking, level of load in       25 (135)       55         Buildings, entrances of electric supply lines to guarding       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice required       33 (a)       108	Buckets, precautions re hoisting person in25	(147)	58
Buckets, precautions re dumping of	Bucket, position of, to be shown by reliable depth ind	.i-	
Buckets, precautions re lowering of       25 (137-8)       55         Buckets, shaft, use of       25 (105)       48         Bucket, sinking, level of load in       25 (135)       55         Buildings, entrances of electric supply lines to guarding       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice required       33 (a)       108	cator25	(161)	
Buckets, shaft, use of       25 (105)       48         Bucket, sinking, level of load in       25 (135)       55         Buildings, entrances of electric supply lines to guarding       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice required       33 (a)       108	Buckets, precautions re dumping of25	(139)	
Bucket, sinking, level of load in	Buckets, precautions re lowering of25	(137-8)	
Buildings, entrances of electric supply lines to guarding       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice required       33 (a)       108	Buckets, shaft, use of25	(105)	
guarding       25 (324)       99         Buildings, proximity to mine entrance       25 (20)       25         Buildings to house power plant or hoist, notice       33 (a)       108	Bucket, sinking, level of load in	(135)	55
Buildings, proximity to mine entrance	Buildings, entrances of electric supply lines to	(224)	0.0
Buildings to house power plant or hoist, notice required			
required33 (a) 108	Buildings to house nower plant or hoist notice	0 (20)	20
Bulkhead, failure of	required	33 (a)	108
	Bulkhead, failure of	31 (c)	

Mining Safety Ordinance, The.	Section.	Page.
Burning, shields for protection against	25 (219)	78
Cables and circuit-breakers underground, rating		
of25	(328) (a)	99
Cables, examination of25		63-64
Cables, fring	25 (93)	4.5
Cable, history of to be kept	25 (170)	65
Cables, length of		65
Cables, manufacturers' certificate re		65
Cables, shot-firing and power, precautions re		45
Cables, spliced, not to be used for hoisting	25 (171)	65
Cables, weight of load when in use	25 (173)	65
Cabinets, fire-proof		94
Cabinets for switchboards, panels, etc		95
Cage, construction and equipment of	25 (141-2)	56
Cage, precautions re operating of	25 (143-5)	57-58
Cage, prohibitions re use of		58-59
Cages, when required	25 (140)	<b>5</b> 6
Cancellation of Chief Inspector's Order.	(	
Capacity of fuses	25 (299)	94
Carbide, storage of25 (		22
Cars, electrical connections on2		98
Cars, equipment of		73
Cars, clearance provisions re		74
Cars, riding on, prohibited		73
Catches, safety—on elevators		۲3
Caving of mine workings		106
Certificate as to inflammable refuse		21
Certificate, custody of various types of	16	15
Certificate endorsed, meaning of		11
Certificate, examination of unemployed holder of.		14
Certificate, exemptions re	17	15
Certificate, extended meaning of		11
expiry of initial or extended		15
expiry of any, after three years' unem		15
ployment		15 15
expiry of endorsed		13 12
expiration of		11
initial meaning of		10
medical, hoistman to be holder of		11
meaning of, for certain purposes Miners, meaning of		12
Certificate of Inspector conclusive, whe		9
Provincial, effect of		16
regulations re		16
record of subsisting, to be kept		10
renewed, meaning of		12
re examination of holder of initial		13
re examination of holder of endorsed		14
re examination of holder of miners te		11
of		12
Children, restriction on employment of		7
Circuit-breaker defined25		81
Circuit-breaker required on electric hoists		60
Circuits, to be grounded		84
Claims, damage to other, prohibited	27	102
- ', *		

Corner, Duties re inquest         23         17           Conveyance of injured persons, stretchers for         25 (31)         29           Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (318-19)         98           Crane-collector wires, guarding of         25 (315)         97           Cranes, daily examination of         25 (227)         79           Crane operators age restriction         25 (223)         79           Crosshead, when required         25 (134)         55           Current, electric when used in blasting         25 (134)         55           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-262)         87-88           Custody of certificates         16         15           Cut-out defined         25 (237)         (a)         81           Cut-outs, fusible         25 (296-99)         94           Cut-outs, installation of         25 (281)         91           Cut-outs, when to be omitted         25 (276-304-311)91-95-96      <	Mining Safety Ordinance, The.	Section	Page.
Clearance of e.ectrical supply lines	Clearance, in mechanical haulage underground.	25 (194)	74
Clearance in elevator installation   25 (232)   80   Clothing, loose, prohibition re.   25 (200)   75   Clutch. friction   25 (1518)   61   Clutch. gear on drums   25 (151-3)   60   Code, of signals   25 (151-3)   60   Code, of signals   25 (151-3)   60   Committee appointed by Controller, re connecting nines   25 (30.b.)   28   Common roadway, party wall to be used as   28   103   Compartments, shaft or winze   25 (101-5)   47-48   Compartments, separate signal system for each   25 (183)   68   Compliance with Ordinance, inquiry as to   36 (1.a.)   111   Compressed air, transfer of liquid fuel by   25 (25)   26   Conductors, bare   25 (279   91   insulation of   25 (277)   91   isolating   25 (278)   319-97   portable and pendant   25 (317)   97   protection of   25 (275)   90   Conduits for cables, required   25 (333)   101   grounding of   25 (333)   101   grounding of   25 (333)   101   Connection between mines   25 (332)   100   Connection between mines   25 (332)   100   Connections, to switches   25 (283-4)   92   Construction of electrical supply lines   25 (322-335)   98-101   Contractors and sub-contractors, liability of   24 (5)   20   Control levers, arrangement of   25 (195)   74   Controller defined   26 (23)   13   Control levers, arrangement of   25 (331)   26   Control levers, arrangement of   25 (331)   27   Controller defined   26 (23)   18   Counterweights, generally   25 (181)   68   Corner, Duties re inquest   25 (231-9)   30   Control levers in inquest   25 (331-9)   30   Control levers and elevators, electrical connections on   25 (331-9)   30   Counterweights, situation and guarding of   25 (231)   30   Counterweights, situation an			
Clothing, loose, prohibition re.			
Clutch, friction			
Clutch, gear on drums			61
Committee appointed by Controller, re connecting   nines   25 (30.b.)   28   Common roadway, party wall to be used as   28   103   Compartments, shaft or winze   25 (101.5)   47.48   Compartments, shaft or winze   25 (101.5)   47.48   Compartments, separate signal system for each.   25 (113.3)   68   Compliance with Ordinance, inquiry as to   36 (1.a)   111   Compressed air, transfer of liquid fuel by   25 (25)   26   26   26   26   27   91   27   27   27   27   28   28   27   91   28   28   29   29   29   27   29   29   29   29			60
mines	Code, of signals	25 (187)	71
Compartments, shaft or winze			28
Compartments, separate signal system for each 25 (183) 68 Compilance with Ordinance, inquiry as to 36 (1.a) 111 Compressed air, transfer of liquid fuel by 25 (25) 26 Conductors, bare 25 (279 91	Common roadway, party wall to be used as	28	103
Compartments, separate signal system for each 25 (183) 68 Compilance with Ordinance, inquiry as to 36 (1.a) 111 Compressed air, transfer of liquid fuel by 25 (25) 26 Conductors, bare 25 (279 91	Compartments, shaft or winze	25 (101-5)	47-48
Compressed air, transfer of liquid fuel by 25 (25) 26 Conductors, bare 25 (277) 91 insulation of 25 (277) 91 isolating 25 (278) (313) 91-97 portable and pendant 25 (317) 97 protection of 25 (275) 90 Conduits for cables, required 25 (331) 110 grounding of 25 (333) 131 for lighting circuit 25 (332) 100 Confidential information, plans to be treated as 35 (6) 110 Connection between mines 25 (36) 27 rope 25 (165) 63 when switches 25 (294) 93 when switches 25 (294) 93 when switches required 25 (283-4) 92 Construction of electrical supply fines 25 (322-335) 98-101 Contractors and sub-contractors, liability of 24 (5) 20 Control levers, arrangement of 25 (195) 74 Controller defined 2 (20) 5 (20) 17 (20			68
Compressed air, transfer of liquid fuel by 25 (25) 26 Conductors, bare 25 (277) 91 insulation of 25 (277) 91 isolating 25 (278) (313) 91-97 portable and pendant 25 (317) 97 protection of 25 (275) 90 Conduits for cables, required 25 (331) 110 grounding of 25 (333) 131 for lighting circuit 25 (332) 100 Confidential information, plans to be treated as 35 (6) 110 Connection between mines 25 (36) 27 rope 25 (165) 63 when switches 25 (294) 93 when switches 25 (294) 93 when switches required 25 (283-4) 92 Construction of electrical supply fines 25 (322-335) 98-101 Contractors and sub-contractors, liability of 24 (5) 20 Control levers, arrangement of 25 (195) 74 Controller defined 2 (20) 5 (20) 17 (20	Compliance with Ordinance, inquiry as to	36 (1.a)	111
insulation of			26
isolating portable and pendant	Conductors, bare	25 (279	91
portable and pendant	insulation of	25 (277)	91
Protection of   25 (275)   90	isolating25	(278) (313)	91-97
Conduits for cables, required grounding of 25 (331) 131 grounding of 25 (332) 100			97
Grounding of   25 (333)   101   10	protection of	25 (275)	90
for lighting circuit	Conduits for cables, required	25 (331)	110
Confidential information, plans to be treated as	grounding of	25 (333)	101
Connection between mines	for lighting circuit	25 (332)	100
Connections, to switches	Confidential information, plans to be treated as	35 (6)	110
Connections, to switches   25 (294)   93   when switches required   25 (283-4)   92   Construction of electrical supply lines   25 (322-335)   98-101   Contiguous claims, blasting on   25 (69)   40   offence, additional penalty for   41 (3)   113   Contractors and sub-contractors, liability of   24 (5)   20   Control levers, alrangement of   25 (195)   74   Controller defined   2 (c)   5   Controller may direct inquest   23 (b)   18   Counterweights, generally   25 (181)   68   Corner, Duties re inquest   23 (17 (20 (20 (20 (20 (20 (20 (20 (20 (20 (20	Connection between mines	25 (30)	27
when switches required         25 (283-4)         92           Construction of electrical supply lines         25 (322-335)         98-101           Contiguous claims, blasting on         25 (69)         40           offence, additional penalty for         41 (3)         113           Contractors and sub-contractors, liability of         24 (5)         20           Control levers. arrangement of         25 (195)         74           Controller defined         2 (c)         5           Controller may direct inquest         23 (b)         18           Counterweights, generally         25 (181)         68           Corner, Duties re inquest         23 (17)         25 (181)         68           Corner, Duties re inquest         25 (181)         68           Conveyance of injured persons, stretchers for         25 (31)         29           Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (234)         80           Counterweights, situation and guarding of         25 (318-19)         98           Cranes and elevators, electrical connections on         25 (318-19)         98           Cranes, daily examination of         25 (315)         97           Cranea, daily examination of <td>rope</td> <td>25 (165)</td> <td>63</td>	rope	25 (165)	63
Construction of electrical supply lines	Connections, to switches	25 (294)	93
Contiguous claims, blasting on offence, additional penalty for 41 (3) 113  Contractors and sub-contractors, liability of 24 (5) 20  Control levers. arrangement of 25 (195) 74  Controller defined 2 (c) 5  Controller may direct inquest 23 (b) 18  Counterweights, generally 25 (181) 68  Corner, Duties re inquest 23 (17)  Conveyance of injured persons, stretchers for 25 (31) 29  Counterweights, protection of 25 (234) 80  Counterweights, situation and guarding of 25 (203) 75  Court 2 (d) 5  Cranes and elevators, electrical connections on 25 (318-19) 98  Crane-collector wires, guarding of 25 (227) 79  Cranea, daily examination of 25 (227) 79  Cranea operators-age restriction 25 (233) 54  Crosshead, when required 25 (133) 54  Current, electric when used in blasting 25 (88-94) 44-45  Current-carrying parts, rules re 25 (259-262) 87-88  Cut-out defined 25 (237) (a) 81  Cut-out defined 25 (296-99) 94  Cut-outs, fusible 25 (296-99) 94  Cut-outs, installation of 25 (276-304-311)91-95-96  Dam. meaning of 25 (35) 30	when switches required	25 (283-4)	92
Contiguous claims, blasting on offence, additional penalty for 41 (3) 113  Contractors and sub-contractors, liability of 24 (5) 20  Control levers. arrangement of 25 (195) 74  Controller defined 2 (c) 5  Controller may direct inquest 23 (b) 18  Counterweights, generally 25 (181) 68  Corner, Duties re inquest 23 (17)  Conveyance of injured persons, stretchers for 25 (31) 29  Counterweights, protection of 25 (234) 80  Counterweights, situation and guarding of 25 (203) 75  Court 2 (d) 5  Cranes and elevators, electrical connections on 25 (318-19) 98  Crane-collector wires, guarding of 25 (227) 79  Cranea, daily examination of 25 (227) 79  Cranea operators-age restriction 25 (233) 54  Crosshead, when required 25 (133) 54  Current, electric when used in blasting 25 (88-94) 44-45  Current-carrying parts, rules re 25 (259-262) 87-88  Cut-out defined 25 (237) (a) 81  Cut-out defined 25 (296-99) 94  Cut-outs, fusible 25 (296-99) 94  Cut-outs, installation of 25 (276-304-311)91-95-96  Dam. meaning of 25 (35) 30	Construction of electrical supply lines	25 (322-335)	98-101
Contractors and sub-contractors, liability of			40
Contractors and sub-contractors, liability of			113
Control levers. alrangement of         25 (195)         74           Controller defined         2 (c)         5           Controller may direct inquest         23 (b)         18           Counterweights, generally         25 (181)         68           Corner, Duties re inquest         23 17           Conveyance of injured persons, stretchers for         25 (31)         29           Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (315)         97           Crane-collector wires, guarding of         25 (315)         97           Crane-a, daily examination of         25 (227)         79           Crane operators age restriction         25 (223)         79           Crosshead, when required         25 (133)         54           Crosshead, safety appliance on         25 (134)         55           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-262)         87-85           Cut-out defined         25 (237)         (a)         81           Cu			20
Controller may direct inquest         23 (b)         18           Counterweights, generally         25 (181)         68           Corner, Duties re inquest         23 17           Conveyance of injured persons, stretchers for         25 (31)         29           Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (318-19)         98           Crane-collector wires, guarding of         25 (315)         97           Cranea, daily examination of         25 (227)         79           Crane operators-age restriction         25 (223)         79           Crosshead, when required         25 (133)         54           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-262)         87-88           Custody of certificates         16         15           Cut-out defined         25 (237)         (a)         81           Cut-out, fusible         25 (296-99)         94           Cut-outs, installation of         25 (276-304-311)91-95-96           Dam. meaning of </td <td></td> <td></td> <td>74</td>			74
Counterweights, generally         25 (181)         68           Corner, Duties re inquest         23 17           Conveyance of injured persons, stretchers for         25 (31)         29           Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (318-19)         98           Crane-collector wires, guarding of         25 (315)         97           Cranes, daily examination of         25 (227)         79           Croase operators age restriction         25 (223)         79           Crosshead, when required         25 (133)         54           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-94)         44-45           Cut-off holes, examination for explosives in         25 (87)         44           Cut-out defined         25 (296-99)         94           Cut-outs, installation of         25 (296-99)         94           Cut-outs, when to be omitted         25 (276-304-311)91-95-96           Dam. meaning of         25 (35)         30			5
Counterweights, generally         25 (181)         68           Corner, Duties re inquest         23 17           Conveyance of injured persons, stretchers for         25 (31)         29           Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (318-19)         98           Crane-collector wires, guarding of         25 (315)         97           Cranes, daily examination of         25 (227)         79           Croase operators age restriction         25 (223)         79           Crosshead, when required         25 (133)         54           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-94)         44-45           Cut-off holes, examination for explosives in         25 (87)         44           Cut-out defined         25 (296-99)         94           Cut-outs, installation of         25 (296-99)         94           Cut-outs, when to be omitted         25 (276-304-311)91-95-96           Dam. meaning of         25 (35)         30	Controller may direct inquest	23 (b)	18
Conveyance of injured persons, stretchers for         25 (31)         29           Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (318-19)         98           Crane-collector wires, guarding of         25 (315)         97           Cranes, daily examination of         25 (227)         79           Crane operators age restriction         25 (223)         79           Crosshead, when required         25 (133)         54           Crosshead, safety appliance on         25 (133)         54           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-262)         87-83           Custody of certificates         16         15           Cut-out defined         25 (237)         (a)         81           Cut-out, fusible         25 (296-99)         94           Cut-outs, installation of         25 (276-304-311)91-95-96           Dam. meaning of         25 (35)         30			68
Counterweights, protection of         25 (234)         80           Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (318-19)         98           Crane-collector wires, guarding of         25 (315)         97           Cranea, daily examination of         25 (227)         79           Crane operators age restriction         25 (223)         79           Crosshead, when required         25 (133)         54           Crosshead, safety appliance on         25 (134)         55           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-262)         87-88           Custody of certificates         16         15           Cut-off holes, examination for explosives in         25 (87)         44           Cut-out defined         25 (237) (a)         81           Cut-outs, fusible         25 (296-99)         94           Cut-outs, installation of         25 (276-304-311)91-95-96           Dam. meaning of         25 (35)         30	Corner, Duties re inquest	23	17
Counterweights, situation and guarding of         25 (203)         75           Court         2 (d)         5           Cranes and elevators, electrical connections on         25 (318-19)         98           Crane-collector wires, guarding of         25 (315)         97           Cranea, daily examination of         25 (227)         79           Crane operators age restriction         25 (223)         79           Crosshead, when required         25 (133)         54           Crosshead, safety appliance on         25 (134)         55           Current, electric when used in blasting         25 (88-94)         44-45           Current-carrying parts, rules re         25 (259-262)         87-88           Custody of certificates         16         15           Cut-off holes, examination for explosives in         25 (87)         44           Cut-out defined         25 (237) (a)         81           Cut-outs, fusible         25 (296-99)         94           Cut-outs, installation of         25 (276-304-311)91-95-96           Dam. meaning of         25 (35)         30	Conveyance of injured persons, stretchers for	25 (31)	29
Court         2 (d)         5           Cranes and elevators, electrical connections on .25 (318-19)         98           Crane-collector wires, guarding of	Counterweights, protection of	25 (234)	80
Cranes and elevators, electrical connections on	Counterweights, situation and guarding of	25 (203)	75
Crane-collector wires, guarding of         .25 (315)         97           Cranes, daily examination of         .25 (227)         79           Crane operators-age restriction         .25 (223)         79           Crosshead, when required         .25 (133)         54           Crosshead, safety appliance on         .25 (134)         55           Current, electric when used in blasting         .25 (88-94)         44-45           Current-carrying parts, rules re         .25 (259-262)         87-88           Custody of certificates         .16         15           Cut-off holes, examination for explosives in         .25 (87)         44           Cut-out defined         .25 (237) (a)         81           Cut-outs, fusible         .25 (296-99)         94           Cut-outs, installation of         .25 (276-304-311)91-95-96           Dam. meaning of         .25 (35)         30	Court	2 (d)	5
Cranes, daily examination of       25 (227)       79         Crane operators age restriction       25 (223)       79         Crosshead, when required       25 (133)       54         Crosshead, safety appliance on       25 (134)       55         Current, electric when used in blasting       25 (88-94)       44-45         Current-carrying parts, rules re       25 (259-262)       87-83         Custody of certificates       16       15         Cut-off holes, examination for explosives in       25 (87)       44         Cut-out defined       25 (237) (a)       81         Cut-outs, fusible       25 (296-99)       94         Cut-outs, installation of       25 (281)       91         Cut-outs, when to be omitted       25 (276-304-311)91-95-96         Dam. meaning of       25 (35)       30	Cranes and elevators, electrical connections on	25 (318-19)	98
Crane operators age restriction       25 (223)       79         Crosshead, when required       25 (133)       54         Crosshead, safety appliance on       25 (134)       55         Current, electric when used in blasting       25 (88-94)       44-45         Current-carrying parts, rules re       25 (259-262)       87-88         Custody of certificates       16       15         Cut-off holes, examination for explosives in       25 (87)       44         Cut-out defined       25 (237) (a)       81         Cut-outs, fusible       25 (296-99)       94         Cut-outs, installation of       25 (276-304-311)91-95-96         Dam. meaning of       25 (35)       30			
Crosshead, when required       25 (133)       54         Crosshead, safety appliance on       25 (134)       55         Current, electric when used in blasting       25 (88-94)       44-45         Current-carrying parts, rules re       25 (259-262)       87-88         Custody of certificates       16 15       15         Cut-off holes, examination for explosives in       25 (87)       44         Cut-out defined       25 (237) (a)       81         Cut-outs, fusible       25 (296-99)       94         Cut-outs, installation of       25 (281)       91         Cut-outs, when to be omitted       25 (276-304-311)91-95-96         Dam. meaning of       25 (35)       30	Cranes, daily examination of	25 (227)	79
Crosshead, safety appliance on       25 (134)       55         Current, electric when used in blasting       25 (88-94)       44-45         Current-carrying parts, rules re       25 (259-262)       87-88         Custody of certificates       16       15         Cut-off holes, examination for explosives in       25 (87)       44         Cut-out defined       25 (237) (a)       81         Cut-outs, fusible       25 (296-99)       94         Cut-outs, installation of       25 (281)       91         Cut-outs, when to be omitted       25 (276-304-311)91-95-96       Dam. meaning of       25 (35)       30	Crane operators-age restriction	25 (223)	79
Current, electric when used in blasting       25 (88-94)       44-45         Current-carrying parts, rules re       25 (259-262)       87-88         Custody of certificates       16       15         Cut-off holes, examination for explosives in       25 (87)       44         Cut-out defined       25 (237)       (a)       81         Cut-outs, fusible       25 (296-99)       94         Cut-outs, installation of       25 (281)       91         Cut-outs, when to be omitted       25 (276-304-311)91-95-96         Dam. meaning of       25 (35)       30	Crosshead, when required	25 (133)	54
Current-carrying parts, rules re	Crosshead, safety appliance on	25 (134)	55
Custody of certificates     16       Cut-off holes, examination for explosives in     25 (87)       Cut-out defined     25 (237)       Cut-outs, fusible     25 (296-99)       Cut-outs, installation of     25 (281)       Cut-outs, when to be omitted     25 (276-304-311)91-95-96       Dam. meaning of     25 (35)	Current, electric when used in blasting	25 (88-94)	44-45
Cut-off holes, examination for explosives in	Current-carrying parts, rules re	25 (259-262)	
Cut-out defined       25 (237) (a)       81         Cut-outs, fusible       25 (296-99)       94         Cut-outs, installation of       25 (281)       91         Cut-outs, when to be omitted       25 (276-304-311)91-95-96         Dam. meaning of       25 (35)       30			
Cut-outs, fusible       .25 (296-99)       94         Cut-outs, installation of       .25 (281)       91         Cut-outs, when to be omitted       .25 (276-304-311)91-95-96         Dam. meaning of       .25 (35)       30			
Cut-outs, installation of       25 (281)       91         Cut-outs, when to be omitted       25 (276-304-311)91-95-96         Dam. meaning of       25 (35)       30			
Cut-outs, when to be omitted	Cut-outs, fusible	25 (296-99)	94
Dam, meaning of	Cut-outs, installation of	25 (281)	91
Dam, meaning of	Cut-outs, when to be omitted29	5 (276-304-311	)91-95-96
Dam, rules as to location and construction of25 (35).	Dam, meaning of	25 (35)	30
	Dam, rules as to location and construction of	25 (35)	. 30

	Section.	Page
Mining Safety Ordinance, The.		•
Dam, failure of, procedure in re	31 (c)	100
Damage to property		101
Damage to other claims		102
Danger signal		71
Defeats, mechanical to be remedied immediate		64
Defective explosives to be reported		32
Detonator required		42
Detonators, storage of		35
Detonators, transportation of		6.3
Devices, automatic safety, on elevators		80
firing		44
overwinding		79
warning		79
Diesel engines, installation of		25 ⊿5
Direct current, blacking by		98
Disconnections for cars and cranes		94
Disconnection of electric current		81
Disconnector, specimeation re		92
Disposal of explosives at shut down mine		36
Doors, cage, specifications re		57
Doors, cage, to be kept closed		57
Diessing 100m, provisions for		32
Drifts, protection of workmen in		46
Drill holes, size of		41
Drill holes, precautions when intersecting		51
Drilling, procedure before		49
Drinking water, supply to be adequate		32
Drum, brake and clutch provision re		60-61
examination of		63
flanges on, to prevent spilling	25 (164)	63
hoist, counterweight cable to be attached		68
indicator provisions re		62
length of rope required on	25 (172)	65
Drunkenness	25 (338)	101
Due warning of blasting	25 (75)	41
Dust caused by drilling, laying of		51
Dust exposure, Occupation, definition of		11
Dust exposure, Occupation, certificate before		
ployment in		12
Dust, removal of		77
Duties of Coroner		17
Duties of Inspectors	36	111
Duties of Medical Officer	9.g.	11
Duties of Mine Manager re accident		18
Duty of Mine official re accident, etc		106
closing down of n	_	107
tions		107
general informati	, ,	108
power installation resumption after		108
ed operations		108
rock bursts		108
statistical returns		107
Duty of various mine officials and workmen as		100
edge of rules31, 24 ((3)		19-20

Section.	Page.
Mining Safety Ordinance, The.	
Duty of owner to furnish plans	109
Electric fixtures, installation of	96
Electric hoists, installation and equipment of 25 (154-165)	61-62-63
Electric ho'sts, rules governing	1'1
E'ectric signal system, arrangement of	68
Electric signals, code of	71
be in charge of	83
Electrical apparatus, method of grounding	84
Electrical continuity, use of cut-out to break	81
Flectrical energy, utilization of25 (237) (1)	82
Electrical equipment, general requirements	83
capacity of ground conductor	
for25 (249)	85
guarding or isolating25 (259-262)	87-88
identification of, for safety25 (243)	84
inspections and repairs25 (241)	84
to be grounded	84
working space about	87
installations, fire protection of	100 90
protection of conductors	81
Supply Station inaccession to unauthorized	01
persons25 (239)	83
wiring, precautions re	101
Electricity, Rules governing use of	81-101
in explosive storage places25 (60-61)	37
used in generating heat—in re explosives25 (62)	38
used in firing blasting charges25 (78b)	42
Elevators and hoists	79-81
Elevators, automatic safety devices on25 (233)	80
clearance for	80
disconnections for25 (318)	98
protection of, from counterweights25 (234)	80
protection on25 (235)	
safety catches on25 (236)	
Emergencies 7 (1-b) (2-c)	
Emergency lighting for supply stations	
Emergency switch required near operator	
Employees, responsibility as to qualifications of	
Employment of children	
girls and women5 (3)	
Endorsed certificate, meaning of	
duty of holder13 (1)	14
voiding of15 (2)	
Engines, Diesel, installation of	
hoisting, hours of operation of7 (2)	8
internal combustion25 (22-3)	25
internal combustion underground25 (37)	31
English language, knowledge of25 (2-3)	20-21
Entrance mine, buildings in proximity to25 (20)	
protection of	75
shaft, protected by gate25 (98) (a) (b)	) 46
to buildings, guarding25 (324)	
to noterway : 25 (228	. 74

Se	ction.	Page.
Mining Safety Ordinance, The.		
Entries in Hoistman's Log Book25 (	185)	69
Equipment, re-eghting 25		23
telephone, protection of25 (3)	2^-1)	98
warning on mechanical haulage25	192)	73
Erection of fences	22	17
Escapement shaft25		24
Evidence, Inspectors may take	38	112
Examination before employment		13
by travelling medical officer11	(2)	12
of cables25 (1	67-8)	63
of cranes daily25		79
of hoisting equipment required25	(166)	63
of hoisting rope connecting attach-		
ments25 (175) (		66-6S
of party wall28		1^3
Exemptions re certificates	17	15
Evhaust engines25		25
Exits, legible signs showing25	(26)	26
Expiration of certificate11 (3) 12	2 (2)	12-13
Explosion, premature or unexpected		
Explosives Act and Regulations of Dominion to apply25		33
Care and use of25 (4		32-45
defective to be reported25		32
defective to be disposed of25		34
disposal of, at shut down mine25		36
Electric heating of storage places for25	(62)	38
examination for, in missed or cut-off		
holes25		44
in drill holes25 (	72-4)	41
in drill holes, detonator required for	4==>	4.0
firing25		42
in drill holes to be fired in one operation. 25		42
inspection of storage places for25		35
longest in magazine to be used first25		34 43
mode of lighting fuses connected to25		40
not to be removed from containers25		34
opening of cases containing25		32
packages, marking of25 proximity of open flame lights to25		35
storage of25 (45)		33.34
switches and fuses in storage places for25		37
thawing of25 (57)		36-37
transportation of, in shaft25		38
transfer of, from storage places25	(65-6)	39
transportation of, underground25		40
use of in blasting, roast heaps forbidden25		40
wiring in storage places for25		37
Extended certificate, meaning of, voiding of9 (		11-15
Factor of safety of hoisting rope25		67
Failure of dam or bulkhead		106
Familiarity with rules, duty as to2		20
Fatal accident, duty of manager in case of		18
Fatal accident, duties of various parties in case of	29	105
Fatality in mine, Coroner to hold inquest	3 (1)	17
Fence, Inspector may erect	22	17
Cost of to be a lieu on sharps	99	17

Mining Safety Ordinance, The.	Section.	Page.
cost of recoverable from owner or lessee	99	17
Fencing of abandoned or unworked mines		17
Fencing of shafts and other openings		46
Filing plans of mine workings		110
Fire open, thawing explosives near, forbidden	00 (0) 25 (59)	37
Fire, cutbreaks of		1^6
Fire-doors, underground installing of	25 (28)	27
Fire fighting appliances	20 (20) 95 (310)	96
Fire fighting equipment at stated places	25 (14)	23
Fire hazard to be reduced to minimum	23 (14) 95 (19)	22
Fire prevention about electrical installation		100
Fireproofing construction of transformer stations		89
Fireproofing underground structures		22
Fire protection general		21-27
Fire protection where torches used	95 (15)	21-21
Firing cables, precautions in re connection of	20 (10) 95 (02)	45
of blasts or holes re stipulations25		42.45
		42.45
required of all holes charged in one loading		40
operationof missed holes		42 43
device to be approved type		44
First-aid supplies to be provided and maintained		29
Fixtures, electric, installation of		96 22
Flame lights, open, precautions re		
Flame type lights, prohibition re		35
Floors of explosive storage places to be neutralized		34
Flow of water, precautions against		29
Fly-wheel when to be enclosed	25 (197)	74
Folding gates, braces required on	25 (228)	79
Foreman, knowledge of English required		20
Fracture of bones, notice to Inspector re	30	106
Friction clutches, testing of		61
Frogs on tracks, to have guard blocks		75
Fuses, capacity of		94
Fuses, defective, to be reported	.25 (44)	32
Fuses for explosive storage places, to be in cabinet		37
Fuse houses, inspection of		35
Fuse houses to be kept clean and dry		34
Fuses for heating circuit, specifications re2		38
Fuses, length cf, for blasting		41
Fuses for lighting circuits, capacity of		38
Fuse, lighting of, illumination device not to be used.		43
Fuses, re telephone and signal apparatus		98
Fuse, safety, type of		42
Fuses, transportation of25 (6		39
Fusible cut-outs, housing installation	25 (298)	94
Fusible cut-outs, protection of	25 (297)	94
Fusible cut-outs, switches to be places before		94
Gas, in mine workings		106
Gas, unused workings to be tested for		50
Gate at shaft entrances		46
Gates, folding, to be braced	25 (228)	79
Gauge, wire, defined25	(237.k.)	83
Gear, locking, on drum clutch	25 (151)	60
Geared wheel, to be enclosed	25 (197)	74
General grounding rules25 (	244-256)	84-87

Mining Safety Ordinance, The.	Section	ı. Page.
Geared wheel, to be enclosed	25 (197)	74
General powers of Inspector		
General requirements re electrical equipment		
Generation of gas underground forbidden		
Girls an women, employment of		
Goggles, wearing of25	(199) (b)	75
Grease, storage of in shafthouse or portalhouse	25 (7)	7
Grease, storage underground	25 (9)	22
Grinding wheels, to be guarded25	(199) (a)	74
Cround neductor, capacity of	25 (249)	85
material and continuity of		
protection of		
separate, where required		
Gize of		
Grounded, meaning of2		
Grounded, circuit to be		
Grounded, equipment to be		
Grounding method of, generally		
Grounding of cable casings	25 (333)	101
Grounding of cable casings Grounds, artificial	25 (254)	86
Grounds, character of	25 (252)	86
Grounds, lightning arrester25 (2	56) (272)	87-90
Grounds, method of connection		
Cuard rails at track approaches		
Guarding buildings from elec-supply lines		
of conductors against excessive current		
current carrying parts		
current carrying parts of switchboard		
electrical supply lines		
current carrying parts of lighting fixtures		
entrances to blasting places		
or isolating live parts26		
of fuses, cut-outs, switches and controllers.25		
hoistway		
live parts of lightning arresters		
millholes, manways, etc	25 (109	40
open workings		
storage batteries		
switches above 300 volts	25 (292	92
switches above 750 volts	25 (295	93
tops of raises	25 (111	) 49
transformers	25 (264-6	) 89
trolley or crane collector wires	25 (315	97
. Guide rails		
Hand rails for ladders	25 (130	) 54
Hat protective required	25 (96	) 46
Haulage, generally	25 (192-6	73-74
Haulage, mechanical	25 (67	) 40
Haulage, mechanical, clearance to be maintained	25 (194	) 74
Haulage mechanical, control levers on	25 (195	) 74
Haulage mechanical, precautions when left un-		
attended	25 (196	) 74
Haulage mechanical, riding on, when forbidden	25 (193	) 73
Hazardous work, supervision of		
Hazards radium		
Heating electric	25 (62	) 38

C.		Dogo
Mining Safety Ordinance, The.	ection.	Page.
Hoists, accident involving, notice to Inspector re	31.a	106
Hoists, depth indicator required	(161)	62
Hoist, discipline on25	(186)	70
Hoists, installation of, notice to Inspector re	33a	108
electric, installation and equipment of25 (1	.54-5)	60-61
electric, testing for overloading25	(336)	101
electric,, testing of brakes on25		61
electric, testing of friction clutches on25		61
safety appliances on examination of25		63
signal required before moving25		72
steam or air when auxidary brake required25		62
Hoist room, code of signals to be posted in		71
Holst room signal communication with all points25		68
Hoisted, when men not to be25		58
Hoisting, after stoppage for repairs	(148)	59
compartment, partition between manway and25	(194)	53
compartment, separate signal system for	(124)	99
each25	(183)	68
device general specifications re25 (13		54-68
device brakes required25		59
device locking gear on drum of25 (1		60
device types of brakes on25		59
engine see "Hoists."	(/	
equipment, examination of25	(166)	63
men and material simultaneously25	(146)	58
rope, attachments, examination of25	(175)	66
rope certificate necessary25	(174)	65
rope connections, cleaning and examina-		
tion25		68
ropes, examination of25		<b>6</b> 3
rope, factors of safety of25		67
rope, history of, necessary25	(170)	65
rope. length of25		65
rope, not to be spliced25	(171)	65
rope, testing of25	(178)	67
rope to be treated with compound25		67
Hoistman, absence of		8 10
duties re signals25 (187	101)	71-73
Holstman's Log Book, entries required25 (156		61-69
Holstman's Log Book, signatures required25		69
Hoistman's signals to be returned by25	(184)	68
Hoistman to hold medical certificate	8 (3)	10
Hoistman, warning signal to25	(163)	62
Hoistway, guarding of25		80
Holder, see "Certificate."		
Holes, see "blasting," "drilling," "drill holes," "mill hole	98''	
Hood of cage or skip construction of25	(142)	56
Hours of hoisting engine operator	7 (2)	8
Hours of labor underground	7	8
Houses, thaw25 (		34
Identification of electrical equipment25	(243)	84
Illuminating supply stations25 (3		96
Imprisonment of offenders41	L (4)	113
Indicator, depth required25	(161)	62

Section.	Page
Mining Safety Ordinance, The.	
Indicator, operation of25 (162)	62
Inflammable liquids, storage and transportation of25 (8)	22
Inflammable refuse, certificate as to25 (6)	21
Influence of liquor, persons under25 (338)	101
Initial certificate9.f.	11
initia. certi cate holder, re examination of12 (2)	13
Initial certificate voiding of	15
Injured persons, aid to25 (31-2)	29
Inquiries as to compliance with Ordinance, duty of	
Inspector to make36	111
Inspection of cables	63
Inspection of connecting attachments25 (166)	63
of cranes25 (227)	79
of electrical equipment25 (241)	84
of explos.ve storage places25 (54)	35
cf hoisting equipment25 (166)	63
of hoisting rope25 (178)	67
of Hoistman's Log Book25 (185)	69
of mine workings	<b>5</b> 0
of steam boilers25 (206b)	76
Inspector defined2.e.	5
general duties and powers of	111
appeal to, as to time for blasting opera-	69
tions	09
certificate of, as to application of clauses	9
certified copy of inquest proceedings to23 (1)	17
decision of, as to compliance with rules25	20
furnishing of talse plans to, an offence35 (5)	110
may be required to make special report37	112
may designate mines to be equipped with stench	
warning	26
may direct certain rules not applicable24 (4)	19
may erect fence	17
may institute prosecution42	113
may order test of electric hoist for over-	
loading25 (336)	101
may permit altering scene of accident29 (3)	105
may recommend suspension of rules24 (1)	18
may suspend certain mine employees25 (4)	21
may take evidence upon oath on enquiry38	112
non-compliance with written order of, an	
offence39:41	112
notice from re fencing22 (2)	17
presence of, at inquest23 (2)	18
report of effectiveness of stench warning	
equipment to be available to25 (27)	26
Rope Record Book to be open to inspection	
by25 (174d)	66
to approve design of crossheads25 (134b)	55
to approve design of dumping device25 (139b)	56
to approve of landing devices at levels25 (105c)	48
to approve safety appliances on hoist25 (147b)	58
to approve of type and location of transformers	100
underground	100
to be notified of accidents other than fatal30	106

250: INDEX

Section. Mining Safety Ordinance, The.	Page.
Inspector to be notified of fatal accident	105
to be notified of rockbursts	167
to be notified of various specified happenings31 to complete investigation before scene of acci-	1 6
dent is disturbed29 (2)	1`5
to make annual report to Controller	112
written permission of, for thaw houses25 (57)	36
chief certified copy of Boiler Inspector's report to be forwarded to25 (206b)	76 <sup>-</sup>
Chief, certifed copy of report on inspection of Air Receiver, to be forwarded to25 (208)	76
Chief, duplicate copies of Rope Record to go	CC
to25 (174b) Chief, manager's rules to be submitted to24 (3)	66 19
Chief, may cancel suspension24 (2)	18
Chief, may exempt. re Sections 11-1717	15
Chief may give written permission to hoist	_
without safety appliances25 (142-d) Chief may order mine connections upon ap-	57
proval25 (30d)	29
Chief may order refuge stations installed25 (29)	27
Chief may permit altering scene of accident29 (3) Chief may recommend connection between	105
mines25 (30)	27
Chief may suspend rules24 (1) Chief notice to, when holsting rope taken out	18
of service25 (174e)	66
Chief permission of for installing internal com-	31
bustion engine underground25 (37) Inspector Chief, requirements of re radio active ores20	16
to approve design of bucket and attachments	58
to approve design of rope connec-	
tions25 (165b) to approve of electric firing de-	63
vices25 (90)	44
to approve of special signals25 (188) to approve of stench warning equip-	72
ment25 (27)	26
to authorize abstract of rules for posting25 (339)	101
to be notified by telegraph of fatal accidents29 (1)	105
to receive written notice of installation	100
of power plants, hoists, etc., of com- mencement of operations, of closing	
down of mines, etc., etc33	107
written permission for storage of ex- plosive at close down mine25 (55)	36
written permission of, required for cer- tain dams and bulkheads25 (35)	30
Installation of boilers and Diesel engines25 (21) (206	25-75
Installation of internal combustion engines	25
Installation of hoisting ropes25 (176)	67
Instituting prosecutions	113
Insulation of conductors 25 (277)	91

	Section	n. Page.
Mining Safety Ordinance, The.		
Insulators for lighting circuits		
Interpretation		
Interpretation for purposes of Sections 11-20 Into nal combustion engines, exhaust of, install	a-	
tion of		
Internal combustion engines underground		
Iron tools, use of, restricted	25 (73	) '1
Isolation of conductors	25 (278	91
Isolation of live electrical parts2	5 (259-62	87-88
Junction box underground		
Junction or splice boxes	25 (327	í 99
Labor, hours of underground	7 (1	) 8
Ladders, project on of, above platform		•
Ladders, specifications re		
Ladders, wire rope	20 (101 01) 20	) 53
Ladderways generally25		,
in raises, stopes or manways		
in shafts and winzes	25 (123	) 52
in shafts over 70 degrees	25 (125	) 53
in shafts under 70 degrees	25 (126	) 53
offset, landing platform required	25 128b	) 53
when handrails required		
Lamps	5 (311-14	) 96-97
Lamps, open flame, prohibition re	25 (53	) 35
Lead wires, short circuiting of		
Legible signs showing exits		
Length of blasting fuse		
Length of ropes on drum		
Level of load in sinking buckets		
Levels special signals		, 12
Levers, control, of storage battery and trolley loca		
tives		
Liability of Agent		
of Captain		
of contractors and sub-contractors		
of Manager	4	1 112
of other persons	4	1 112
of owner	.35 (5):4	1 110-112
of Superintendent	4	1 112
when exempt from	42 (2	) 114
Licensees not to damage other claims		
Life lines		
Life lines to be used when necessary		
Lights, men, number of at blasting operation		
Lights, open, on cage or skip		
Lighting circuits, conduits or insulators required	25 (332	) 100
fixtures2		
for supply stations		
fuses		
of hoistways and machinery locations	25 (229	) 80
Lightning arrester grounds	25 (256	) 87
Lightning arrester, location of	25 (270	89
Lightning arrester, rules2		
Limit age, of hoistman		
Limitation of prosecutions		
Lines, electrical supply, (Transmission Lines)2		

Mining Safety Ordinance, The.	Section.	Page.
· ,		
Lines, electrical supply clearance required		99
Lines, electrical supply design and construction of		98
Lines, electrical supply guarding		99
Lining compartments at levels		47
Liquids, transfer of, by compressed air		<b>7</b> 7
L'quid fuels, storage and transfer of		25
Liquid fuels, transfer of by compressed air		26
Liquor, using or carrying		101 95
Location and lighting of switchboards Location of underground explosive storage places		95 34
Locking gear on clutch of drum		60
Locking switches controlling apparatus		92
Log Book, Hoistman's	40 (400) 95 (195)	69
Loose clothing, wearing of forbidden		75
Machinery, meaning of		5
and appliances for removal of parts		29
Record Book		64
protection from25 (19	.20 (10 <i>0)</i> .7) (905)	74-75
Magazine for explosive storage		33
electric wiring in		37
floors and shelves of		34
electric heating in		38
inspection a		35
license required		33
storage of detonators in		35
to be kept clean, etc		34
transfer of explosives from	25 (65)	39
underground explosive	25 (50)	34
Manager, duty of in event of fatal accident23 (1a)		18-105
duty re examination of cranes		79
duty of, as to knowledge of rules		20
liability of		112
may make rules		19
may request suspension of rules		18
responsibility of for compliance with rule		19
to have custody of certificate	16	15
to furnish information to Inspector	33 (2)	108
to send written notice of accidents		106
to send written notice of closing down o	pera-	
tions	33 (c)	108
to send written notice of power installation	on33 (a.)	108
to send written notice of resumption of o		
tions		108
to send written notice of rockbursts		107
written permission, for explosive remov		36
Manways, guarding of		49
ladderways in	25 (128)	<b>5</b> 3
partition between, and hoists compart-	95 (104)	Fo
ment		53
repair work in	Z5 (121)	51
Marking of diamond drill holes	05 (122) 05 (49)	51 32
Marking explosives	40 (43)	32
Material, raising and lowering 25 (132)(141) (146) 1	474) (179	
20 (102)(141) (140) 1		-56-59-65
Mechanical haulage25 (67-8) (1		
Micchanical namage (110) (1	-, (100)	-7 10 11

Mining Safety Ordinance, The   Mechanical ventilation, wh.n necessary   25 (36)   31   1   1   1   1   1   1   1   1	Section.	Page.
Idelical certificate, Hoistman to hold	Mining Safety Ordinance, The	
Medical Officer, duties and powers of, re examination and is using, extending, endorsing and renewing certificate for persons engaged in dust exposure occupations   10:17   10-15   11-16		
I. edical Officer, duties and powers of, re examination and suing, extending, endorsing and renewing certificate for persons engaged in dust exposure occupations	Hedical certificate, Hoistman to hold	
1 suing, extending, endorsing and renewing certificate for persons engaged in dust exposure occupations		11
Persons engaged in dust exposure occupations		
Medical Officer, tests by, re radium hazards   .20   .16     Mettaliferous mine, return from   .34 (2)   .109     I etallurgical works, fatal accidents in   .23   .17     I fiteallurgical works, protection of health in   .20   .16     Meter showing load on hoist motor   .25 (.169)   .4     I fills, metallurgical works   .25 (.210-227)   .25 (.210-227)   .27     I lis, poisonous vapo s in   .25 (.210-227)   .25 (.25 (.210-227)		10.15
Mettaliferous mine, return from   34 (2)   109     I etallurgical works, fatal accidents in   23   17     Iletallurgical works, protection of health in   20   16     Meter showing load on hoist motor   25 (169)   64     Ilills, metallurgical works   25 (210-227)   77-79     Ils, poisonous vapo s in   25 (20)   27     Milhole, guarding of   25 (109)   49     Mine, meaning of   2 g h. 5-6     Mine entrance, building in proximity to   25 (20)   25     Mines, connection between   25 (30)   27     Mine entrance, engines in proximity to   25 (21-22)   25     Mine entrance, storage of liquid fuels near   25 (24a)   25     Mine workings, connection between   25 (113)   49     Mine workings, examination of   25 (115)   50     Mine workings, transportation of explosive in   25 (104)   48     Mine workings, transportation of explosive in   25 (67)   40     Miner's certificate, holder of provincial   19   16     Miner's certificate, meaning of   2.h   6     Miner's Protection Ordinance repealed   44   114     Mining partnership included in term "Owner"   2 (i)   6     Mining Recorder defined   2 (j)   6     Application to re party wall   28-3   103     certified copy of plans to be filed   with   35 (4)   110     to receive notice of that accident   29 (1)   10     to receive notice of tother accident   30   106     to receive notice of tother accident   30   106     Missed holes to be blasted   25 (306)   90     Neglect in keeping certificates in good standing   15   15     Neglect, penalty for   24 (4)   19     Non-compliance with rules, an offence   25 (185)   69     Notice of accidents   29-32   105-107     Notices of accidents   29-32   105-107     Notices of basting required   25 (75)   41     Notice of basting required   25 (75)   47     Notices of rules re explosives to be posted   25 (45d)   33		
I etallurgical works, fatal accidents in		
Itetallurgical works, protection of health in	l etallurgical works fatal accidents in 23	
Meter showing load on hoist motor		
Itilis, metallurgical works   25 (210-227)   77-79   1   1s, poisonous vapo s in   25 (192)   77-79   1   1s, poisonous vapo s in   25 (192)   77-75		
I   Is, poisonous vapo s in		77-79
Milhole, guarding of         25 (109)         49           Mine, meaning of         2 g.h.         5-6           hine entrance, building in proximity to         25 (20)         25           Mines, connection between         25 (21-22)         25           Mine entrance, engines in proximity to         25 (21-22)         25           Mine entrance, storage of liquid fuels near         25 (21-22)         25           Mine workings, connection between         25 (113)         49           Mine workings, examination of         25 (115)         50           Mine workings, timbering of         25 (104)         48           Mine workings, transportation of explosive in         25 (67)         40           Miner's certificate, holder of provincial         19         16           Miner's certificate, meaning of         9.h.         6           Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (i)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)	I lls. poisonous vapo s in	77
Mine, meaning of         2 g.h.         5-6           Mine entrance, building in proximity to         25 (20)         25           Mines, connection between         25 (30)         27           Mine entrance, engines in proximity to         25 (21-22)         25           Mine entrance, storage of liquid fuels near         25 (24a)         25           Mine workings, connection between         25 (115)         49           Mine workings, examination of         25 (104)         44           Mine workings, timbering of         25 (104)         44           Mine workings, transportation of explosive in         25 (67)         40           Miner's certificate, holder of provincial         19         16           Miner's certificate, meaning of         9.h.         12           Mining, meaning of         2.h.         6           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (i)         6           application to re party wall         28 (i)         10           application to re party wall         28 (i)         10           may vary order re party wall         28 (i)         10           to receive notice of fatal accident         29 (i)         10	Millhole, guarding of25 (109)	49
Mine entrance, building In proximity to 25 (20) 25 Mines, connection between 25 (30) 27 Mine entrance, engines in proximity to 25 (21-22) 25 Mine entrance, storage of liquid fuels near 25 (24a) 25 Mine workings, connection between 25 (113) 49 Mine workings, examination of 25 (115) 50 Mine workings, examination of 25 (115) 50 Mine workings, timbering of 25 (104) 48 Mine workings, transportation of explosive in 25 (67) 40 Miner's certificate, holder of provincial 19 16 Miner's certificate, meaning of 9h. 12 Mining, meaning of 2h 6 Miner's Protection Ordinance repealed 44 Mining partnership included in term "Owner" 2 (i) 6 Mining Recorder defined 2 (j) 6 Mining Recorder defined 35 (4) 110 may vary order re party wall 28 (6) 105 to receive certified copy of plans to be filled with 35 (4) 110 to receive notice of fatal accident 29 (1) 105 to receive notice of other accident 30 106 to receive notice of rockbursts 32 107 to receive notice of rockbursts 32 107 to receive notice of rockbursts 32 107 to receive notice of various occurrences 31 106 Missed holes to be blasted 25 (86) 43 Missed holes return to the scene of 25 (78) 42 Motor control devices 25 (78) 42 Motor control devices 25 (78) 42 Motor control devices 24 (5) 20 Non-compliance with written order of Inspector 39 112 Non-reversible steam or air hoists 25 (160) 62 Notations in Machinery Record Book 25 (185) 69 Notations in Machinery Record Book 25 (186) 69 Notations in Machinery Record Book 25 (189b) 64 Notice of abnormal conditions 26 (120) 51 Notices, other 33 107 Notices, other 22 (2) (3) 17 Notices, posting of re Signal Code 25 (187) 71 Notice from Inspector as to fencing 22 (2) (3) 17 Notices of rules re explosives to be posted 25 (45d) 33	Mine, meaning of	5-6
Mine entrance, engines in proximity to 25 (21-22) 25 Mine entrance, storage of liquid fuels near 25 (24a) 25 Mine workings, connection between 25 (113) 49 Mine workings, examination of 25 (115) 50 Mine workings, timbering of 25 (104) 48 Mine workings, transportation of explosive in 25 (67) 40 Miner's certificate, holder of provincial 19 16 Miner's certificate, meaning of 9.h. 12 Mining, meaning of 2.h. 6 Mining's Protection Ordinance repealed 44 114 Mining partnership included in term "Owner" 2 (i) 6 Mining Recorder defined 2 (j) 6 application to re party wall 28 (a) 103 certified copy of plans to be filed with 35 (4) 110 may vary order re party wall 28 (6) 105 to receive notice of fatal accident 29 (1) 105 to receive notice of other accident 30 106 to receive notice of rockbursts 32 107 to receive notice of rockbursts 32 107 to receive notice of various occurrences 31 106 Missed holes to be blasted 25 (86) 43 Missed holes return to the scene of 25 (306) 95 Neglect in keeping certificates in good standing 15 Neglect, penalty for 24 (4) 19 Non-compliance with written order of Inspector 39 112 Non-reversible steam or air holsts 25 (160) 62 Notations in Machinery Record Book 25 (185) 69 Notations in Machinery Record Book 25 (185) 69 Notations in Machinery Record Book 25 (186) 69 Notice of accidents 29 (2) (3) 17 Notices, other 33 106 certificates required 25 (75) 41 Notice from Inspector as to fencing 22 (2) (3) 17 Notices, posting of re Signal Code 25 (187) 71 Notice of rules re explosives to be posted 25 (45d) 33	Mine entrance, building in proximity to25 (20)	
Mine entrance, storage of liquid fuels near         25 (24a)         25           Mine workings, connection between         25 (113)         49           Mine workings, examination of         25 (115)         50           Mine workings, timbering of         25 (104)         48           Mine workings, transportation of explosive in         25 (67)         40           Miner's certificate, holder of provincial         19         16           Miner's certificate, meaning of         9.h         12           Mining, meaning of         2.h         6           Mining, meaning of         2.h         6           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           Mining Recorder defined         2 (j)         6           with         35 (4)         110           may vary order re party wall         28 (3)         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive notice of plans 35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident<	Mines, connection between25 (30)	
Mine workings, connection between         25 (113)         49           Mine workings, examination of         25 (104)         48           Mine workings, timbering of         25 (104)         48           Mine workings, transportation of explosive in         25 (67)         40           Miner's certificate, holder of provincial         19         16           Miner's certificate, meaning of         9.h         12           Mining, meaning of         2.h         6           Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive notice of fatal accident         29 (1)         105           to receive notice of fatal accident         29 (1)         105           to receive notice of rockbursts         32         107           to receive notice of rockbursts         32         107           to receive notice of rockbursts         32         106	Mine entrance, engines in proximity to25 (21-22)	
Mine workings, examination of         25 (115)         50           Mine workings, timbering of         25 (104)         48           Mine workings, transportation of explosive in         25 (67)         40           Miner's certificate, holder of provincial         19         16           Miner's certificate, meaning of         9.h.         12           Mining, meaning of         2.h.         6           Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans 35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           to receive notice of rockbursts         32         107           to receive notice of rockbursts         32         107           to receive notice of rockbursts         32         106	Mine entrance, storage of liquid fuels near25 (24a)	
Mine workings, timbering of         25 (104)         48           Mine workings, transportation of explosive in         25 (67)         40           Miner's certificate, holder of provincial         19         16           Miner's certificate, meaning of         9.h         12           Mining, meaning of         2.h         6           Mining, meaning of         2.h         6           Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive notice of plans.35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           to receive notice of rockbursts         32         107           to receive notice of various occurrences.31         106           Missed holes to be blasted         25 (86)         43           Missed holes return to the scene o	Mine workings, connection between25 (113)	
Mine workings, transportation of explosive in         25 (67)         40           Miner's certificate, holder of provincial         19         16           Miner's certificate, meaning of         9.h         12           Mining, meaning of         2.h         6           Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           With Mining Recorder defined         2 (j)         6           Mining	Mine workings, examination of	
Miner's certificate, ho'der of provincial         19         16           Miner's certificate, meaning of         9.h.         12           Mining, meaning of         2.h.         6           Mining Protection Ordinance repealed         44         114           Mining Percenter defined         2 (j)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans.35 (4)         110           may vary order re party wall         28 (6)         105           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30 (1)         106           to receive notice of other accident         30 (1)         106           Missed holes to be blasted         25 (366)         43           Missed holes return to the scene of         25 (78)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15 (15         15           Ne	Mine workings, timbering of	
Miner's certificate, meaning of         9.h.         12           Mining, meaning of         2.h.         6           Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans 35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           to receive notice of tockbursts         32         107           to receive notice of various occurrences         31         106           Missed holes to be blasted         25 (36)         43           Missed holes return to the scene of         25 (36)         43           Missed holes return to the scene of         25 (36)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15         15		
Mining, meaning of         2.h.         6           Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans 35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           Missed holes to be blasted         25 (86)         43           Missed holes return to the scene of         25 (86)         43           Missed holes return to the scene of         25 (86)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15 15           Neglect		
Miner's Protection Ordinance repealed         44         114           Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans         35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           to receive notice of rockbursts         32         107           to receive notice of various occurrences         31         106           Missed holes to be blasted         25 (36)         43           Missed holes return to the scene of         25 (36)         43           Missed holes return to the scene of         25 (78)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15         15           Neglect, penalty for         24 (4)         19           Non-compliance with written order of Inspector         39	Mining meaning of 2 h	
Mining partnership included in term "Owner"         2 (i)         6           Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans         35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           to receive notice of rockbursts         32         107           to receive notice of various occurrences         31         106           Missed holes to be blasted         25 (86)         43           Missed holes return to the scene of         25 (86)         43           Missed holes return to the scene of         25 (78)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15         15           Neglect, penalty for         24 (4)         19           Non-compliance with rules, an offence         24 (5)         20           Non-reversible steam or air holsts         25 (160) <td< td=""><td></td><td>_</td></td<>		_
Mining Recorder defined         2 (j)         6           application to re party wall         28-3         103           certified copy of plans to be filed         with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans         35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           to receive notice of rockbursts         32         107           to receive notice of various occurrences         31         106           Missed holes to be blasted         25 (86)         43           Missed holes return to the scene of         25 (86)         43           Missed holes return to the scene of         25 (78)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15         15           Neglect, penalty for         24 (4)         19           Non-compliance with rules, an offence         24 (5)         20           Non-compliance with written order of Inspector         39         112           Non-reversible steam or air holsts         25 (160)         <	Mining partnership included in term "Owner"	
application to re party wall		
with         35 (4)         110           may vary order re party wall         28 (6)         105           to receive certified copies of plans. 35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30 106           to receive notice of rockbursts         32 107           to receive notice of various occurrences. 31 106         Missed holes to be blasted         25 (86)         43           Missed holes return to the scene of         25 (78)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15 15           Neglect, penalty for         24 (4)         19           Non-compliance with rules, an offence         24 (5)         20           Non-compliance with written order of Inspector         39 112           Non-reversible steam or air hoists         25 (160)         62           Notations in Hoistman's Log Book         25 (185)         69           Notations in Machinery Record Book         25 (186)         64           Notice of abnormal conditions         25 (120)         51           Notices, other         33 107           Notice of blasting required         25 (75) <td>application to re party wall28-3</td> <td>103</td>	application to re party wall28-3	103
may vary order re party wall         28 (6)         105           to receive certified copies of plans         35 (4)         110           to receive notice of fatal accident         29 (1)         105           to receive notice of other accident         30         106           to receive notice of rockbursts         32         107           to receive notice of various occurrences         31         106           Missed holes to be blasted         25 (86)         43           Missed holes return to the scene of         25 (78)         42           Motor control devices         25 (306)         95           Neglect in keeping certificates in good standing         15         15           Neglect, penalty for         24 (4)         19           Non-compliance with rules, an offence         24 (5)         20           Non-compliance with written order of Inspector         39         112           Non-reversible steam or air hoists         25 (160)         62           Notations in Hoistman's Log Book         25 (185)         69           Notations in Machinery Record Book         25 (186)         64           Notice of abnormal conditions         25 (120)         51           Notices, other         33 107           Notic	certified copy of plans to be filed	
to receive certified copies of plans. 35 (4) to receive notice of fatal accident 29 (1) 105 to receive notice of other accident 30 106 to receive notice of rockbursts 32 107 to receive notice of various occurrences. 31 106 Missed holes to be blasted 25 (86) 43 Missed holes return to the scene of 25 (78) 42 Motor control devices 25 (306) 95 Neglect in keeping certificates in good standing 15 15 Neglect, penalty for 24 (4) 19 Non-compliance with rules, an offence 24 (5) 20 Non-compliance with written order of Inspector 39 112 Non-reversible steam or air holsts 25 (160) 62 Notations in Hoistman's Log Book 25 (169b) 64 Notice of abnormal conditions 25 (169b) 64 Notice of accidents 29-32 105-107 Notices, other 33 107 Notices of blasting required 25 (75) 41 Notice of rules re explosives to be posted 25 (45d) 33		
to receive notice of fatal accident29 (1) 105 to receive notice of other accident30 106 to receive notice of rockbursts32 107 to receive notice of various occurrences31 106 Missed holes to be blasted		
to receive notice of other accident 30 to receive notice of rockbursts 32 107 to receive notice of rockbursts 32 106 Missed holes to be blasted 25 (86) 43 Missed holes return to the scene of 25 (78) 42 Motor control devices 25 (306) 95 Neglect in keeping certificates in good standing 15 15 Neglect, penalty for 24 (4) 19 Non-compliance with rules, an offence 24 (5) 20 Non-compliance with written order of Inspector 39 112 Non-reversible steam or air holsts 25 (160) 62 Notations in Hoistman's Log Book 25 (185) 69 Notations in Machinery Record Book 25 (185) 69 Notice of abnormal conditions 25 (120) 51 Notice of accidents 29-32 105-107 Notices, other 33 107 Notices, other 25 (75) 41 Notices, posting of re Signal Code 25 (187) 71 Notices, posting of re Signal Code 25 (187) 71 Notice of rules re explosives to be posted 25 (45d) 33		
to receive notice of rockbursts		
to receive notice of various occurrences. 31  Missed holes to be blasted		
Missed holes to be blasted       25 (86)       43         Missed holes return to the scene of       25 (78)       42         Motor control devices       25 (306)       95         Neglect in keeping certificates in good standing       15 15         Neglect, penalty for       24 (4)       19         Non-compliance with rules, an offence       24 (5)       20         Non-compliance with written order of Inspector       39 112         Non-reversible steam or air hoists       25 (160)       62         Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33 107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Missed holes return to the scene of       25 (78)       42         Motor control devices       25 (306)       95         Neglect in keeping certificates in good standing       15       15         Neglect, penalty for       24 (4)       19         Non-compliance with rules, an offence       24 (5)       20         Non-compliance with written order of Inspector       39       112         Non-reversible steam or air hoists       25 (160)       62         Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Motor control devices       25 (306)       95         Neglect in keeping certificates in good standing       15       15         Neglect, penalty for       24 (4)       19         Non-compliance with rules, an offence       24 (5)       20         Non-compliance with written order of Inspector       39       112         Non-reversible steam or air holsts       25 (160)       62         Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Neglect in keeping certificates in good standing       15       15         Neglect, penalty for       24 (4)       19         Non-compliance with rules, an offence       24 (5)       20         Non-compliance with written order of Inspector       39 112         Non-reversible steam or air holsts       25 (160)       62         Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33 107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		_
Neglect, penalty for       24 (4)       19         Non-compliance with rules, an offence       24 (5)       20         Non-compliance with written order of Inspector       39       112         Non-reversible steam or air hoists       25 (160)       62         Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		15
Non-compliance with written order of Inspector       39       112         Non-reversible steam or air hoists       25 (160)       62         Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		19
Non-reversible steam or air holsts       25 (160)       62         Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32 105-107         Notices, other       33 107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33	Non-compliance with rules, an offence24 (5)	20
Notations in Hoistman's Log Book       25 (185)       69         Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Notations in Machinery Record Book       25 (169b)       64         Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Notice of abnormal conditions       25 (120)       51         Notice of accidents       29-32       105-107         Notices, other       33 107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Notice of accidents       29-32       105-107         Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		-
Notices, other       33       107         Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Notice of blasting required       25 (75)       41         Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Notice from Inspector as to fencing       22 (2) (3)       17         Notices, posting of re Signal Code       25 (187)       71         Notice of rules re explosives to be posted       25 (45d)       33		
Notices, posting of re Signal Code		_
Notice of rules re explosives to be posted25 (45d)		
		73

Mining Safety Ordinance, The	Section.	Page
Notices re sections 5, 7 and 8	21	16
Notice showing exits to be posted		26
Notice to coroner, of fatality		18
Notice to remedy default, non-compliance with an		112
Noxious gases		51
Number of made-up primers	25 (66a)	39
Number men lights at blasting operation	25 (82)	43
Occupation, dust exposure defined		11
Occupation, dust exposure employment in		12
Offences		112
Offences workmen		8
Officer, see Medical Officer.		0
Officer, authorized, of mine to be on property	94 (4)	19
		21
Oil, storage of		21
Oil, storage of underground		_
Oil immersed transformers		89
Onus of proof	42 (3)	114
Open fire, no thawing of explosives near		37
Open flame lights, precautions re25		22
Open lights during hoisting operations	25 (186)	70
Open-pit workings	25 (209)	76
Openings, dangerous, to be fenced		46
Openings, shaft to be protected	25 (98)	46
Openings, shaft to be guarded25 (109)		49
Openings, wheel or belt to be enclosed		74
Operating chairs by lever forbidden		57
Operating gear of drum clutch	25 (151)	60
Operating of hoisting equipment to be recorded		69
Operation of welding and cutting torches		24
Operation of section 7 may be suspended	7 (5)	10
Operation hoisting precautions during	25 (103)	47
Operations involving use of acetylene, etc		23
Operations sinking, auxiliary ladders during	25 (123)	52
Operations sinking, lowering of men during2!	(136-40)	55-56
Operations sinking, maintenance of timbering d	ur-	
ing	25 (99)	46
Operations protection of men during		47
Other mining property, damage to		102
Overload, prohibition, observance of re hoists		73
Overload, protecting motors against		96
Overload, testing for, on hoists		101
Overwind device on auxiliary required		61
Overwind device on electric hoist		60
Overwind device, testing of25 (1		61-69
Owner defined		6
Owner, duty of re compliance with Ordinance		76
of re closing down of mine		107
of re examination of cranes		79
of re examination of hoisting equ		10
ment		63
re examination of mine workings		50
of re fatal accident		
		105
Owners duty of re other accidents		106
Owner duty re life lines	25 (117)	50
Owner duty of re Machinery Record Book		100
TIWHOLD CUIT OF LO DISHE OF WOLKINGS	3.6	1/10

S	ection	. Page.
Mining Safety Ordinance, The		
Owner duty as maritime shades at a sulog	(220)	101
Owner duty re positive abstract of rules		
Owner duty of re power driven grounding wheel25		74
Owners duty of re power installation	33	107
Owners duty of re resumption of operation	33	107
Owner, duty of, re radio active minerals		16
Owners duty of re rockburst		107
Owner duty to provide rescue apparatus	.6 (1)	7
Owner duty re scaling equipment25		50
Owners duty of re statistical returns		108
Owner duty to train workmen in use of rescue appar		
tus		7
Owners duty of re various occurrences		106
Owner liability for employment contrary to Ordinano	ce21	16
Owners liability of, for non-compliance to Ordinance.	41	112
Owner may apply for suspension of rules	24	18
Owners responsibility of, for compliance with Ordinan	ce35	109
Gwners rights and powers of, re party wall		
Owner to obtain magazine license for explosive sto		
age2		33
Oxygen adequate supply for rescue purposes25		. 78
Oxygen transportation of underground2		23
Oxygen, see "Ventilation."	0 (10)	20
Panelboard, meaning of25	(2276)	82
Partitions between hoistway and stairway25	(230)	80
Partitions between manway and hoisting compart	(200)	30
ments	(19.4)	228
Party walls		
Payment of wages, periodic		
Penalties and prosecutions		112
Penalty for contravention of rules made by mana-		4.0
ger2		19
Penalty for default in making statistical returns		
Penalty for employment contrary to Ordinance		
Penalty for payment		
Penalty sections, application of		9
Penalty, who may incur		
Plans, filing of22 (1) 33 (c) 35 (		
Plans, production of, upon mine inspection		
Plans, to be treated as confidential		
Plans of workings		
Platforms in ladderways26	(126-8)	53
Poisons, storage of25		
Poisonous vapors, preventing concentrations of25	(212)	77
Portable apparatus25 (3)		
Portable conductors		
Portable conductors, restrictions on use of25		
Portable lamps25 (3		
Portalhouse, buildings in proximity to2		
calcium carbide not to be stored2		
fire fighting equipment in25		
fire proofing of2		23
restrictions on storage in25		
use of acetylene, etc., in		
Posting of Abstract of Rules		
Posting of level special signals		72
Posting of notice showing loads allowed on cage	UI.	

Mining Safety Ordinance, The	Section.	Page.
- · · · · · · · · · · · · · · · · · · ·	P (101)	79
skip		73
Posting of rules re care and use of explosives2		33
Posting of rules made by manager		19
Powers of Inspector		111
Power driven grounding wheels		74
Precautions as to broken material		49
Precautions re use of compressed gas cylinders		24
Precautions when intersecting drill holes		51
Premature explosion, notice of		106
Pressure vessels25		75
Primers, making and transportation of		39
Printing and posting of code of signals		71
Procedure on prosecutions		114
Prohibition of payment of wages at public houses	26 (1)	102
Projections in revolving machinery to be covered?	25 (198)	74
Proof, onus of	42 (3)	114
Property, damage to2	5 (337)	101
Prosecutions, instituting	42 (1)	112
Prosecutions, limitation of		114
Prosecutions, procedure on	43 (1)	114
Protecting ground wire	5 (251)	86
Protection against burning		78
against current carrying parts25 (259-62		87
against falling counterweights		80-90
against short circuiting on switchboard		95
connection between mines for		27
fire2		21-28
fire of electrical installations		100
from contact with timbering		56
from dumping from bucket or skip		56
from clostalaity barands 95 (	000 00E)	83-101
from electricity hazards25 (		25
from exhaust fumes		32-45
from explosive hazards25	(40-34)	34-40
from machinery in mines and build-	107 005)	7.4
ings25 (		74
from noxious gases25 (36-37		31-78
from overhead operations25		4.5
from radium hazards	20	16
from steam and compressed air haz-	(0000)	
ards25		75
from water hazards25		29
Protection, general rules for		20
in elevators and hoistways25 (	,	79
In haulage25	(192-6)	73
in Illuminating supply stations25	(308-9)	96
in mills, metallurgical works25 ( in working places, shafts, winzes,	210-227)	77-79
etc25	(95-122)	45-51
of conductors25 (	275-280)	90-91
of current carrying parts on switch-		
boards25	(304-5)	95
of electrical supply lines25		98-101
of entrances, etc.	5 (202)	75
of entrances to working place		43
of fusible cut-outs25		94
of Instrument transformers		89
01 1201 Hill 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- ()	

Sec Mining Safety Ordinance, The	tion.	Page.
of men in drifts and crosscuts	001	46
of men on shaft inspection25 (1		47
of men in sinking operations		47
of miners and workers, rules for, made by	.01)	71
manager	24	18
of motors against overload25 (3	(07)	96
of operator of switches, fuses, etc25 (281-2		91-94
of signal apparatus25 (321) (3		98-101
cf s.orage batteries	(63)	88
of switches		93
of telephone lines25 (320-1) (3		98-101
of transmissiin lines		98-101
refuge station for		27
Protective devices on compressed gas cylinder25 (		23
Protective devices on electric hoists		60
Protective equipment on elevator 25 (2		80
Protective hat to be worn underground	(96)	45
Qualification a Holseman		10
Quait ed Boiler Inspector to inspect air receivers25 (2		76
	,00)	10
Qualified person to be in charge of electrical apparatus	491	83-84
or machinery25 (238) (2 Qualified person, disconnectors accessible only to25 (2	1944)	92
Qualified person to examine cranes daily		79
Qualified person to supervise motor control devices25 (3		95
	.00)	90
Qualifying certificate for employment in dust exposure occupation		10-12
Radioactive ores		77 49
Raises, protection in	106)	45-51
Raises, steeply inclined25 (1		48
Raising and lowering material		54-65
Raising and lowering men	(3)	56-65
Raising and lowering material, constructing of	49)	EC
cage for		56 58
		99
Rating of cables and circuit breakers underground25 (3		82
Reconstruction, meaning of		
Record Book, Machinery 25 (174)		64
Record Rope Book		66 51
Record of subsisting certificates8		10
Recorder, meaning of		
Recovery of cost of fencing		6 17
Re examination, medical		14
		27
Refuge stations within mine		
Refuse, certificate as to non-accumulation		21
Regulations, meaning of		<b>6</b> 112
Regulations, Controller may make	40	112
Regulations, re medical examination, Controller may make	10	10
Release signal 25 (18		16
		71
Removal of dust	11) 21)	77
Removal of inflammatory matter, surface	(E)	21
Removal of inflammatory matter, underground25		21
Removal of water from mine workings		29
Renewed certificate, meaning of9	(1)	12

258 Index

Section.  Mining Safety Ordinance, The	Page.
•	
Repair work in manways25 (121)	51
Repairs, stoppage of hoisting for 2 3)	
Report of Inspector, annual36 (2)	112
Report of Inspector, special	
Reporting of missing holes	0.9
Requirements, general, re electrical equipment25 (240)	83 78
Rescue apparatus7-6:25: (222) Responsibility as to qualification of employees5	7
Responsibility for carrying out rules24 (4)	19
Responsibility for compliance with Ordinance	110
Restriction on employment of children, girls and	110
women	7
Returns, statistical	108
Returns, monthly or quarterly34 (2)	109
Returns, penalty on failure to make34 (3)	109
Riding on cars forbidden, exceptions25 (193)	73
Riding on cranes prohibited25 (224)	79
Right of Inspector to be at inquest23 (2)	18
Rockburst and record of32	107
Rope, certificate, necessary25 (174a)	65
examination of25 (167)	63
history of, necessary25 (170)	65
hoisting connections	63
hoisting, examination of attachments of25 (175)	66
hoisting, factor of safety of25 (176)	67
hoisting, not to be spliced	65
hoisting, periodical cutting and cleaning of25 (179)	68 67
hoisting, testing of	67
hosting, when taken out of service25 (174e)	66
length of, on drum25 (1742)	65
Record Book	66
wire ladders25 (129)	53.
Rules, general	101
re aid to injured25 (31-2)	29
re care and use of explosives32-25 (43-94)	45
re electricity, governing use of25 (237-336)	81
re elevators and hoistways25 (228-236)	79
re fire protection25 (5-30)	21
re handling water25 (33-5)	29
re haulage25 (192-6)	73
re ladderways and ladders25 (123-31)	52
re mills and metallurgical works25 (210-227)	77-79
re protection from machinery25 (197-205)	74
re protection in working places25 (95-122)	45-51
re sand and gravel pits25 (209)	76
re sanitation	<b>31</b> . 54
re shaft equipment25 (132) re signals25 (182-191)	68-73
re steam, compressed air25 (206-8)	75
re ventilation25 (36-7) (83)	31-43
Rules, particular.	01.10
Rules re conductors25 (278-80)	91:
re cranes and elevators25 (318-19).	98
re damage to property25 (33.7).	101
re electric hoists25 (336)	101

Mining Safety Ordinance, The	Section	on. Page.
Dulas no fine fightling appliances	95 (910	) 96
Rules re fre fighting appliancesre fuses, cut-outs, switches and con-	20 (010	) 50
trollers25	(281.99	91
re guarding or isolating live parts25		
re illuminating supply stations25	(308-9	96
re lightning arresters25	(269.74	.) 89
re lighting fixtures25		
re motor control devices25		
re storage batteries		
re switchboards25 (		
re telephone and signal apparatus25	(320-21	.) 98
re transformers25		
re transmission lines25	(322-35	98
re trolleys and portable apparatus25	(315-17	97
re use of liquor		101
re working space about electrical equip		
ment25		
Rules, abstract of, to be posted		
knowledge of		
suspension for unfamiliarity with		
manager may make		
manager, to be postedmanager, to have same force as those in	24 (3	1)
Ordinance	24 (35	) 19
general grounding25 (244-50		
Runway to have hand railing	25 (201	75-101
Runways, wire	25 (246	85
Safety appliances25 (134) 142d) (145) (147)		
		57-58-59-64
Safety catches	25 (236	) 81
Safety devices, automatic	25 (233	) 80
Safety factor of hoisting rope		
Safety fuse		
Safety valve on steam boilers25 (20)		
Sand and gravel pits		
Sanitary conveniences		
Sanitation	(38-42	) 31
Shaft, accident involving	3	1 106
Shafts, buckets, use of		
Shaft escapement		
Shafts fencing of		
Shafts, inspection protection during		
Shafts, ladderways in25 (123		
Shaft, meaning of		
Shafts, sinking, protection during		
Shafts, timbering of		
Shields for protection against burning		
Shifts, less than three per day, hoistman's duties wh	en7 (2	8
Shift, meaning of	7 (3b	) 9
Shut down mine, disposal of explosives at		36
Signals, signalling, code of blasting, danger, release		_
special		
Signal apparatus, protection of25 (320-21		
Signs showing exits		
Size of drill holes	45 (72)	) 41

260 Index

fining Safety Ordinance, The	s	ection.	Page.
Size of conductor	0.5	(040)	05
Skip, see Bucket, Cage.	25	(248)	85
Splice boxes, location of	05	(207)	99
Splicing of hoisting rope forbidden			65
Stairways, protection of	25	(220)	78
Stairways, when permissible	25	(127)	53
Statistical returns		34	108
Steam, steam boilers			75
Steam boilers, thawing near, prohibited		(59)	37
Steel tools, use of forbidden in charging holes			
blasting			41
Stench warning			26
Storage batteries, protection			88
of acids, poisons			77
of carbide			22
of detonators			35
of exp!osives25 (	45) (50)	(51)	33-34
of liquid fuels	2!	5 (24)	25-34
of oil and grease			21
of places inspection of	2!	5 (54)	35
Stretchers, first aid	2	5 (31)	29
Superintendent, duties of		.31-2-3	106-107
Superintendent, liability of			112
Supervision of hazardous work	25	(221)	78
Supervision over transportation of explosives			
shaft		5 (64)	38
Supply lines, see Transmission Lines.			
Supply station, electrical2	5 (273c	239)	81-87-83
Supply station, illuminating			96
Suspension for unfamiliarity with rules			21
Suspension of operation of Section 7			10
Suspension of rules under Section 25			18
Suspension, cancellation of			18
Switch blackout			60
Switch emergency			61
Switches, installation of			37
Switch, electrical, meaning of			82
Switches, general requirements, re			91-94
Switches, on underground cables			100
Switch required on cars and cranes			98
Switch board, meaning of			82
Switch boards, general requirements re			94
Telephone and signal apparatus (see also sign			98
Temporary Wiring switches for			92
Temporary wiring switches for			
Terms of certificate			
Testing brakes			
clutches			61
hoisting ropefor overload on hoists	40 9E	(110)	101
for overwind devices		0E0 14\	61
record of			
safety appliances			
Thaw houses			
Thawing near open fire prohibited	2	10 (59)	37

Section.	Page.
Mining Safety Ordinance, The	
Timber unused	<b>2</b> 2
Timbering, accident involving31 (a)	106
Timbering, protection of cage from contact with25 (141)	56
Timbering of mine workings25 (104)	48
Timbering of shaft and winze25 (99)	46
Times for blasting25 (119)	51
Tool, iron or steel, use forbidden in charging holes25 (73)	41
Torches, welding operation of25 (17)	24
Transfer of explosives from storage places25 (65)	39
Transfer of liquids by compressed air25 (214)	77
Transfer of liquid fuel	26
Transformer rules	8)
Transformer, type and location of	99
Transmission lines 25 (322-35)	98 <b>99</b>
Transmission lines, clearance required25 (325) Transmission lines, design and construction of25 (322)	98
	99
Transmission lines, guarding	39
Transportation of explosives in shaft	38
Transportation of compressed gases underground25 (16)	23
Transportation of explosives underground	41
Trolleys and portable apparatus	97
Trolley locomotive25 (68)	40
Tunnels, operating voltage in	97
Unattended locomotive	74
Underground accumulation of refuse25 (5)-6	21
buildings, fireproofing of25 (12)	22
carbide25 (13) (c)	22
compartment gates25 (98)	46
compressed gas25 (16) (17)	23
connection between mines25 (30	27
dam or bulkhead25 (35a) (31c)	30
exit signs25 (26)	26
fire doors25 (28)	27
foreman, knowledge of English langu-	• •
age	2)
generation of gas, prohibited25 (18)	24
hours of labor	8 31
mechanical haulage25 (192-6)	73
oil and grease	22
protection from overhead operations25 (95)	45
protective hat required25 (96)	46
refuge stations25 (29)	27
sanitary conveniences	31
stench warning25 (27)	26
storage of explosives25 (50-52)	34
storage of liquid fuels25 (24a)	25
torches25 (15)	23
transportation of explosives25 (67-8)	40
ventilation25 (36)	31
volatile inflammable liquids25 (8)	22
workings, daily examination of25 (115)	50
workings, testing for gas25 (114)	50
"workman" means one employed	9
Undermining prohibited in sand or gravel pits25 (209)	76

262 Index

Mining Safety Ordinance, The	Section.	Page.
Unemployed holder of certificate	14. 15	14
Uneven projections, covering of		74
Unloading, suitable landing device for		48
Unsafe mine or portion thereof, cessation of wo		111
Unused workings to be tested for gas	9E (114)	50
Unworked mines, fencing of	20 (114)	17
Use of bare conductors restricted		91
Use in common of party walls		103
Use of shaft buckets		48
Utilization equipment, meaning of		82
Utilization equipment,, working space around	25 (257)	87
Valves, safety, on steam boilers	25 (206)	75
Vapors, poisonous		77
Ventilation in furnace rooms	25 (217)	78
Ventilation in mills, metallurgical works		
Ventilation in mines		31
Ventilation of working place after blasting	25 (83)	43
Volatile inflammable liquids	25 (8)	22
Volts, voltage, voltage to ground, meaning	25 (237j)	83
Voltage of conductors, etc25 (259-262) (271		87-90
Voltage re supply lines	25 (320-35)	99
Voltage re switches, switchboards, etc	25 (281-305)	91
Voltage re trolleys, etc	25 (315-18)	97
Wages, payment of periodic	26 (3)	102
Wages, payment of at public houses	26 (1)	102
Walls, party	98 (1-6)	103
Warning before blasting	95 (75)	41
Warning of abnormal conditions		51
Warning of approximat conditions		63
Warning of arrival of bucket		
Warning devices on cranes		79
Warning equipment for mechanical haulage		73
Warning stench		26
Water, accident involving		106
Water, drinking		32
Water, removal of, and protection against		29
Water, to lay dust	25 (118)	51
Wearing of loose clothing, restrictions upon	25 (200)	75
Welding and cutting torches	.25 (17) (18)	24
Wheel, fly, geared and bull, to be guarded	25 (197)	74
Wheel, grinding, power driven to be guarded	25 (199)	74
Winze, blasting in		44
Winze, conveyances, accident involving	31 (a)	106
Winze, equipment	25 (132-181)	54-68
Winzes, ladderways in	25 (123-131)	52-54
Winze, protection of men in	25 (101-5)	47
Winze, timbering required	25 (99)	46
Wire gauge, meaning of	25 (237k)	83
Wire ground on lighting arrester equipment	25 (272)	90
Wire ground protecting	25 (251)	86
Wire or grid-type heaters, use of	25 (62c)	38
Wire rope ladders, use of	25 (129)	53
Wire runways	25 (246)	85
Wires, conduit requirements for	25 (331-2)	100
Wires, electric signal or telephone	25 (335)	101
Wires, firing, or cables	25 (99.4)	45
Wires, lead, short circuiting of	95 (09)	
wires, lead, short chediting of	20 (34)	45

Section.	Page.
Mining Safety Ordinance, The	
Wires, trolley or crane collector, guarding of25 (915-319)	97
Wiring electric, grounding of25 (244-56)	84
Wiring electric, in storage places25 (60)	37
Wiring, temporary switches for25 (284)	92
Wiring, temporary use of25 (280)	91
Workers, rules for protection of24	18
Workings mine, accidents in31	106
connection between25 (113)	49
daily examination of25 (115)	50
fire doors in25 (28)	27
first aid in25 (31-2)	29
inflammable refuse in25 (5) (6)	21
plans of, filing of35 (3) 4)	110
plans of, production of on inspec-	
tion35 (1)	109
precautions against water in25 (34-5)	29
refuge stations in25 (29)	27
removal of water from25 (33)	29
sanitation in25 (38-42)	31
stench warning in25 (27)	26
storage of detonator in25 (52)	35
timbering of25 (104)	48
transportation of explosives in25 (67)	40
ventilation in25 (36-7)	31
Working places, protection in25 (95)	45
Workman defined(7 (3)	9
Workman, knowledge of English required in25 (3)	21
Workmen, persons in charge of25 (1)	20
Workmen's Compensation Act of B.C25 (32)	29
X-ray plates of chest required12 (1)	13
Yukon Territory, Controller of (see Controller)2 (c)	5
Yukon Territory, Territorial Court of	5
Yukon Territory, Sanitary Control Ordinance24 (6) 25 (38)	20-31