

600-55 Metcalfe Street
Ottawa, ON K1P 6L5
Canada

55, rue Metcalfe, bureau 600
Ottawa, ON K1P 6L5
Canada

SCOPE OF ACCREDITATION

ACTIVATION LABORATORIES LTD
1752 Riverside Drive
Timmins, ON
P4R 1N1

Accredited Laboratory No. 799
(Conforms with requirements of CAN-P-1579 , ISO/IEC 17025:2005)

CONTACT: Robert Dampier
TEL: + 1 705 264 0123
FAX: +1 705 264 0186
EMAIL: RobertDampier@actlabs.com
URL: <http://www.actlabs.com>

CLIENTS SERVED: All interested parties

FIELDS OF TESTING: Chemical/Physical

PROGRAM SPECIALTY AREA: Mineral Analysis

SCOPE ISSUED ON: 2017-11-16

ACCREDITATION VALID TO: 2023-01-25

SCC GROUP ACCREDITATION

This laboratory is a party to a SCC Group Accreditation with the following facilities in accordance with SCC's policy on Group Accreditation as documented in Accreditation Services Accreditation Program Overview.

- Activation Laboratories Ltd., Thunder Bay, Ontario, Accredited Laboratory No. 673
- Activation Laboratories Ltd., Kamloops, BC, Accredited Laboratory No. 790
- Activation Laboratories Ltd., Timmins, Ontario, Accredited Laboratory No. 799

METALLIC ORES AND PRODUCTS

Mineral Analysis Testing

Mineral Assaying

QOP AA-Au	Procedure for the analysis of Gold and/or Silver by Fire Assay with AA or Gravimetric finish
QOP AquaGeo	Multi-Element Analysis Using Aqua Regia Extraction and Inductively Coupled Plasma Atomic Emission Spectrometry for Ag, Co, Cu, Ni, Pb, Zn
QOP PGE-OES	Analysis of Gold, Platinum, and Palladium (PGE) using Fire Assay and Inductively Coupled Plasma Optical Emission Spectrometry
QOP Sodium Peroxide	Multi-Element Analysis using Sodium Peroxide Extraction and Inductively Coupled Plasma Atomic Emission Spectrometry for Co, Cu, Ni, Pb, Zn

Notes:

CAN-P-4E (ISO/IEC 17025): General Requirements for the Competence of Testing and Calibration Laboratories (ISO/IEC 17025-2005)

CAN-P-1579: Requirements for the Accreditation of Mineral Analysis Testing Laboratories

Cynthia Milito, Acting Vice
President, Accreditation
Services

Date: 2017-11-16

Number of Scope Listings: 4
SCC 1003-15/986
Partner File #0
Partner: