



INSPECTION BODY ACCREDITATION PROGRAM (IBAP)

Scope of Accreditation

Accredited Legal Entity: **Bureau Veritas Canada (2019) Inc.,
formerly known as Maxxam Analytics**

Contact Name: Ray Chapman-Chen

LOCATION A

Address: 4606 Canada Way, Burnaby, BC V5G 1K5 Canada

Telephone: +1 604 734 7276

Fax: +1 604 731-2386

Website: www.bvlabs.com

Email: Ray.Chapman-Chen@bvlabs.com

SCC File Number:	06012
Accreditation Standards:	ISO/IEC 17020:2012 SCC Requirements and Guidance – Inspection Body Accreditation Program
Accreditation Sub-Programs:	Medical Gas – Piping Systems
Initial Accreditation Date:	2007-04-04
Date of Most Recent Reaccreditation:	2015-02-05
Accreditation Expiry Date:	2019-12-31

Additional Fixed Office Locations:

Refer to the legal entity location identified at the top of this listing. There are no additional locations included in this scope of accreditation:

Operation Type of Inspection Body:

ISO/IEC 17020, Conformity assessment — Requirements for the operation of various types of bodies performing inspection, Annex A Independence requirements for inspection bodies, Type A most closely resembles the operation type operated by this organization. The inspection body shall be independent of the parties involved. The inspection body and its personnel shall not engage in any activities that may conflict with their independence of judgment and integrity in relation to their inspection activities. In particular, they shall not be engaged in the design,



manufacture, supply, installation, purchase, ownership, use or maintenance of the items inspected. An inspection body shall not be a part of a legal entity that is engaged in design, manufacture, supply, installation, purchase, ownership, use or maintenance of the items inspected. The inspection body shall not be linked to a separate legal entity engaged in the design, manufacture, supply, installation, purchase, ownership, use or maintenance of the items inspected by the following: 1) common ownership, except where the owners have no ability to influence the outcome of an inspection; 2) common ownership appointees on the boards or equivalent of the organizations, except where these have functions that have no influence on the outcome of an inspection; 3) directly reporting to the same higher level of management, except where this cannot influence the outcome of an inspection; 4) contractual commitments, or other means that may have an ability to influence the outcome of an inspection.

Scope of Accreditation:

III: Medical Gas Piping Systems Program

Base program:	Medical Gas Piping Systems	
Locations:	A	A
Scope of Accreditation	<p>The performing of field inspections and the issuance of certificate/report on Medical Gas Piping Systems in accordance with all of the following standards:</p> <ul style="list-style-type: none"> • CAN/CSAZ7396.1-06 Medical Gas Pipeline Systems: Part 1 Pipelines for Medical Gases and Vacuum • CAN/CSAZ7396.1-09 Medical Gas Pipeline Systems: Part 1 Pipelines for Medical Gases and Vacuum • CAN/CSAZ7396.1-12 Medical Gas Pipeline Systems: Part 1 Pipelines for medical gases, medical support gases, and anaesthetic gas scavenging systems • CAN/CSA Z305.1-92 Non-Flammable Medical Gas Piping Systems: Part III Certification and Part V Testing, Piping and Terminal Units • CAN/CSA Z305.6 Medical Oxygen Concentrator Central Supply System For use with Non-Flammable Gas Piping Systems, Part 16 Certification 	



Standards Council of Canada
Conseil canadien des normes

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC) to Bureau Veritas Canada (2019) Inc. The original version is available in the Directory of Accredited Inspection Bodies on the SCC website at www.scc.ca.

Elias Rafoul
Vice President, Accreditation Services
Date:2019-06-06