

INSPECTION BODY ACCREDITATION PROGRAM (IBAP)

Scope of Accreditation

Accredited Legal Entity:	RPC	
Contact Name:	Jennifer Doucette and Sara Cockburn	
LOCATION A		
Address:	921 College Hill Road, Fredericton, NB, E3B 6Z9, Canada	
Telephone:	+1 506 460-5613	
Fax:	+1 506 452-1395	
Website:	http://www.rpc.ca	
Email:	Jennifer.Doucette@rpc.ca and sara.cockburn@rpc.ca	

SCC File Number:	06015
Accreditation Standards:	ISO/IEC 17020:2012 SCC Requirements and Guidance – Inspection Body Accreditation Program
Accreditation Sub-Programs:	Medical Gas – Piping Systems
Initial Accreditation Date:	2007-04-25
Date of Most Recent Reaccreditation:	2019-02-19
Accreditation Expiry Date:	2023-04-25

Additional Fixed Office Locations:

Refer to the legal entity location identified at the top of this listing. There are no additional locations included in this scope of accreditation:

Operation Type of Inspection Body:

ISO/IEC 17020, Conformity assessment — Requirements for the operation of various types of bodies performing inspection, Annex A Independence requirements for inspection bodies, Type A most closely resembles the operation type operated by this organization. The inspection body shall be independent of the parties involved. The inspection body and its personnel shall not engage in any activities that may conflict with their independence of judgment and integrity in relation to their inspection activities. In particular, they shall not be engaged in the design,





Standards Council of Canada Conseil canadien des normes

manufacture, supply, installation, purchase, ownership, use or maintenance of the items inspected. An inspection body shall not be a part of a legal entity that is engaged in design, manufacture, supply, installation, purchase, ownership, use or maintenance of the items inspected. The inspection body shall not be linked to a separate legal entity engaged in the design, manufacture, supply, installation, purchase, ownership, use or maintenance of the items inspected by the following: 1) common ownership, except where the owners have no ability to influence the outcome of an inspection; 2) common ownership appointees on the boards or equivalent of the organizations, except where these have functions that have no influence on the outcome of an inspection; 3) directly reporting to the same higher level of management, except where this cannot influence the outcome of an inspection; 4) contractual commitments, or other means that may have an ability to influence the outcome of an inspection.

Scope of Accreditation:

Base program:	Medical Gas Pipir	Medical Gas Piping Systems		
Locations:	A	Α		
Scope of Accreditation	The performing of field inspections and the issuance of certificate/report on Medical Gas Piping Systems in accordance with all of the following standards:			
	 Pipelines for M CAN/CSAZ73 Pipelines for M CAN/CSAZ73 for medical ga 	 Pipelines for Medical Gases and Vacuum CAN/CSAZ7396.1-09 Medical Gase Pipeline Systems – Part 1: Pipelines for Medical Gases and Vacuum 		
CAN/CSAZ7396.1-17 Medical gas pipeline systems - F for medical gases, medical vacuum, medical support g anaesthetic gas scavenging systems				

I: Medical Gas Piping Systems Program





This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC) to RPC. The original version is available in the Directory of Accredited Inspection Bodies on the SCC website at <u>www.scc.ca</u>.

Elias Rafoul Vice President, Accreditation Services Date: 2019-02-19

